

Design Benefits & Features

Desk, wall-hung, counter and full height cabinets.

3-Point cabinet latch ensures security.

Rigid cabinet frame and sturdy hinges provide maximum durability.

Carts with capacity of up to 800 lbs.

Smooth-rolling cart casters, swivel and rigid.

Heavy duty, reversible cart trays.

Space Utilization Advantages

Cabinets provide convenient, attractive, secure storage.

Carts quickly move tools, parts, and supplies from storage to work areas.

Broad selection of cabinets and carts offer exact workspace solutions.

Market Applications

Automotive - service, parts, office, supplies and display.

Education - office, supplies and maintenance.

Healthcare - maintenance, office and supplies.

Maintenance - service, parts and supplies.

Manufacturing - work cells, maintenance, office and supplies.

Military - office, supplies, service, maintenance, and parts.

Retail - display, office and backroom storage.

Museum - small artifact and supply storage.



Storage Cabinets

Equipto storage cabinets feature a rugged construction and attractive design that make them perfect for any environment from shop to office. Choose from desk, counter and full height configurations to fit your exact requirement.

Cabinets are shipped knocked down.



Door latch

Cabinet doors are equipped with a durable safety latch which allows smooth, quiet operation. All doors open with ease, yet close securely.



Cabinet frames

Crafted of sturdy steel, cabinet frames feature an advanced interlocking design for maximum strength and superior rigidity.



Rigid frames and sturdy hinges.

Heavy gauge steel construction.

Smooth surfaces and graceful contours mean no protrusions to snag clothing.

Cabinet doors are reinforced.

Each unit is level and completely balanced.

Bases are recessed.



Door handles

Attractively designed handles are made of satin, chrome-plated steel.
A 3-point locking device on door assures secure storage of contents.



Positive shelf lock

All shelves have a positive lock which slides into the opening and locks in place. Even with rugged use, cabinet shelves cannot be dislodged.

Flammable Liquid Storage Cabinets

Protect your personnel and your business

- · Galvanized steel shelves and leveling legs
- · Support up to 350 lbs
- · Internal and external welded construction
- 18 gauge steel reinforced double wall panel construction
- · 2" raised leakproof sill
- · 2" vent with fire baffle and cap
- · Ground connection
- · Lead-free high gloss baked on powder finish
- 3 point key lock doors
- · Meet OSHA and NFPA code 30 specifications
- Self-closing models meet UFC 79



Equipto flammable liquid cabinets help protect you from fire hazard. Use them for volatile liquids that need to be safely contained like:

- Alcohol
- Acetone
- Formaldehyde
- Gasoline



These cabinets can be conveniently placed wherever safe housekeeping procedures or ease of accessibility dictate.

Part No.	Description	Dimensions (W X D X H)	Weight
FSC15S	15 gal two door self-closing	43" x 18" x 22 ^{1/4} "	145 lbs.
FSC15M	15 gal two door manual close	43" x 18" x 22 ^{1/4} "	135 lbs.
FSC30M	30 gal two door, one shelf, manual close	43" x 18" x 44"	247 lbs.
FSC30S	30 gal two door, one shelf, self-closing	43" x 18" x 44"	257 lbs.
FSC45M	45 gal two door, two shelves, manual close	43" x 18" x 65"	342 lbs.
FSC45S	45 gal two door, two shelves, self-closing	43" x 18" x 65"	353 lbs.
FSC60M	60 gal two door, two shelves, manual close	31 ^{1/4} " x 31 ^{1/4} " x 65"	354 lbs.
FSC60S	60 gal two door, two shelves, self-closing	31 ^{1/4} " x 31 ^{1/4} " x 65"	364 lbs.
FSC90M	90 gal two door, two shelves, manual close	43" x 34" x 65"	465 lbs.
FSC90S	90 gal two door, two shelves, self-closing	43" x 34" x 65"	475 lbs.
	*Additional Shelf are needed per required additional shelf when adding	43" x 18" to a 34"D x 43"W cabinet	12 lbs.

Flammable liquid storage cabinets are safety yellow.



Cabinets and Carts

Storage Cabinets



Combination Cabinet

Versatile unit with 5 shelves plus wardrobe area with rod and 4 hooks. Divider panel permits locating wardrobe on either side.

Extra shelves can be added.



Counter High Cabinet

Double-door cabinet has locking handles and 2 interior shelves. Use back-to-back; side-by-side; add extra shelves.

Available in two depths.



Handy Cabinet

Keeps books, manuals, parts.

Locking handle.

Shipped set-up. Order part number 1734DI/1735DI if it's required to have the handles located lower on the cabinet.



1712/1717

Wardrobe Cabinet

Spacious cabinet has a sturdy, metal rod and 4 hooks for hanging coats, plus a top shelf for personal items. Locks securely.



Desk High Cabinet

Use back-to-back or side-by-side to form a credenza. Has 1 shelf, locking handles. Add extra shelves to expand space.



1710/1715

EQUIPTO

Spacious Cabinet

Rugged cabinet in 2 depths features locking handles and 4 adjustable shelves (2" centers). **Extra shelves can be added.**



1730WS

Book Shelf Cabinet

Combination unit with 2 adjustable shelves (3/4" centers) and 2 door cabinet with internal shelf and locking handles.

Cabinet			Size		Extra Shelves
Part No.	Description	Width	Depth	Height	Part No.
1712	Wardrobe	36"	18"	78"	
1717	Wardrobe	36"	24"	78"	
1710	5-shelf	36"	18"	78"	16027
1715	5-shelf	36"	24"	78"	16029
1734	2-shelf	30"	13"	27"	16017
1734DI	2 shelf upper cabinet	30"	13"	27"	16017
1735	2-shelf	36"	13"	27"	16025
1735DI	2 shelf upper cabinet	36"	13"	27"	16025
1730WS	Book Shelf/Cabinet	36"	18"	71"	6192 (Upper)
					16027A (Lower)
1714	Combination	36"	18"	78"	16032
1719	Combination	36"	24"	78"	16033
1700	Counter High	36"	18"	42"	16027
1705	Counter High	36"	24"	42"	16029
1730	Desk High	36"	18"	29"	16027
11245	Locking Handle				
11245KA	Locking Handle Keyed	d Alike			
11246	Rigid Handle				
10428	Key				

All cabinets shipped unassembled unless otherwise noted.



Quick-View Storage Cabinets



Equipto Quick-View Cabinets are designed for both easy visibility and security of personal belongings, books, files, equipment supplies parts, etc. Clean styling and durable construction make these cabinets ideal for both office and industrial environments.

Available sizes include:

- 30"W x 12"D x 26"H (Wall-hung)
- 36"W x 18"D x 42"H (Counter)
- 36"W x 18"D x 78"H
- 36"W x 24"D x 78"H
- 48"W x 24"D x 78"H

Features:

- UV, break and scratch resistant plastic Lexan panels are mounted in both door frames for an unobstructed view of the cabinet's contents.
- Each shelf has a 225 lb. weight capacity with 2" increment height adjustability.
- Cabinet doors have a 3-point locking mechanism with one chrome plated handle.
- · Multiple cabinets can be keyed alike or individually.
- · Dollies are available for the 78" high cabinets to add mobility

Equipto Quick-View Storage Cabinets offer the perfect appearance, capacity, visibility and security for your plant or office.

Quick-View Storage Cabinets

Part No.	Description	Width	Depth	Height
QVC301226SU	Wall Hung QVS Cabinet	30"	12"	26"
QVC361842	QVS Cabinet	36"	18"	42"
QVC361878	QVS Cabinet	36"	18"	78"
QVC362478	QVS Cabinet	36"	24"	78"
QVC482478	QVS Cabinet	48"	24"	78"

*SU=set up. You may order an assembled unit upon request by adding a "SU" to the end of the part no. (an additional fee will apply)

Dollies

Part No.	Description (W x D)
CD1836	Dolly for 36" x 18" Cabinet
CD2436	Dolly for 36" x 24" Cabinet
CD2448	Dolly for 48" x 24" Cabinet





Standard color - Office gray. For other colors refer to equipto color chart - Inside rear cover.



Mobile Computer Cabinet

Equipto Mobile Computer Cabinets are designed to provide maximum protection for computer equipment from dust, metal shards and other debris. The locking, mobile cabinet keeps your expensive computer equipment clean and safe.

The Mobile Computer Cabinet is ideal for PCs, terminals and other computer peripherals on the shop floor, in any industrial environment, or where security issues are involved.

Outstanding features include:

- Front and back key-locked doors provide security while allowing easy equipment access to authorized personnel.
- Full door seals to keep dust, metal shards and other debris away from your equipment.
- Easy station-to-station mobility on four heavy-duty casters.
- Built-in fan and louvers for temperature control.
- · Lockable slide-out keyboard and mouse tray.
- · Heavy-duty slide-out printer shelf.

Part No.	Dimensions
ECWS-303069	30"W x 30"D x 69"H

Features:

- a) Scratch-resistant lexan monitor window
- b) Adjustable monitor shelf can hold up to a 21" monitor
- c) Lockable slide-out keyboard and mouse tray
- d) Adjustable slide-out printer shelf
- e) Accommodates desktop or full-size tower pc
- f) Sealed access doors to keep out dust and debris
- g) Louvers for increased air flow
- h) Full size lockable rear access door for easy accessibility
- i) 2 rigid & 2 swivel casters for easy mobility
- j) Built in air-intake fan with filter






J ·











Armadillo Cabinet Line

Equipto's Industrial Cabinet Line provides you with the ultimate in Heavy Duty 12 Gauge Cabinets.

Each cabinet includes:

- · 14 gauge shelves with up to 1900 lb. capacity
- · Adjustable shelves 2" increments
- · Handle includes a hasp for use with padlock
- · 7 gauge welded legs for moving and durability
- · More shelves can be added for versatility

Heavy Duty Standard Cabinets

· Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications

Dimensions Part No. **Overall Height Shelves** Shelf P/N $(W \times D \times H)$ Capacity Weight ICL24132* 3 1900 36" x 24" x 60" 66" ICS8241 406 lbs. ICL25103 36" x 20" x 72" ICS8251 1600 435 lbs. 78" 4 ICL25133 36" x 24" x 72" 78" 4 ICS8241 1900 475 lbs. ICL34132* 48" x 24" x 60" 3 ICS8341 1200 489 lbs. 66" ICL35133 48" x 24" x 72" 4 ICS8341 1200 573 lbs. 78" ICL44132* 60" x 24" x 60" 66" 3 ICS8441 1650 595 lbs. ICL45133 60" x 24" x 72" 78" 4 1650 699 lbs. ICS8441 ICL54132* 72" x 24" x 60" 3 ICS8551 1525 726 lbs. 66"

78"

Half and Half Cabinet

ICL55133

- · Easily separate your items on shelves or in drawers
- · Cabinet shelves can be adjusted in 2" increments to accommodate both large and small items

Part No.	Dimensions (W x D x H)	Overall Height	Shelf P/N	Shelf Capacity	Drawer Width	Drawer Capacity	Weight
ICL3513354	48" x 24" x 72"	78"	ICS8342	1125	19"	225	917 lbs.
ICL4513354	60" x 24" x 72"	78"	ICS8442	1575	25"	225	1,079 lbs.
ICL5513354	72" x 24" x 72"	78"	ICS8552	1450	31"	225	1,267 lbs.

Dual Zone Cabinet

- · Provides you with two separate shelving compartments
- Both sides can be locked independently; while one side is locked you can work out of the other
- · Perfect for two people

Part No.	Dimensions (W x D x H)	Overall Height	Shelf P/N	Adjustable Shelves Each Side	Capacity	Weight
ICL25137	36" x 24" x 72"	78"	ICS8243	4	950	544 lbs.
ICL35137	48" x 24" x 72"	78"	ICS8343	4	1275	642 lbs.
ICL45137	60" x 24" x 72"	78"	ICS8443	4	1600	740 lbs.
ICL55137	72" x 24" x 72"	78"	ICS8553	4	1950	838 lbs.

Every unit comes fully assembled

ICS8551

1525

856 lbs.


Built to last

- · 12 gauge steel one piece wrap around shell
- · 12 gauge steel doors
- · 12 gauge steel bottom
- 14 gauge steel shelves attached with 3/8" carriage bolts
- 8 gauge hinge leaf, 5/16" brass hinge pin, 3/4" receiver
- · cast aluminum bronze alloy handle, padlock tang, 3/8" angle receiver with three point locking device, 3/8" latch rod, 3/16" latch plate
- 3/16" steel legs, provision for lagging, 6" sweep space

Units are all welded, and fully assembled.







^{72&}quot; x 24" x 72" *Casters Optional - (Add CSTR Postfix)



Bin Cabinets - Store it all!

Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications.

4 Shelf Bin Cabinet with adjustable shelves

With the introduction of Bin Storage to our Shelving cabinets, you are now able to store both large and small items all in a single cabinet. Bins are $4^{1/4"}$ wide, $7^{3/8"}$ deep and 3" high and constructed of Polypropylene.

Part No.	Dimensions (W x D x H)	Overall Height	Number of Small Bins	Shelf P/N	Shelf Capacity	Weight
ICLB710	36" x 24" x 72"	78"	94	ICS8742	1350	533 lbs.
ICLB720	48" x 24" x 72"	78"	144	ICS8822	850	651 lbs.
It is recom	mended that these	e cahinets l	he anchored to	vour floor or	wall	



Total Bin Cabinet

Packed with 32 Large Bins holding up to 60 lbs. each, large bins are $8^{1/4"}$ wide by $14^{3/4"}$ deep and 7" high. There are 94 Small Bins which hold up to 10 lbs each, and comes completely assembled.

Part No.	Dimensions (W x D x H)	Overall Height	Number of Small Bins	Number of Large Bins	Weight
ICLB730	36" x 24" x 72"	78"	94	32	596 lbs.
ICLB740	48" x 24" x 72"	78"	144	40	732 lbs.



3 Shelf Total Bin Cabinet

Enjoy the storage of the Total Bin Cabinet with the flexibility of 3 adjustable shelves.

Part No.	Dimensions (W x D x H)		Number of Small Bins			Shelf Capacity	Weight
ICLB750	36" x 24" x 72"	78"	94	16	ICS8742	1350	579 lbs.
ICLB760	48" x 24" x 72"	78"	144	20	ICS8822	850	756 lbs.



Every unit comes fully assembled

Standard paint is a dark gray water based application - additional charges and lead times apply for a color change



Janitorial/Locker Cabinets

Standard Janitorial/Locker Cabinet

Provides you with two storage compartments, one for clothing and the other for materials and tools.



Part No.	Dimensions (W x D x H)	Overall Height	Closet Shelves	Closet Shelf P/N	Closet Shelf Capacity	Hanger Shelf P/N	Hanger Shelf Capacity	Weight
ICLJ551250	36" x 24" x 72"	78"	4	ICCS8244	1100	ICHS8245	775	501 lbs.
ICLJ551260	48" x 24" x 72"	78"	4	ICCS8344	1500	ICHS8345	1050	594 lbs.
ICLJ551270	60" x 24" x 72"	78"	4	ICCS8444	1900	ICHS8645	1300	687 lbs.

Dual Zone Janitorial/Locker Cabinet

Provides you with two separate storage compartments which can be opened and locked independently.



Part No.	Dimensions (W x D x H)	Overall Height	Closet Shelves		Closet Shelf Capacity			Hanger Shelf Capacity	Weight
ICLJ551300	72" x 24" x 72"	78"	8	ICCS8244	1025	2	ICHS8445	825	893 lbs.

Full Length Janitorial/Locker Cabinet

Heading out to the job or heading home for the day? Store your personal and work items in one cabinet.

Part No.	Dimensions (W x D x H)	Overall Height	Shelf P/N	Shelf Capacity	Weight
ICLJ551280	36" x 24" x 72"	78"	ICS8246	1900	421 lbs.
ICLJ551290	48" x 24" x 72"	78"	ICS8346	1200	500 lbs.



Every unit comes fully assembled

Standard paint is a dark gray water based application - additional charges and lead times apply for a color change



Janitorial Broom Side Closet

Store those housekeeping and items with long handles out of the way. Also store any other materials like cleaners, brushes, or tool chests on the adjustable shelves of the other side

No locking handle. Padlock only.



Part No.	Dimensions (W x D x H)	Overall Height	Closet Shelves	Shelf P/N	Shelf Capacity	Weight
ICLJ551310	36" x 24" x 72"	78"	4	ICCS8244	1025	492 lbs.
ICLJ551320	48" x 24" x 72"	78"	4	ICCS8344	1375	580 lbs.
ICLJ551330	60" x 24" x 72"	78"	4	ICCS8444	1750	659 lbs.
ICLJ551340	72" x 24" x 72"	78"	4	ICCS8544	1050	766 lbs.

Tool Crib Cabinet

Two separate sections to store all your tool needs. Up top you have 3 adjustable shelves, two of which are slotted with metal vertical dividers. The lower section has a 14 gauge adjustable shelf. Separating the two section is a 12" deep shelf which can be used to do work on or repair tools.



Part No.	Dimensions (W x D x H)	Overall Height	Standard Shelf P/N	Standard Shelf Capacity	Slotted Shelf P/N	Slotted Shelf Capacity	Dividers/ Slotted Shelf	Weight
ICLTC551350	36" x 24" x 72"	78"	ICS8241	1900	ICSS8246	1425	3	509 lbs.
ICLTC551360	48" x 24" x 72"	78"	ICS8341	1200	ICSS8346	900	4	637 lbs.
ICLTC551370	60" x 24" x 72"	78"	ICS8441	1650	ICSS8446	1225	5	767 lbs.

Every unit comes fully assembled

Standard paint is a dark gray water based application - additional charges and lead times apply for a color change

Cabinets and Carts

Bench Cabinets

Rugged bench cabinets are available in 15", 211/2" and 30" widths and provide convenient workspace and storage for tools and parts. Choose between mobile and stationary configurations as well as a variety of tops to suit your application.

- Rugged welded frame cabinets for small spaces
- Stationary or portable
- Secure shelf space or drawer space with a bench top in as little as 15" wide

240 Series with Door and Shelf

Caster

Capacity

No Casters

245 Series with Drawers

Caster

Capacity

No Casters

15"W x 24^{7/8}"D x 34"H 500 lb.

15"W x 24^{7/8}"D x 34"H 500 lb.

Back rail

Steel Tops

Steel Tops

245DP

245DS

Without

Backstop

240DP

240DS

Without

Backstop

With

Backstop

240UP

240US

With

Backstop

245UP

245US

- · Four-drawer unit
- · Single-door unit
- · Roller suspension drawers

With

Backstop

240UPM

240USM

With

Backstop

245UPM

245USM

Hardboard on Steel

Hardboard on Steel

Without

Backstop

240DPM

240DSM

Without

Backstop

245DPM

245DSM

Bench cabinets - 15" wide





240DS

245DS





240DP 245DP



•	Equipto mobile drawer cabinets enable
	faster delivery of parts and supplies
	right to the job site. Compact, efficient
	and designed to save you time.

- 4 and 5 drawer units available
- Rigid steel construction
- Use stationary or as mobile units
- Roller suspension drawers
- Optional items:

Loop handle (#11574)

Tumbler locks (#10405)

Bench cabinets - 15" & 21 ^{1/2} " W	V
--	---



Part No.	Description	Drawer Size (W x D x H)	Cabinet Size (W x D x H)	Load Capacity
223MW4	4-drawer w/hardboard top	21 ^{1/2} " x 23 ^{3/4} " x 7 ^{3/4} "	21 ^{1/2} " x 22 ^{3/4} " x 37 ^{1/2} "	500 lbs.
223SW4	4-drawer w/steel top	$21^{1/2}$ " x $23^{3/4}$ " x $7^{3/4}$ "	$21^{1/2"} \times 22^{3/4"} \times 37^{1/2"}$	500 lbs.
221MW5	5-drawer w/hardboard top	15" x 23 ^{3/4} " x 6 ^{1/4} "	15" x 22 ^{3/4} " x 37 ^{3/4} "	500 lbs.
221SW5	5-drawer w/steel top	15" x 23 ^{3/4} " x 6 ^{1/4} "	15" x 22 ^{3/4} " x 37 ^{3/4} "	500 lbs.

Bench cabinets - 30" wide x 273/4" deep







- · Stationary or portable
- · Back rail available
- · Flat or sloped tops
- · Roller suspension drawers
- · Door cabinets have middle shelf
- Lock It Up! All doors and drawers accept standard padlocks, or order #10405 key locks, keyed either differently or alike

EQUIPTO

		Steel	Tops	Wood 7	Горѕ	Hardboard	d on Steel
Series	Caster Capacity	With Backstop	Without Backstop	Hardwood	Bonded Wood	With Backstop	Without Backstop
250 Seri	ies - 2 doors with s	helving					
	500 lbs.	250UP	250DP	250-PW	250-PB	250UPM	250DPM
	800 lbs.	250UH	250DH	250-HW	250-HB	250UHM	250DHM
	No Casters	250US	250DS	250-SW	250-SB	250USM	250DSM
255 Seri	es - 1 door with sh	elf and 4 dr	awers				
	500 lbs.	255UP	255DP	255-PW	255-PB	255UPM	255DPM
	800 lbs.	255UH	255DH	255-HW	255-HB	255UHM	255DHM
	No Casters	255US	255DS	255-SW	255-SB	255USM	255DSM
260 Seri	ies - 8 drawers						
	500 lbs.	260UP	260DP	260-PW	260-PB	260UPM	260DPM
	800 lbs.	260UH	260DH	260-HW	260-HB	260UHM	260DHM
	No Casters	260US	260DS	260-SW	260-SB	260USM	260DSM

No casters - bottom overall height $34^{1/8}$ " With casters, the overall height is $40^{1/8}$ "

NOTE: All units are 30" wide and $27^{3/4}$ " deep without top. Tops are 30" wide and 30" deep unless sloping desktop is used which is 30"W x 29"D. Add $1^{5/8}$ " to overall height if wood top is used, and $6^{7/8}$ " overall height if sloping desktop is used.

Caster Capacities

250 Series	Part No.
500 lbs.	250FP
800 lbs.	250FH
No Casters	250FS


255 Series	Part No.
500 lbs.	255FP
800 lbs.	255FH
No Casters	255FS

260 Series	Part No.
500 lbs.	260FP
800 lbs.	260FH
No Casters	260FS




Aerial Shelf

A #226-30 Aerial Shelf adds extra capability without sacrificing bench top work space.



Sloping Desk Top

Top is 30"W x 29"D x 6^{7/8}"H Sloping desk top **Part No. 294**



Literature Organizers

Keep literature and papers properly stacked with Equipto literature organizers. Adjustable vertical dividers give you the flexibility to configure the openings to your needs.

- Sort and organize forms, sales literature, computer printouts, photographs and legal and letter size stationery
- · All steel construction
- · Adjustable vertical dividers

Units are shipped assembled





The divider's front edge is hemmed and designed to drop into place through slots in the horizontal shelves. No sharp edges, clips, nuts or bolts.



Channel formed front edge provides ample room for a 3/8" high stick-on label.



Vertical dividers are removable to make larger openingsEach unit is shipped complete with enough vertical dividers to form a unit with the maximum number of openings.

Part No.	Unit Size (W x D x H)	Maximum No. of Openings	Weight
41-12	36" x 12" x 24"	24	46 lbs.
41-13	36" x 12" x 36"	36	66 lbs.
41-22	36" x 15" x 24"	24	54 lbs.
41-23	36" x 15" x 36"	36	77 lbs.

Standard/Legal Letter opening sizes:31/4"H x 83/4"W x 111/2"D 31/4"H x 83/4"W x 141/2"D

Computer Printout Opening sizes: 31/4"H x 171/2"W x 111/2"D 31/4"H x 171/2"W x 141/2"D

Carts

- · Quality one-piece tray construction, tubular posts and handles
- 4" deep reversible steel trays with beaded edges for extra strength
- · Smooth rolling 5" rubber casters two swivel, two fixed
- · Optional welded drawer units provide extra capacity
- · Ships un-assembled



						Drawers				
						Α	В	С	D	
Width	Length	Depth	Height	Trays	Capacity	None	(8)11" Deep	(18)11" Deep	(18)17" Deep	
16"	30"	11"	36"	2	500 lbs.	145	145-8			
					800 lbs.	145D	145D8			
24"	36"	up to 17"	36"	2	500 lbs.	150	150-8	150-11	150-22	
					800 lbs.	150D	150D8	150D11	150D22	

Cart heights include casters. Casters are not recommended for carts over 66"

Part No.

156

161

156D











E Tv	vo-Tray-33"	high		
Width	Tray Length	Depth	Capacity	Part No.
16"	30"	3"	500 lbs.	147
24"	36"	3"	500 lbs.	152
16"	30"	3"	800 lbs.	147D
24"	36"	3"	800 lbs.	152D

19/16"

G Fo	our-Tray-33			
Width	Tray Length	Depth	Capacity	Part No.
16"	30"	19/16"	500	155
24"	36"	19/16"	500	160
16"	30"	19/16"	800	155D
24"	36"	19/16"	800	160D

NIL
Kit
158
158D
159
159D

For use in narrow aisles.

F Three-Tray-33" high					
Width	Tray Length	Depth	Capacity		
16"	30"	19/16"	500 lbs.		
24"	36"	19/16"	500 lbs.		

30"

16"

Shelves	Width	Tray Length	Depth
4	16"	30"	19/16"
4	24"	36"	19/16"
5	16"	30"	19/16"
5	24"	36"	19/16"

H Four and Five-tray-60" high

24"	36"	19/16"	800 lbs.	161D	5
				102	

800 lbs.

□ Tool	Toter	with d	rawer	(6 ^{1/4} " x 15	" x 23 ^{3/4} ")
No. of Shelves	Width	Shelf Length	Depth	Part No. Stationary	Part No. w/Casters
2	18"	24"	19/16"	518	518C
2	24"	36"	19/16"	520	520C
2	24"	36"	3"	534	534C
3	18"	24"	19/16"	521	521C
3	24"	36"	19/16"	523	523C
Handle F	Part No.	11559			

Capacity Part No.

163

165

164D

166D

800 lbs.

800 lbs.

800 lbs.

800 lbs.

.1	٦	Γh	r۵	Δ-	٩ŀ	۵۵	lf	ur	its
J			ıе	e-	OI.	ıe	ш	uı	IILS

Width	Tray Length	Depth	Part No. Stationary	Part No. w/Casters
18"	24"	19/16"	514	514C
16"	30"	19/16"	515	515C
24"	36"	19/16"	517	517C

K Two-Shelf units

Width	Tray Length	Depth	Part No. Stationary	Part No. w/Casters
18"	24"	19/16"	510	510C
16"	30"	19/16"	511	511C
24"	36"	19/16"	513	513C
16"	30"	3"	531	531C
24"	36"	3"	533	533C



NC Tool Handling System

Equipto presents a simple solution to the handling and organization needs of the modern NC machining center. Here is a specially designed system to speed transfer of costly NC tools, with dollar-saving protection at every step. Watch your turnaround time drop and machine downtime practically disappear with these sensible integrated components.

- Speeds your work flow as it protects your NC tool investment
- High-capacity, unitized steel frame with rugged handle
- Pre-set tools can be kept in their programmed sequence at all times
- Accessory end trays and shelf units provide space for auxiliary tools and supplies
- Recessed and angled tray handles for easy loading retrieval
- Everything is in clear view, organized and accessible
- NC tool trays can be secured in modular drawer cabinets or shelf units
- Transport to and from machining centers, sharpening/calibration stations, and tool rooms is simpler, safer and more efficient
- Two integral pallet channels permit easy fork truck handling of cart, empty or loaded
- Big, 5" wheels (two swivel, two stationary) allow smooth rolling on any surface



End Tray

Two shelf unit attaches to end of cart; shelf bottoms lined with rubber matting to protect tools.

Part No. 4111 - 14" W x 10" D for #4105 cart Part No. 4112 - 24" W x 10" D for #4110 cart

NC Tool Holders

Precision-molded of high-impact polypropylene, Equipto's shock-absorbing tool holders are virtually indestructible. They fit perfectly in trays, and lock in at a turn of the knurled thumbscrew. Choose straight or tapered shank styles coded in 10 bright identifying colors.



NC Tool Trays

Width	Depth	Taper	w/Brackets	w/o Brackets	Use with
25"	61/4"	less than 60	4109	4108	30"W cabinets & carts
25"	73/4"	60	4139	4138	30"W cabinets & carts

Support brackets (pair) Part No. 7666-2

		To Fit	Max. No.	
Color	Size	(Shank)	Per Tray	Part No.
Yellow	2 ^{3/8} " x 5"	#40 Taper	10	4122
Green	2 ^{3/8} " x 5"	#30 Taper	10	4123
Silver	2 ^{3/8} " x 5"	40 millimeter	10	4120M40
Light Blue	3 ^{3/4} " x 5"	21/4" Straight	6	4124
Orange	4 ^{1/2} " x 5"	#45 Taper	5	4121
Algae Green	4 ^{1/2} " x 5"	50 millimeter	6	4120M50
Hot Pink	4 ^{1/2} " x 5"	63 millimeter	6	4120M63
Red	4 ^{1/2} " x 5"	#50 Taper	6	4120A
Red	5 ^{5/8} " x 6 ^{3/4} "	#50 Taper	4	4120*
Olive Green	$5^{5/8}$ ° x $6^{3/4}$ °	#60 Taper	4	4132*

^{* 4120} and 4132 tool holders require 4138 or 4139 tool tray.

NC Tool Cart

Cart		Tool tray	
Width	Length	w/brackets incl.	Part No.
15"	27"	None	4105
15"	27"	Three	4105-03
15"	27"	Four	4105-04
15"	27"	Five	4105-05
26"	27"	None	4110
26"	27"	Three	4110-03
26"	27"	Four	4110-04
26"	27"	Five	4110-05



