


ADJUSTABLE HEIGHT IRON-I WORKCENTERS

EQUIPTO'S IRON-I WORKCENTERS ARE COMPLETELY ADJUSTABLE AND ARE AVAILABLE IN 2 DEPTHS AND 4 LENGTHS WITH OVER 35 VARYING LEG HEIGHTS! YOU CAN CHOOSE FROM 5 STANDARD TOPS TO CUSTOMIZE TO YOUR SPECIFIC REQUIREMENTS

- ADJUSTABLE HEIGHT 26" TO 44"
- THREE-WAY ADJUSTABLE SHELF
- ELECTRICAL, AIR AND FLUID POWER KNOCKOUTS ON EACH LEG
- HEAVY-DUTY CANTILEVER LEG DESIGN ELIMINATES OBSTRUCTION OF CORNER LEG DESIGN

IRON-I



ADJUSTABILITY

TOTAL ADJUSTABILITY. LEG HEIGHTS FROM 26" TO 44" IN 1/2" INCREMENTS.



ADJUST POSITION

SHELF CAN BE ADJUSTED TO BE CLOSER TO FRONT OR BACK OF BENCH.



ADJUST SLOPE

SHELF CAN BE SLOPED TOWARD FRONT OR TOWARD REAR OF BENCH.



ADJUST HEIGHT

SHELF CAN BE LOCATED IN ANY ONE OF 3 HEIGHT POSITIONS.



ELECTRIC POWER

EACH BENCH HAS KNOCKOUTS FOR 8 ELECTRICAL OUTLETS. KNOCKOUTS ARE IN BOTH TOP AND BOTTOM OF EACH LEG.



AIR OR FLUID POWER

EACH BENCH HAS 4 KNOCKOUTS FOR AIR OR FLUID POWER. KNOCKOUTS ARE IN BOTH TOP AND BOTTOM OF LEG.



OPTIONAL LEVELERS

EACH BENCH LEG CAN BE EQUIPPED WITH OPTIONAL LEVELERS TO ACHIEVE EXACT HEIGHT AND LEVEL NEEDED. CATALOG No. 11650-04

PATENTS PENDING

FOR WORKCENTER ACCESSORIES SEE PAGES 106-107.

STANDARD COLOR - OFFICE GRAY. COLOR COORDINATING? REFER TO EQUIPTO COLOR CHART - INSIDE REAR COVER.

WORKCENTERS

ADJUSTABLE HEIGHT IRON-I WORKCENTERS-PRECONFIGURED UNITS

- LOWER SHELF ADJUSTS TO THREE HEIGHTS AND TILTS FRONT OR BACK TO FIT YOUR APPLICATION
- MORE THAN 445 SIZES
- BACK AND SIDE RAILS KEEP PARTS ON TOP OF WORKCENTER
- SAVES TIME
- ADJUSTABLE FROM 26" TO 36" OR FROM 34" TO 44" IN 1/2" INCREMENTS TO MEET YOUR EXACT HEIGHT REQUIREMENTS
- OPTIONAL LEVELLERS SET BENCH HEIGHT EXACTLY WHERE YOU NEED IT
- CUSTOMIZE TO FIT YOUR SPECIFIC NEEDS
- KNOCKOUTS IN LEGS PROVIDE FOR SAFE, CONVENIENT ELECTRICAL HOOKUP
- AERIAL SHELF ADDS SPACE FOR INCREASED PRODUCTIVITY
- DRAWERS PROVIDE SECURITY AND EXPAND SPACE.
- AVAILABLE IN SINGLE, DOUBLE OR TRIPLE UNITS FOR EASY MOUNTING UNDER BENCH TOPS
- ALL DRAWERS ACCEPT STANDARD PADLOCKS, OR ORDER #10405 KEYLOCKS, KEYED EITHER DIFFERENTLY OR ALIKE
- DEPENDING ON TYPE OF TOP, WORKBENCH WILL SUPPORT UP TO 1,800 LBS.



426U6 BENCH WITH LOWER SHELF

BENCH WITH LOWER SHELF

DEPTH	HEIGHT	LENGTH	STEEL	WOOD TOP		HARDBOARD	ESD TOP ANTI-STATIC
			WITH BACKSTOP	HARDWOOD	BONDED WOOD	WITH BACKSTOP	
30"	26" TO 36"	4'	425U4	425-4W	425-4B	425U4M	425-4C
		5'	425U5	425-5W	425-5B	425U5M	425-5C
		6'	425U6	425-6W	425-6B	425U6M	425-6C
	34" TO 44"	8'	425U8	425-8W	425-8B	425U8M	425-8C
		4'	426U4	426-4W	426-4B	426U4M	426-4C
		5'	426U5	426-5W	426-5B	426U5M	426-5C
36"	36"	6'	426U6	426-6W	426-6B	426U6M	426-6C
		8'	426U8	426-8W	426-8B	426U8M	426-8C
		4'	435U4	435-4W	435-4B	435U4M	435-4C
	26" TO 36"	5'	435U5	435-5W	435-5B	435U5M	435-5C
		6'	435U6	435-6W	435-6B	435U6M	435-6C
		8'	435U8	435-8W	435-8B	435U8M	435-8C
36"	34" TO 44"	4'	436U4	436-4W	436-4B	436U4M	436-4C
		5'	436U5	436-5W	436-5B	436U5M	436-5C
		6'	436U6	436-6W	436-6B	436U6M	436-6C
	8'	8'	436U8	436-8W	436-8B	436U8M	436-8C

8' BENCH LEGS ARE ON 6' CENTERS. THE TOP OVERHANGS LEGS 1' ON EACH SIDE.
PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES

IRON-I

BENCH WITH LOWER SHELF, AERIAL SHELF AND DRAWER

DEPTH	HEIGHT	LENGTH	STEEL	WOOD TOP		HARDBOARD	ESD TOP ANTI-STATIC
			WITH BACKSTOP	HARDWOOD	BONDED WOOD	WITH BACKSTOP	
30"	26" TO 36"	4'	427U4	427-4W	427-4B	427U4M	427-4C
		5'	427U5	427-5W	427-5B	427U5M	427-5C
		6'	427U6	427-6W	427-6B	427U6M	427-6C
	34" TO 44"	8'	427U8	427-8W	427-8B	427U8M	427-8C
		4'	428U4	428-4W	428-4B	428U4M	428-4C
		5'	428U5	428-5W	428-5B	428U5M	428-5C
36"	36"	6'	428U6	428-6W	428-6B	428U6M	428-6C
		8'	428U8	428-8W	428-8B	428U8M	428-8C
		4'	437U4	437-4W	437-4B	437U4M	437-4C
	26" TO 36"	5'	437U5	437-5W	437-5B	437U5M	437-5C
		6'	437U6	437-6W	437-6B	437U6M	437-6C
		8'	437U8	437-8W	437-8B	437U8M	437-8C
36"	34" TO 44"	4'	438U4	438-4W	438-4B	438U4M	438-4C
		5'	438U5	438-5W	438-5B	438U5M	438-5C
		6'	438U6	438-6W	438-6B	438U6M	438-6C
	8'	8'	438U8	438-8W	438-8B	438U8M	438-8C

8' BENCH LEGS ARE ON 6' CENTERS. THE TOP OVERHANGS LEGS 1' ON EACH SIDE.
PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES

PATENTS PENDING

FOR WORKCENTER ACCESSORIES SEE PAGES 106-107.

STANDARD COLOR - OFFICE GRAY. COLOR COORDINATING? REFER TO EQUIPTO COLOR CHART - INSIDE REAR COVER.

428U6



BENCH WITH LOWER SHELF, AERIAL SHELF AND DRAWER.

ADJUSTABLE HEIGHT IRON-I WORKCENTERS-PRECONFIGURED UNITS



422D6



IRON-I BENCH WITH LOWER SHELF 424D6

IRON-I

IRON-I BENCH WITHOUT SHELF										
DEPTH	HEIGHT	LENGTH	-----STEEL TOPS -----		-----WOOD TOPS -----		-----HARDBOARD ON STEEL -----		ESD TOP ANTI-STATIC	
			-----BACKSTOP -----		BONDED		-----BACKSTOP -----			
			WITH	WITHOUT	HARDWOOD	WOOD	WITH	WITHOUT		
30"	26"	4'	421U4	421D4	421-4W	421-4B	421U4M	421D4M	421-4C	
		5'	421U5	421D5	421-5W	421-5B	421U5M	421D5M	421-5C	
		6'	421U6	421D6	421-6W	421-6B	421U6M	421D6M	421-6C	
	36"	8'	421U8	421D8	421-8W	421-8B	421U8M	421D8M	421-8C	
		4'	422U4	422D4	422-4W	422-4B	422U4M	422D4M	422-4C	
		5'	422U5	422D5	422-5W	422-5B	422U5M	422D5M	422-5C	
	44"	6'	422U6	422D6	422-6W	422-6B	422U6M	422D6M	422-6C	
		8'	422U8	422D8	422-8W	422-8B	422U8M	422D8M	422-8C	
		4'	431U4	431D4	431-4W	431-4B	431U4M	431D4M	431-4C	
	36"	26"	5'	431U5	431D5	431-5W	431-5B	431U5M	431D5M	431-5C
		6'	431U6	431D6	431-6W	431-6B	431U6M	431D6M	431-6C	
		36"	8'	431U8	431D8	431-8W	431-8B	431U8M	431D8M	431-8C
34"	4'	432U4	432D4	432-4W	432-4B	432U4M	432D4M	432-4C		
	5'	432U5	432D5	432-5W	432-5B	432U5M	432D5M	432-5C		
	6'	432U6	432D6	432-6W	432-6B	432U6M	432D6M	432-6C		
44"	8'	432U8	432D8	432-8W	432-8B	432U8M	432D8M	432-8C		

8" BENCH LEGS ARE ON 6" CENTERS. THE TOP OVERHANGS LEGS 1" ON EACH SIDE.
 PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES

BENCH WITH LOWER SHELF										
DEPTH	HEIGHT	LENGTH	-----STEEL TOPS -----		-----WOOD TOPS -----		-----HARDBOARD ON STEEL -----		ESD TOP ANTI-STATIC	
			-----BACKSTOP -----		BONDED		-----BACKSTOP -----			
			WITH	WITHOUT	HARDWOOD	WOOD	WITH	WITHOUT		
30"	26"	4'	423U4	423D4	423-4W	423-4B	423U4M	423D4M	423-4C	
		5'	423U5	423D5	423-5W	423-5B	423U5M	423D5M	423-5C	
		6'	423U6	423D6	423-6W	423-6B	423U6M	423D6M	423-6C	
	36"	8'	423U8	423D8	423-8W	423-8B	423U8M	423D8M	423-8C	
		4'	424U4	424D4	424-4W	424-4B	424U4M	424D4M	424-4C	
		5'	424U5	424D5	424-5W	424-5B	424U5M	424D5M	424-5C	
	44"	6'	424U6	424D6	424-6W	424-6B	424U6M	424D6M	424-6C	
		8'	424U8	424D8	424-8W	424-8B	424U8M	424D8M	424-8C	
		4'	433U4	433D4	433-4W	433-4B	433U4M	433D4M	433-4C	
	36"	26"	5'	433U5	433D5	433-5W	433-5B	433U5M	433D5M	433-5C
		6'	433U6	433D6	433-6W	433-6B	433U6M	433D6M	433-6C	
		36"	8'	433U8	433D8	433-8W	433-8B	433U8M	433D8M	433-8C
34"	4'	434U4	434D4	434-4W	434-4B	434U4M	434D4M	434-4C		
	5'	434U5	434D5	434-5W	434-5B	434U5M	434D5M	434-5C		
	6'	434U6	434D6	434-6W	434-6B	434U6M	434D6M	434-6C		
44"	8'	434U8	434D8	434-8W	434-8B	434U8M	434D8M	434-8C		

8" BENCH LEGS ARE ON 6" CENTERS. THE TOP OVERHANGS LEGS 1" ON EACH SIDE.
 PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES

PATENTS PENDING

FOR WORKCENTER ACCESSORIES SEE PAGES 106-107.

STANDARD COLOR - OFFICE GRAY. COLOR COORDINATING? REFER TO EQUIPTO COLOR CHART - INSIDE REAR COVER.

WORKCENTERS