PC20 Catalog



ONE DECISION + INFINITE SOLUTIONS

StorageSolutions



High Density Storage



Drawer Cabinets



Workbenches



Wire Shelving



Solid Shelving



Mozzanina

Supplying all the pieces for a complete storage solution!

EQUIPTO Shelving

V-Grip[™] Shelving - 18 gauge

Design Benefits and Features:

- Industry leader in structural integrity
- Exclusive V-Grip compression design
- Precision engineered for reliable performance
- Flexible selection of standard components
- System components are adjustable for convenient reconfiguration
- Durable enamel paint finish
- · Accommodates high-rise and multi-level applications





V-Grip[™] Shelving - 18 gauge Open Preconfigured Units



| Open | shelv | ving | | | |
|-------|-------|-----------------------|--------------------|------------------|-------------|
| Depth | Width | Capacity Per Shelf | Five Sh Starter | nelves Add-On | Extra Shelf |
| 12" | 36" | 650 lbs. | 661-5S | 661-5A | 6230 |
| 12" | 48" | 430 lbs. | 661W5S | 661W5A | 6240 |
| 18" | 36" | 700 lbs. | 663-5S | 663-5A | 6231 |
| 18" | 48" | 440 lbs. | 663W5S | 663W5A | 6241 |
| 24" | 36" | 721 lbs. | 665-5S | 665-5A | 6232 |
| 24" | 48" | 450 lbs. | 665W5S | 665W5A | 6242 |
| 36" | 36" | 670 lbs. | 667-5S | 667-5A | 6234 |

V-Grip[™] Shelving - - 18 gauge Closed Preconfigured Units



| Close | ed she | lving | | | |
|-------|--------|---|--|-----------------------|---------------|
| Depth | Width | Capacity Per Shelf | Five Sh Starter | | Extra Shelves |
| 12" | 36" | 650 lbs. | 671-5S | 671-5A | 6230 |
| 12 | 48" | 430 lbs. | 671W5S | 671W5A | 6240 |
| 18" | 36" | 700 lbs. | 673-5S | 673-5A | 6231 |
| 18 | 48" | 440 lbs. | 673W5S | 673W5A | 6241 |
| 24" | 36" | 721 lbs. | 675-5S | 675-5A | 6232 |
| 24 | 48" | 450 lbs. | 675W5S | 675W5A | 6242 |
| | | 690 lbs. e back and o upright and | 677-5S end panels a shelf color. | 677-5A re standarc | 6234 I, |

V-Grip[™] Shelving with Drawers - 18 gauge Closed Preconfigured Units



Drawers Included:

(1) 3" high, (1) 4^{1/2"} high, (1) 6" high & (1) 7^{1/2"} high

| Drawer | Drawer | Capacity | Starter | Add-On |
|--------|--------|------------|----------|----------|
| Depth | Width | Per Drawer | Part No. | Part No. |
| 18" | 36" | 200lb | 4220VNS | 4220VNA |
| | 36" | 400lb | 4220VHS | 4220VHA |
| | 48" | 400lb | 4240VHS | 4240VHA |
| 24" | 36" | 200lb | 4230VNS | 4230VNA |
| | 36" | 400lb | 4230VHS | 4230VHA |
| | 48" | 400lb | 4250VHS | 4250VHA |



Drawers Included:

(2) 4^{1/2"} high & (2) 6" high

| | .g.: ∝ (=) c | 5 | | |
|--------|--------------|------------|----------|----------|
| Drawer | Drawer | Capacity | Starter | Add-On |
| Depth | Width | Per Drawer | Part No. | Part No. |
| 18" | 36" | 200lb | 4221VNS | 4221VNA |
| | 36" | 400lb | 4221VHS | 4221VHA |
| | 48" | 400lb | 4241VHS | 4241VHA |
| 24" | 36" | 200lb | 4231VNS | 4231VNA |
| | 36" | 400lb | 4231VHS | 4231VHA |
| | 48" | 400lb | 4251VHS | 4251VHA |

| ſ | | | Ī | |
|---|---|---|---|--|
| | _ | | Ĩ | |
| | - | | | |
| | 1 | l | 1 | |

| Drawers Included: |
|--|
| (2) 3" high, (1) 4 ^{1/2} " high & (1) 7 ^{1/2} " high |

| | • • | • | • | |
|--------|--------|------------|----------|----------|
| Drawer | Drawer | Capacity | Starter | Add-On |
| Depth | Width | Per Drawer | Part No. | Part No. |
| 18" | 36" | 200lb | 4222\/NS | 4222\/\ |

| 18" | 36" | 200lb | 4222VNS | 4222VNA |
|-----|-----|-------|---------|---------|
| | 36" | 400lb | 4222VHS | 4222VHA |
| | 48" | 400lb | 4242VHS | 4242VHA |
| 24" | 36" | 200lb | 4232VNS | 4232VNA |
| | 36" | 400lb | 4232VHS | 4232VHA |
| | 48" | 400lb | 4252VHS | 4252VHA |



| Drawers Included | |
|------------------|--|
| (4) 41/2" bigb | |

| Drawer | Drawer | Capacity | Starter | Add-On |
|--------|--------|------------|----------|----------|
| Depth | Width | Per Drawer | Part No. | Part No. |
| 18" | 36" | 200lb | 4223VNS | 4223VNA |
| | 36" | 400lb | 4223VHS | 4223VHA |
| | 48" | 400lb | 4243VHS | 4243VHA |
| 24" | 36" | 200lb | 4233VNS | 4233VNA |
| | 36" | 400lb | 4233VHS | 4233VHA |
| | 48" | 400lb | 4253VHS | 4253VHA |

*All units come with 5 solid shelves.

For additional shelves please see page 3.

EQUIPTO Shelving

Modular Drawers in V-Grip[™] Shelving

- Small parts are stored ergonomically in the "gold zone" (between shoulders and knees) for easy access
- Bulk storage space for larger items is available above and below the drawers
- 100% drawer extension provides full drawer access
- 200 lb. (36" width) and 400 lb.(36" width and 48" width) capacities available
- Each drawer is individually mounted to the V-Griptm upright posts utilizing Equipto's exclusive bracket system
- Drawers are individually adjustable and can be added at any time without disassembly of the unit.
- · Reflective White back and side panels enhance visibility



The same versatile V-Grip[™] design that gives you the flexibility to add wire shelving and lockable cabinets can also be configured so that all your modular drawers are between your shoulders and knees, or in the "GOLD ZONE". Consequently, there's no squatting, stretching or straining to store and retrieve parts and tools.

(*Optional accessories shown below)



V-Grip[™] Shelving - components

Structural Integrity comes from the integration of Equipto's exclusive V-Griptm upright post and heavy-duty, compression-fit components. When ordering V-Griptm shelving by component, remember:

- Shelving uprights can be shared and any number of units can be joined together in continuous row applications. A complete run of shelving only grows 1^{5/8°} no matter the length of the run.
- Back sway braces and solid back panels can be shared between back-to-back units.
- Closed shelving ends and solid back panels are finished in standard reflective white paint to enhance visibility in parts storage areas.
- V-Griptm shelves are heavy duty, 18-gauge steel and are provided with 4 corner reinforcements per shelf, which provide a friction fit to V-Griptm upright posts.

| Open |
|-----------|
| Descrip |
| 12" x 8 |
| 18" x 8 |
| 24" x 8 |
| 12" x 9 |
| 18" x 9 |
| 24" x 9 |
| 84" and 9 |
| come with |
| end brace |
| |
| |

| pen Shelving Ends | | | | | |
|---------------------------------|----------|--|--|--|--|
| escription (d x h) | Part No. | | | | |
| 2" x 84" open | 6702 | | | | |
| 8" x 84" open | 6712 | | | | |
| 4" x 84" open | 6722 | | | | |
| 2" x 96" open | 6703 | | | | |
| 8" x 96" open | 6713 | | | | |
| 4" x 96" open | 6723 | | | | |
| and 96" high open shelving ends | | | | | |
| me with 2 upright posts and 2 | | | | | |
| d brace plates. | | | | | |
| | | | | | |

Hinged Double Doors for V-Grip[™] Shelving

- Rigid door and frame assembly, sturdy hinges,
 3-point latches and chrome handle with key lock
- Attaches quickly and easily to V-Griptm shelving units

| Doors for Shelving | | | |
|------------------------|----------|--|--|
| Description | Part No. | | |
| 36" wide x 84" high | 18035 | | |
| 36" wide x 42" high | 18043 | | |
| 36" wide x 341/2" high | 18036 | | |
| 48" wide x 84" high | 18435 | | |
| 48" wide x 42" high | 18443 | | |
| 48" wide x 341/4" high | 18436 | | |



V-Grip[™] Post - Top/Bottom Caps

| Description | Part No. |
|----------------------|----------|
| Top/Bottom Cap-White | 10177W |
| Top/Bottom Cap-Black | 10177B |





Back SwayBracesDescriptionPart. No.36" back, pair641648" back, pair6417

| Closed Shelving | g Ends |
|----------------------------|-------------|
| Description (d x h) | Part No. |
| 12" x 84" Closed | 6707 |
| 18" x 84" Closed | 6717 |
| 24" x 84" Closed | 6727 |
| 12" x 96" Closed | 6708 |
| 18" x 96" Closed | 6718 |
| 24" x 96" Closed | 6728 |
| 84" high Closed Shelving | Ends come |
| with 2 upright posts and 2 | end panels. |
| 96" high Closed Shelving | Ends come |
| with 2 upright posts and 3 | end panels. |
| | |

Wire Shelves Truss included

| Description | Part no. |
|---------------------|----------|
| 12" deep x 36" wide | 6063 |
| 12" deep x 48" wide | 6064 |
| 18" deep x 36" wide | 6073 |
| 18" deep x 48" wide | 6074 |
| 24" deep x 36" wide | 6083 |
| 24" deep x 48" wide | 6084 |

Seismic Footplates*

| Description | Part No. |
|---------------------------------|----------|
| Center floor anchor assembly | 190317A |
| LH corner floor anchor assembly | 190319A |
| RH corner floor anchor assembly | 190320A |

| Heavy Duty 18ga Solid Shelves | |
|-------------------------------|----------|
| Description (d x w) | Part No. |
| 12" x 36" | 6230 |
| 18" x 36" | 6231 |
| 12" x 48" | 6240 |
| 18" x 48" | 6241 |
| 24" x 36" | 6232 |
| 24" x 48" | 6242 |
| | |






Solid Back Panels

| Description | Part No. |
|-------------------------|----------|
| 36" x 84" high or less | 7588-2 |
| 36" x over 84" (to 10') | 7588-3 |
| 48" x 84" high or less | 7589-2 |
| 48" x over 84" (to 10') | 7589-3 |




- · Increased visibility of items on upper shelves
- · Better flow of air, light, & sprinklers
- Capacity equal to heavy-duty 18 gauge solid steel shelves



H Corner floor anchor assembly (shown)

Modular Drawers

Maximize density with modular drawers for V-Grip



- · 100% drawer extension
- · 36 and 48 inch widths; 18 and 24 inch depths
- 200 and 400 lb. capacity



Modular Drawers in V-Grip Shelving

Divider kits - 36" wide

| Width | For Drawer Height | Divider Set | 18" Deep Divider Kit | 24" Deep Divider Kit |
|-------|----------------------|----------------|-------------------------|-------------------------|
| 36" | 3" | D | 4173D10 | 4183D10 |
| | 3" | Е | 4173E10 | 4183E10 |
| | 3" | F | 4173F10 | 4183F10 |
| | 3" | Н | 4173H10 | 4183H10 |
| | 41/2" | D | 4174D15 | 4184D15 |
| | 41/2" | Е | 4174E15 | 4184E15 |
| | 41/2" | F | 4174F15 | 4184F15 |
| | 41/2" | Н | 4174H15 | 4184H15 |
| | 6" and up | D | 4175D20 | 4185D20 |
| | 6" and up | Е | 4175E20 | 4185E20 |
| | 6" and up | F | 4175F20 | 4185F20 |
| | 6" and up | Н | 4175H20 | 4185H20 |

Divider kits - 48" wide

| Width | For Drawer Height | Divider Set | 18" Deep Divider Kit | 24" Deep Divider Kit |
|-------|----------------------|----------------|-------------------------|-------------------------|
| 48'' | 3" | D | 4176D10 | 4186D10 |
| | 3" | Е | 4176E10 | 4186E10 |
| | 3" | F | 4176F10 | 4186F10 |
| | 3" | Н | 4176H10 | 4186H10 |
| | 41/2" | D | 4177D15 | 4187D15 |
| | 41/2" | Е | 4177E15 | 4187E15 |
| | 41/2" | F | 4177F15 | 4187F15 |
| | 41/2" | Н | 4177H15 | 4187H15 |
| | 6" and up | D | 4178D20 | 4188D20 |
| | 6" and up | E | 4178E20 | 4188E20 |
| | 6" and up | F | 4178F20 | 4188F20 |
| | 6" and up | Н | 4178H20 | 4188H20 |

Standard installation of V-Grip shelving drawers leaves a 1/4" space between drawer and the shelf directly above. To close this gap, select the appropriate filler strip:"

18"

24"

For 36"W drawers: 7702 For 48"W drawers: 7702-48

Depth Height of 36" Wide 36" Wide 48'' Wide Inside (Front to Rear) 200 lb. 400 lb. 400 lb. Drawer Front Height Capacity Capacity Capacity 3" 2" 8603N 8603H 8661H 41/2" 31/2" 8604N 8604H 8662H 6" 5" 8605N 8605H 8663H 71/2" 61/2" 8606N 8606H 8664H 8" 9" 8601N 8601H 8665H 101/2" g1/2" 8602N 8602H 8666H 12" 11" 8607N 8607H 8667H 12" 131/2" 8608N 8608H 8668H 3" 2" 8610N 8610H 8671H 41/2" 31/2" 8611N 8611H 8672H 6" 5" 8612N 8612H 8673H 71/2" 61/2" 8613N 8613H 8674H

8615N

8616N

8614N

8617N

8615H

8616H

8614H

8617H

Handles include label holder, plastic cover strip and end caps • Inside clear width: 36" - 317/8" / 48" - 431/4" •

9"

101/2"

131/2"

12"

8"

91/2"

11"


12"

Note: All Drawer part numbers listed above do not include dividers.


· A shelf should be positioned above each group of drawers Do not exceed 36" vertical spacing of continuous drawers

Inside clear depth: 18" - 165/16" / 24" - 225/16"

Important ordering considerations:



18" Deep



Important ordering considerations:

· When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered

EQUIPTO Shelvina

8675H

8676H

8677H

8678H

V-Grip[™] Bulk Rack

V-Grip^{Im} Bulk Rack is designed to accommodate longer spans and heavier loads than conventional shelving. Bulk rack beams engage V-Grip upright posts providing a rigid connection. Bulk rack levels are designed to carry load capacities from 1500 lbs. to 3000 lbs. per level, depending on beam span length and deck material used.

Three level Bulk Rack with Solid Decking 48" Wide 72" Wide 96" Wide 60" Wide Depth Add-on Height Starter Starter Add-on Starter Add-on Starter Add-on Medium duty (from 1500 lbs. to 2000 lbs.) 1015D51S 1015D51A 1015D61S 15" 60" 1015D41S 1015D41A 1015D61A 1015D81S 1015D81A 72" 1016D41S 1016D41A 1016D51S 1016D51A 1016D61S 1016D61A 1016D81S 1016D81A 24" 60" 1015D42S 1015D42A 1015D52S 1015D52A 1015D62S 1015D62A 1015D82S 1015D82A 1016D62S 1016D62A 1016D82S 1016D82A 72" 1016D42S 1016D42A 1016D52S 1016D52A 84" 1017D42S 1017D42A 1017D52S 1017D52A 1017D62S 1017D62A 1017D82S 1017D82A 30" 60" 1015D40S 1015D40A 1015D50S 1015D50A 1015D60S 1015D60A 1015D80S 1015D80A 72" 1016D40S 1016D40A 1016D50S 1016D50A 1016D60S 1016D60A 1016D80S 1016D80A 84" 1017D60S 1017D60A 1017D80S 1017D80A 1017D40S 1017D40A 1017D50S 1017D50A 36' 60" 1015D43S 1015D43A 1015D53S 1015D53A 1015D63S 1015D63A 1015D83S 1017D83A 72" 1016D43S 1016D43A 1016D53S 1016D53A 1016D63S 1016D63A 1016D83S 1016D83A 84" 1017D43S 1017D43A 1017D53S 1017D53A 1017D63S 1017D63A 1017D83S 1017D83A 48" 60" 1015D44S 1015D44A 1015D54S 1015D54A 1015D64S 1015D64A 1015D84S 1015D84A 1016D54S 1016D54A 1016D64S 1016D64A 1016D84S 1016D84A 72" 1016D44S 1016D44A 1017D54S 1017D54A 1017D64S 1017D64A 1017D84S 1017D84A 84" 1017D44S 1017D44A

Decking: "D" in catalog number represents corrugated steel decking.

Substitute "W" for drop in wire decking (available in 24",36", & 48" depths) or "-" for no decking.

Boltless Storage Rack

Equipto Boltless Storage Rack is the economical alternative to standard steel shelving. Designed for hand loading and unloading only, it is ideal for automotive supplies, parts, warehouse materials, paint, batteries and just about anything else you need to store.

Equipto offers three pre-configured shelf kit sizes:

- 4 Shelves 32"D x 69"W x 84"H
- 5 Shelves 32"D x 69"W x 120"H
- 6 Shelves 32"D x 69"W x 144"H

Preconfigured shelving units:

Frames only - wood or particle board shelves not included

| Part No. | Description | Weight |
|-------------|---------------------------------|---------|
| RSR-693284 | 4 Shelves - 32"D X 69"W X 84"H | 94 lbs |
| RSR-6932120 | 5 Shelves - 32"D X 69"W X 120"H | 122 lbs |
| RSR-6932144 | 6 Shelves - 32"D X 69"W X 144"H | 146 lbs |



10 A 10 A 10 A 10

Please contact your sales representative to create your own custom Boltless Storage Rack shelving units from components.

Specialty Racks

Reel Racks

Organize reels of cable and supplies, making them easy to retrieve. Equipto Reel Racks hold up to 2000 lbs. per level, and up to 12000 lbs. per rack.

(Reel Rods not included.)

Racks hold small to large reels on both sides — safely. And you can move them easily by hand or fork lift truck.

- · High capacity free standing A-frame racks
- 96"-120"-144" heights
- 12000 lb. capacity
- 3" x 3" vertical posts with mounting holes
- · Adjustable cross beams on 2" centers with automatic safety locks

| Width | Height | | | No. of |
|-----------------------------|-------------|-----------|---------|--------------|
| | 96" | 120" | 144" | Reel Holders |
| 48" | 1072R04 | 1072R14 | 1072R24 | Two pair |
| 72" | 1072R06 | 1072R16 | 1072R26 | Two pair |
| 48" | 1073R04 | 1073R14 | 1073R24 | Three pair |
| 72" | 1073R06 | 1073R16 | 1073R26 | Three pair |
| 48" | 1074R04 | 1074R14 | 1074R24 | Four pair |
| 72" | 1074R06 | 1074R16 | 1074R26 | Four pair |
| 48" | 1075R04 | 1075R14 | 1075R24 | Five pair |
| 72" | 1075R06 | 1075R16 | 1075R26 | Five pair |
| 1076E08 Rack End, 96" high | | | | |
| 1076E10 Rack End, 120" high | | | | |
| 1076E1 | 2 Rack End, | 144" high | | |

Wire Spool Rack

- 7-shelf reel rack adjustable on 1^{1/2"} centers
- Organize and retrieve wire, cable, chain, hose, rope or tubing
- Holds reels up to 16" in diameter
- V-shaped shelves with center rod
- Fiberboard on shelves to deaden noise
 and prevent excessive uncoiling

Part No. 880-7





1072R04

1076E08 rack ends

Disc Rack

- V-Formed shelves with divider rods
- 6 shelves adjust 11/2" centers
- Divider rods are on 1" centers
- Ideal for grinding wheels and numerous disc shaped objects
- · All items are easily accessible
- Size of unit is 84" high, 36" wide and 8^{1/4}" deep
- · Up to 4 levels high

Part No. 879-7



EQUIPTO Specialty Racks

Modular Drawer Cabinets EQUIPTO

30" Wide Modular Drawer Cabinets

Modular Drawer Cabinets provide a versatile system for high-density storage of parts, tools and equipment. Equipto's design utilizes precision-engineered components in a rugged design that will provide years of reliable performance. Maximum utilization of space results in higher storage efficiency and reduced time for the retrieval of stored items

- · 400 pound capacity drawers
- 100% drawer extension
- One piece welded frames
- · Fork lift channels on base of cabinet
- Optional unit locking mechanism available
- 273/4" Deep •



30" Wide Modular Drawer Cabinets - Preconfigured units*





4430h

Drawer/Dividers Included (8) 3"h "H" type (1) 4.5"h "H" type Order #4430 for unit without divider kits



(2) 3"h "H" type (5) 4.5"h "H" type Order #4431 for unit without divider kits

30"W x 27^{3/4}"D x 33^{1/2}"H



4432h Drawer/Dividers Included (1) 3"h "H" type (1) 6"h "H" type (1) 7.5"h "H" type (1) 12"h "H" type Order #4432 for unit without divider kits.

30"W x 27^{3/4}"D x 38"H



4433h Drawer/Dividers Included (1) 3"h "H" type (3) 4.5"h "H" type (2) 6"h "H" type Order #4433 for unit without divider kits.



4434h Drawer/Dividers Included (5) 4.5"h "H" type (1) 6"h "H" type Order #4434 for unit without divider kits



443038-042-01 Drawer/Dividers Included (4) 4.5"h "N" type (2) 7.5"h "N" type Order #443038-042MT for unit without divider kits.



443038-005-01 Drawer/Dividers Included (1) 6"h "E" type (4) 6.75"h "E" type Order #443038-005MT for unit without divider kits.



443038-512-01 Drawer/Dividers Included (5) 3"h "N" type (1) 4.5"h "R" type (1) 6.75"h "R" type (1) 6.75"h "E" type Order #443038-512MT for unit without divider kits.



443038-412-01 Drawer/Dividers Included (4) 3"h "N" type (1) 4.5"h "R" type (1) 7.5"h "E" type (1) 9"h "F" type Order #443038-412MT for unit without divider kits.



443038-11D-N Drawer/Dividers Included (2) 4.5"h "N" type (1) 24"h Flush Cabinet Door Order #443038-11DMT for unit without divider kits.

* Illustrations are for visual purposes only, actual product may vary slightly.

EQUIPTO Modular Drawer Cabinets



4411-01 Drawer/Dividers Included (1) 3"h "C" type (3) 4.5"h "E" type (2) 4.5"h "G" type (3) 4.5"h "P" type Order #4411 for unit without divider kits.



4414-01 Drawer/Dividers Included (3) 3"h "C" type (1) 4.5"h "E" type (1) 6"h "F" type (1) 7.5"h "S" type (1) 12"h "L" type Order #4414 for unit without divider kits.



30"W x 27^{3/4}"D x 44"H

4415-01 Drawer/Dividers Included (1) 7.5"h "F" type (1) 9"h "G" type (1) 10.5"h "G" type (1) 12"h "H" type Order #4415 for unit without divider kits.



4416-01 Drawer/Dividers Included (3) 4.5"h "P" type (3) 6"h "G" type (1) 7.5"h "S" type Order #4416 for unit without divider kits.



4418-01 Drawer/Dividers Included (2) 9"h "S" type (2) 10.5"h "H" type Order #4418 for unit without divider kits.



4420-01

Drawer/Dividers Included (3) 3"h "C" type (5) 3"h "E" type (5) 3"h "F" type (5) 3"h "N" type Order #4420 for unit without divider kits.



4423-01 Drawer/Dividers Included (2) 3"h "C" type (3) 3"h "N" type (3) 4.5"h "E" type (4) 4.5"h "E" type (1) 7.5"h "G" type Order #4423 for unit without divider kits.



30"W × 27^{3/4}"D × 59"H

4424-01 Drawer/Dividers Included (3) 3"h "C" type (3) 4.5"h "E" type (2) 6"h "G" type (1) 7.5"h "S" type (1) 12"h "L" type Order #4424 for unit without divider kits.




4427-01 Drawer/Dividers Included (3) 6"h "F" type (2) 6"h "G" type (2) 7.5"h "S" type (1) 9"h "H" type Order #4427 for unit without divider kits.



4428-01 Drawer/Dividers Included (1) 4.5"h "E" type (3) 6"h "R" type (3) 7.5"h "G" type (1) 9"h "S" type Order #4428 for unit without divider kits.



30" Wide Modular Drawer Cabinets - Divider Kits



* Illustrations are for visual purposes only, actual product may vary slightly.

PC20

Cabinet Locks

| Description | Part No. |
|--------------------|----------|
| Lock | 4101 |
| Lock - Keyed Alike | 4101KA |

NOTE: If you are ordering more than one cabinet and want all the locks to be the same on each cabinet, order lock 4101KA for each cabinet

EQUIPTO Modular Drawer Cabinets

45" Wide Modular Drawer Cabinets

- Use these modular drawer cabinets to organize more of your items in less floor space.
- High quality welded steel constructionPrecision engineered
- 400 pound capacity per drawer
- 100% drawer extension
- Saves time
- · Optional unit locking mechanism available



45" Wide Modular Drawer Cabinets - Preconfigured units*

| | | í |
|---|---------|---|
| | | |
| | | |
| | | |
| | | |
| | b====== | |
| | D | |
| Ń | | |

444538-512-01 Drawer/Dividers included (5) 3''h "C" Type (1) 4.5''h "C" Type (1) 6.75''h "C" Type (1) 6.75''h "E" Type Order #444538-512MT for unit without divider kits.

| • • • • • • • • • • • • • • • • • • • |
|---------------------------------------|
| · |
| > |
| |
| |

444538-113-01 Drawer/Dividers included (1) 3"h "C" Type (1) 4.5"h "C" Type (1) 6"h "E" Type (1) 9"h "E" Type (1) 10.5"h "F" Type Order #444538-113MT for unit without divider kits.

45"W × 27^{3/4}"D × 38"H

| | - |
|-----|--------|
| | >===== |
| | |
| | |
| | D |
| VE. | 9 |

444538-999-01 Drawer/Dividers included

(1) 3''h "C" Type
 (1) 4.5''h "C" Type
 (1) 6''h "E" Type
 (1) 9''h "E" Type
 (1) 10.5''h "F" Type
 (1) 10.5''h "F" Type
 Order #444538-999MT
 for unit without divider kits.

| Ŵ | |
|---|---|
| | |
| | |
| | |
| | > |
| | |
| | |

444538-004-01 Drawer/Dividers included (2) 8.25"h "E" Type (1) 8.25"h "C" Type (1) 8.25"h "H" Type Order #444538-004MT for unit without divider kits.



444538-11D-E Drawer/Dividers included (1) 3"h "E" Type (1) 4.5"h "E" Type (1) 24"h Flush Cabinet Door has a 5 point security channel Order #444538-11DMT for unit without divider kits.



4470H Drawer/Dividers included (13) 3"h "H" Type Order #4470 for unit without divider kits.



4471H Drawer/Dividers included (1) 3"h "H" Type (8) 4.5"h "H" Type Order #4471 for unit without divider kits.



45"W x 27^{3/4}"D x 44"H

4472H Drawer/Dividers included (1) 3"h "H" Type (6) 6"h "H" Type Order #4472 for unit without divider kits.



4473H Drawer/Dividers included (3) 3"h "H" Type (5) 4.5"h "H" Type (1) 7.5"h "H" Type Order #4473 for unit without divider kits.



4474н Drawer/Dividers included (3) 3''h "H" Туре (1) 4.5''h "H" Туре (1) 6''h "H" Туре (1) 7.5''h "H" Туре (1) 12''h "H" Туре Order #4474 for unit without divider kits.

* Illustrations are for visual purposes only, actual product may vary slightly.





4480H Drawer/Dividers included (18) 3"h "H" Type Order #4480 for unit without divider kits.

4481H Drawer/Dividers included (12) 4.5"h "H" Type Order #4481 for unit without divider kits.



45"W x 27^{3/4}"D x 59"H

4482H Drawer/Dividers included (9) 6"h "H" Type Order #4482 for unit without divider kits.

Е




4483H Drawer/Dividers included (5) 3"h "H" Type (7) 4.5"h "H" Type (1) 7.5"h "H" Type Order #4483 for unit without divider kits.




4484H

Drawer/Dividers included (3) 3"h "H" Type (3) 4.5"h "H" Type (2) 6"h "H" Type (1) 7.5"h "H" Type (1) 12"h "H" Type Order #4484 for unit without divider kits.


45" Wide Modular Drawer Cabinets - Divider Kits



F







Cabinet is shown with multiple drawers open to show divider kit options.

To ensure proper safety, only ONE drawer should be open at a time.

Cabinet Locks

| Description | Part No. |
|--------------------|----------|
| Lock | 4101 |
| Lock - Keyed Alike | 4101KA |

NOTE: If you are ordering more than one cabinet and want all the locks to be the same on each cabinet, order lock 4101KA for each cabinet



EQUIPTO Storage Cabinets

Quick View Storage Cabinets

Design Benefits and Features:

- UV, break and scratch resistant Lexan panels are mounted in both door frames for an unobstructed view of the cabinet's contents.
- Each shelf has a 225 lb. capacity per shelf adjustable in 2" increments
- · Cabinet doors have a 3-point locking mechanism with one chrome plated handle.
- · Multiple cabinets can be keyed alike or individually.
- Dollies are available for the 78" high cabinets for ease of movement.
- Add 'SU' to the end of the part number to have it shipped assembled

| Part No. | Description | Width | Depth | Height | Weight |
|--------------------|-----------------------|-------|-------|--------|----------|
| 514-122050 | Wall Hung QVS Cabinet | 30" | 12" | 26" | 41 lbs. |
| 510-1820 | QVS Cabinet | 36" | 18" | 42" | 90 lbs. |
| 512-4855 | QVS Cabinet | 36" | 18" | 78" | 245 lbs. |
| 512-4865 | QVS Cabinet | 36" | 24" | 78" | 265 lbs. |
| 512-4845 | QVS Cabinet | 48" | 24" | 78" | 285 lbs. |
| Additional Shelves | | | | | |
| 514-1240 | Shelf | 30" | 12" | _ | 5 lbs. |
| 514-1836 | Shelf | 36" | 18" | — | 6 lbs. |
| 514-2436 | Shelf | 36" | 24" | _ | 8 lbs. |
| 514-2448 | Shelf | 48" | 24" | | 11 lbs. |

Flammable Liquid Storage Cabinets



Equipto Flammable Liquid Storage Cabinets meet all the requirements for storage of hazardous materials. Use them for volatile liquids that need to be safely contained such as:

- Alcohol
- Acetone
- Formaldehyde
- Gasoline
- Paint



Dimensions W x D x H 43" x 18" x 22^{1/4"}

43" x 18" x 221/4"

43" x 18" x 44"

43" x 18" x 44"

43" x 18" x 65"

43" x 18" x 65"

43" x 34" x 65"

43" x 34" x 65"

31^{1/4"} x 31^{1/4"} x 65"

311/4" x 311/4" x 65"

Weight (lbs.)

145

135

247

257

342

353

354

364

465

475

| Part No. | Description |
|----------|--|
| FSC15S | 15 Gal Two Door Self-Closing |
| FSC15M | 15 Gal Two Door Manual Close |
| FSC30M | 30 Gal Two Door, One Shelf, Manual Close |
| FSC30S | 30 Gal Two Door, One Shelf, Self-Closing |
| FSC45M | 45 Gal Two Door, Two Shelves, Manual Close |
| FSC45S | 45 Gal Two Door, Two Shelves, Self-Closing |
| FSC60M | 60 Gal Two Door, Two Shelves, Manual Close |
| FSC60S | 60 Gal Two Door, Two Shelves, Self-Closing |
| FSC90M | 90 Gal Two Door, Two Shelves, Manual Close |
| FSC90S | 90 Gal Two Door, Two Shelves, Self-Closing |

Flammable liquid storage cabinets have a standard color of safety yellow



- · Galvanized steel shelves and leveling legs
- Support up to 350 lbs.
- · Internal and external welded construction
- 18 gauge steel reinforced double wall
 panel construction
- 2" raised leakproof sill
- 2" vent with fire baffle and cap
- Ground connection
- · Lead-free high gloss baked on powder finish
- · 3 point key lock doors
- Meet OSHA and NFPA Code 30 Specifications
- · Self-closing models meet UFC 79



EQUIPTO Storage Cabinets



Spacious Cabinet

Rugged cabinet in 2 depths features locking handles and 4 adjustable shelves (2" centers). extra shelves can be added

Part No. 1710/1715



Combination Cabinet

Versatile unit with 5 shelves plus wardrobe area with a rod and 4 hooks. divider panel permits locating wardrobe on either side. extra shelves can be added

Part No. 1714/1719

| | Cabinet | | | | Extra Shelf | |
|----------|----------------|-------|-------|--------|-------------|--|
| Part No. | Description | Width | Depth | Height | Part No. | Additional Description |
| 1710 | 5-shelf | 36" | 18" | 78" | 16027 | With four adjustable shelves |
| 1715 | 5-shelf | 36" | 24" | 78" | 16029 | |
| 1714 | Combination | 36" | 18" | 78" | 16032 | One side five shelves, one side wardrobe |
| 1719 | Combination | 36" | 24" | 78" | 16033 | One full width shelf 11" below top |
| 11245 | Locking Handle | | | | | |
| 11246 | Rigid Handle | | | | | |
| 10428 | Key | | | | | |

All cabinets shipped knocked down, unless otherwise noted.

Total Bin Cabinet

· Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications.

Packed with 32 or 40 Large Bins holding up to 60 lbs. each, large bins are $8^{1/4"}$ wide by $14^{3/4"}$ deep and 7" high. There are 94 or 144 Small Bins which hold up to 10 lbs each, and comes completely assembled.

| Part No. | Dimensions (W x D x H) | Overall Height |
|----------|---------------------------|-------------------|
| ICLB730 | 36" x 24" x 72" | 78" |
| ICLB740 | 48" x 24" x 72" | 78" |

Half and Half Cabinet

- Easily separate your items on shelves or in drawers
- Cabinet shelves can be adjusted in 2" increments to accommodate both large and small items

| Part No. | Dimensions (W x D x H) | Overall Height | Shelf P/N |
|------------|---------------------------|-------------------|--------------|
| ICL3513354 | 48" x 24" x 72" | 78" | ICS8342 |
| ICL4513354 | 60" x 24" x 72" | 78" | ICS8442 |
| ICL5513354 | 72" x 24" x 72" | 78" | ICS8552 |





EQUIPTO Storage Cabinets

Heavy Duty Standard Cabinets

 Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications Each cabinet includes:

- 14 gauge shelves with up to 1900 lb. capacity
- · Adjustable shelves 2" increments
- · Handle includes a hasp for use with padlock
- · 7 gauge welded legs for moving and durability
- · More shelves can be added for versatility

| | Dimensions | | | | | |
|-----------|-------------------------|----------------|---------|-----------|----------|----------|
| Part No. | $(W \times D \times H)$ | Overall Height | Shelves | Shelf P/N | Capacity | Weight |
| ICL24132* | 36" x 24" x 60" | 66" | 3 | ICS8241 | 1900 | 406 lbs. |
| ICL25103 | 36" x 20" x 72" | 78" | 4 | ICS8251 | 1600 | 435 lbs. |
| ICL25133 | 36" x 24" x 72" | 78" | 4 | ICS8241 | 1900 | 475 lbs. |
| ICL34132* | 48" x 24" x 60" | 66" | 3 | ICS8341 | 1200 | 489 lbs. |
| ICL35133 | 48" x 24" x 72" | 78" | 4 | ICS8341 | 1200 | 573 lbs. |
| ICL44132* | 60" x 24" x 60" | 66" | 3 | ICS8441 | 1650 | 595 lbs. |
| ICL45133 | 60" x 24" x 72" | 78" | 4 | ICS8441 | 1650 | 699 lbs. |
| ICL54132* | 72" x 24" x 60" | 66" | 3 | ICS8551 | 1525 | 726 lbs. |
| ICL55133 | 72" x 24" x 72" | 78" | 4 | ICS8551 | 1525 | 856 lbs. |
| | | | | | | |

EQUIPTO Workbenches

Teardown Bench

Design Benefits and Features:

- Ideal for working on transmissions, small engines and hydraulic components
- · Reinforced work surface will stand up to years of heavy use
- Top has a 3/4" high retaining lip on all sides tapering to the rear center to a 1/2" threaded and plumbed drain
- · Optional caster kit consists of 4 swivel 71/2"H casters
- 1/2" threaded drain nipple allows for connection of a hose to divert fluid to a storage container; or capture fluid with an optional fluid container kit



2303DT shown with optional fluid container, drawer kit and shelf.

Teardown bench

| Part No. | Description | Depth | Length | Leg Height |
|----------|---------------------|-------|--------|------------|
| 2301DT | Steel Top | 30" | 48" | 29" |
| 2303DT | Steel Top | 30" | 48" | 34" |
| 2311DT | Steel Top | 30" | 60" | 29" |
| 2313DT | Steel Top | 30" | 60" | 34" |
| 2301DTSS | Stainless Steel Top | 30" | 48" | 29" |
| 2303DTSS | Stainless Steel Top | 30" | 48" | 34" |
| 2311DTSS | Stainless Steel Top | 30" | 60" | 29" |
| 2313DTSS | Stainless Steel Top | 30" | 60" | 34" |







221DT - Drawer Kit 2203 - Caster Kit

Kits and accessories

| Part No. | Description | Depth | Length | Leg Height |
|----------|----------------------------|---------------------|--------|-------------------|
| 2304DT | Kit Support Channels | _ | 48" | - |
| 2305DT | Kit Support Channels | - | 60" | - |
| 2307DT | Fluid Container Kit-White* | 22" | 11" | 7" |
| 221DT | Drawer Kit* | 23" | 15" | 6 ^{1/4"} |
| 2203 | Caster Kit | 30" | - | - |
| 6120 | Bottom Shelf | 12 ^{7/8} " | 48" | - |
| 6121 | Bottom Shelf | 12 ^{7/8"} | 60" | - |
| | | | | |

*Kit support channels are required when ordering a fluid container kit or a drawer kit.

If both kits are ordered for the same bench, only one set of kit support channels is needed.

2307DT Fluid Container Kit

Workbenches

Hardwood Topped Modular Drawer Benches

| Bench Length | Stock Number | |
|--------------|--------------|--|
| 5' | 2576-5W | |
| 6' | 2576-6W | |
| 8' | 2576-8W | |
| 8' | 2596-8W | |

These models also available in a 36" depth. Please contact your sales representative for further details.



5' - 8' PN: 2576 includes, 1 - 4433 modular drawer cabinet; does not include a lock, partitions or dividers. Drawer sizes include: (1)3", (3)4.5, (2)6"

Closed Leg Workbench with Painted Steel Top

| Bench Length | Stock Number | |
|--------------|--------------|--|
| 4' | 275U4 | |
| 5' | 275U5 | |
| 6' | 275U6 | |
| 8' | 275U8 | |

Pedestal Benches with Painted Steel Top

| Part Number | |
|-------------|-------------------------|
| 255U4 | |
| 255U5 | |
| 255U6 | |
| 255U8 | |
| | 255U4 255U5 255U6 |

2300 Series Open Leg Bench







8' - PN: 2596-8W includes, 2 - 4433 modular drawer cabinets; does not include a lock, partitions or dividers. Drawer sizes include: (1)3", (3)4.5, (2)6"

Tops - Choice of 6:

Tempered hardboard bonded to 12 gauge steel; plastic laminate (color: cloud spectrum); ESD (anti-static, color: cloud spectrum - Not shown); 3/8" resin wood bonded to wood block core; 12 gauge (.104") stainless steel; solid laminated hardwood.



| Denth | Height | Length | | l Tops kstop | Wood | Tops Bonded | Hardboard | | ESD Anti-Static |
|--------|---------|--------|--------|-----------------|----------|----------------|-----------|---------|--------------------|
| Doptil | rieigin | Longin | With | Without | Hardwood | Wood | With | Without | |
| 30" | 29" | 4' | 2321U4 | 2321D4 | 2321-4W | 2321-4B | 2321U4M | 2321D4M | 2321-4C |
| | | 5' | 2321U5 | 2321D5 | 2321-5W | 2321-5B | 2321U5M | 2321D5M | 2321-5C |
| | | 6' | 2321U6 | 2321D6 | 2321-6W | 2321-6B | 2321U6M | 2321D6M | 2321-6C |
| | | 8' | 2321U8 | 2321D8 | 2321-8W | 2321-8B | 2321U8M | 2321D8M | 2321-8C |
| | 311/4" | 4' | 2322U4 | 2322D4 | 2322-4W | 2322-4B | 2322U4M | 2322D4M | 2322-4C |
| | | 5' | 2322U5 | 2322D5 | 2322-5W | 2322-5B | 2322U5M | 2322D5M | 2322-5C |
| | | 6' | 2322U6 | 2322D6 | 2322-6W | 2322-6B | 2322U6M | 2322D6M | 2322-6C |
| | | 8' | 2322U8 | 2322D8 | 2322-8W | 2322-8B | 2322U8M | 2322D8M | 2322-8C |
| | 34" | 4' | 2323U4 | 2323D4 | 2323-4W | 2323-4B | 2323U4M | 2323D4M | 2323-4C |
| | | 5' | 2323U5 | 2323D5 | 2323-5W | 2323-5B | 2323U5M | 2323D5M | 2323-5C |
| | | 6' | 2323U6 | 2323D6 | 2323-6W | 2323-6B | 2323U6M | 2323D6M | 2323-6C |
| | | 8' | 2323U8 | 2323D8 | 2323-8W | 2323-8B | 2323U8M | 2323D8M | 2323-8C |

8' bench legs are on 6' centers. The top overhangs legs 1' on each side. Does not include PN: 2596-8W

EQUIPTO Workbenches

EQUIPTO Workbenches

EquiptoBay Workbench

Self Configure a Workbench Systems

The Equipto Bay is a modular Workbench system which can be preconfigured in numerous designs according to individual customer requirements.

Features:

- Versatile Preconfigured Workbench Systems
- Lower Workbench provided with Sliding Doors or Reel Cabinets
- Stainless Steel Counters and Chaseway
- Lockable Double Bank Tool Cabinets
- · 200 lb. Drawer Weight Capacity
- · Drawers lined with Rubber Protection Mats
- Tool Cart Lockers to Store and Secure Tools
- Tool Carts available with Optional Wheel Locks
- Adaptable to facility space restrictions
- · Ease of installation and assembly
- · Ability to relocate and modify for expansion
- Modular Design
- · Various color options available

Benefits:

- · Economical Standard Preconfigured Work Units
- Can be used in service, maintenance or production areas
- Provides a safe and organized work environment (OSHA)
- Ergonomic design
- Green Compliant









All features can be used in a single or double bench setup. Please contact your Equipto Inside Sales Rep to build your bench today!



Lift Control Drawer

| Part No. | Available Sizes: |
|----------|--|
| 1L1A | 12"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| 2L1A | (2) 12"W x 27 ^{3/4} "D x 37 ^{1/8} "H |



Hose Reel Bench Unit

with removable front panel $27^{3/4}$ D x $37^{1/8}$ H

| Part No. | Available Sizes: |
|----------|-------------------------|
| 1R2 | 24"W - 2 Hose reels |
| 1R3 | 36"W - 3 Hose reels |
| 2R3 | (2) 36"W - 3 Hose reels |
| 1R4 | 48"W - 4 Hose reels |
| 2R4 | (2) 48"W - 4 Hose reels |
| 1R5 | 60"W - 5 Hose reels |
| 2R5 | (2) 60"W - 5 Hose reels |



Service Cart Locker

Service cart included with locker

| Part No. | Available Sizes: |
|------------|--|
| 1N2 | 24"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| 2N2 | (2) 24"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| Equipto Se | rvice Cart |
| Part No. | Available Sizes: |
| SVC-1 | 18 ^{1/8} "W x 22 ^{1/8} "D x 34"H |

3" wheel lock caster



Sliding Door Bench Unit

| Part No. | Available Sizes: |
|----------|--|
| 1S3 | 36"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| 2S3 | (2) 36"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| 1S4 | 48"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| 2S4 | (2) 48"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| 1S5 | 60"W x 27 ^{3/4} "D x 37 ^{1/8} "H |
| 2S5 | (2) 60"W x 27 ^{3/4} "D x 37 ^{1/8} "H |



Modular Cabinets

Drawer sizes include: (1)3"H, (1)6"H, (1)71/2"H, (1)12"H

| Part No. | Available Sizes |
|----------|--|
| 1M2A | 24"W x 27 ^{3/4} "D x 33 ^{1/2} "H |
| 2M2A | (2) 24"W x 27 ^{3/4} "D x 33 ^{1/2} "H |
| 1M3A | 36"W x 27 ^{3/4} "D x 33 ^{1/2} "H |
| 2M3A | (2) 36"W x 27 ^{3/4} "D x 33 ^{1/2} "H |
| 1M4A | 48"W x 27 ^{3/4} "D x 33 ^{1/2} "H |
| 2M4A | (2) 48"W x 27 ^{3/4} "D x 33 ^{1/2} "H |

Stainless Steel Wood Core Top

All tops include matching chaseway

| Part No. | Application |
|----------|--|
| S6 | 30"D x 72"W x $1^{5/8}$ " thick: to be used with 6' bench |
| S8 | 30"D x 96"W x $1^{5/8}$ " thick: to be used with 8' bench |
| S10 | 30"D x 120"W x $1^{5/8"}$ thick: to be used with 10' bench |



11621

Double Bank Tool Cabinet

EBMDB44-1 sizes include: 30" Wide: (4)3"H, (6)4^{1/2}"H, (2)6"H, (2)7^{1/2}"H; 60" Wide: (1)4^{1/2}"H EBMDB59-1 sizes include: 30" Wide: (4)3"H, (10)4^{1/2}"H, (4)6"H, (2)7^{1/2}"H; 60" Wide: (1)4^{1/2}"H

| Part No. | Available Sizes: |
|-----------|------------------------------------|
| EBMDB44-1 | 60"W x 27 ^{3/4} "D x 44"H |
| EBMDB59-1 | 60"W x 27 ^{3/4} "D x 59"H |



Upper Storage Cabinets

| Retractable Sliding Cabinet Door | | | | | | | |
|----------------------------------|--|--|--|--|--|--|--|
| Part No. | Cabinets Included: | | | | | | |
| EBUC-3M3 | (2)36"W, (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |
| EBUC-4M | (1)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |
| EBUC-4M4 | (2)48"W. (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |
| EBUC-2M2 | (2)24"W. (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |
| EBUC-33 | (2)36"W x 15"D x 21"H | | | | | | |
| EBUC-44 | (2)48"W x 15"D x 21"H | | | | | | |
| Gas Spring Lift Cabinet Doors | | | | | | | |
| Part No. | Cabinets Included: | | | | | | |
| EBUC-3M3GS | (2)36"W, (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |
| EBUC-33GS | (2)36"W x 15"D x 21"H | | | | | | |
| EBUC-2M2GS | (2)24"W, (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |
| EBUC-4MGS | (1)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |
| EBUC-44GS | (2)48"W x 15"D x 21"H | | | | | | |
| EBUC-4M4GS | (2)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray | | | | | | |

EQUIPTO Mezzanines

Mezzanines

Need more space, but don't want to move or add on?

Double or triple your floor space with Equipto pre-fabricated mezzanines! These rugged elevated floors, walkways and stairways add valuable area where you need it, at a fraction of the cost of acquiring new buildings. Because of their modular design, Equipto mezzanines are economical, quickly installed and can even be re-configured on your premises as your requirements change. They are designed to integrate with other Equipto products to provide one-source space savings that are custom tailored for your individual application. Everyplace from aircraft hangars to warehouses to factories will benefit from the space saving solutions provided with Equipto mezzanines!



· Double floor capacity

- · Modular design lets you add units as needed
- Cost-effective
- · Customized solution to the problem of limited space
- · Less expensive than leasing or Construction
- · Move them within your facility
- · Relocation to other facilities is easy
- · Prefabricated for immediate use

Decking options include:



Photo is a rendered image, the actual product may vary.


Rendered image is for visual purposes only. Final product will vary slightly.

Contact your local Sales Rep to design your custom mezzanine today!

EQUIPTO Stairways

OSHA Stairways

| Rise | Run | 24" Tread | 30" Tread | 36" Tread | 48" Tread | | |
|---|--------------|-----------|-----------|-----------|-----------|--|--|
| Min/Max | Min/Max | Width | Width | Width | Width | | |
| | | Part No. | Part No. | Part No. | Part No. | | |
| 3'0"/3'5" | 3'0"/3'4" | 924F04 | 930F04 | 936F04 | 948F04 | | |
| 3'6"/4'0" | 3'9"/4'2" | 924F05 | 930F05 | 936F05 | 948F05 | | |
| 4'1"/4'8" | 4'5"/5'0" | 924F06 | 930F06 | 936F06 | 948F06 | | |
| 4'9"/5'4" | 5'2"/5'9" | 924F07 | 930F07 | 936F07 | 948F07 | | |
| 5'5"/5'11" | 5'11"/6'6" | 924F08 | 930F08 | 936F08 | 948F08 | | |
| 6'0"/6'6" | 6'8"/7'4" | 924F09 | 930F09 | 936F09 | 948F09 | | |
| 6'7"/7'3" | 7'5"/8'1" | 924F10 | 930F10 | 936F10 | 948F10 | | |
| 7'4"/8'2" | 8'2"/8'9" | 924F11 | 930F11 | 936F11 | 948F11 | | |
| 8'3"/8'9" | 8'10"/9'4" | 924F12 | 930F12 | 936F12 | 948F12 | | |
| 8'10"/10'2" | 10'4"/11'5" | 924F14 | 930F14 | 936F14 | 948F14 | | |
| 10'3"/12'3" | 12'8"/14'11" | 924F17 | 930F17 | 936F17 | 948F17 | | |
| Overall width of stairway is 3" greater than tread width. | | | | | | | |



Pre-drilled, 3" to 4^{1/2}", for mounting stairways to landings.

Base Anchor Bracket (Supplied) Pre-drilled, 3" bracket for mounting stairways at base.



Mobile Aisle Systems

Mobile Aisle EQUIPTO

Equipto's Mobile Aisle System combines the benefits of high-density storage with the flexibility of V-Grip shelving, Modular Drawers and Bulk Rack. By reducing the number of access aisles you can save as much as 50% of your floor space or double your storage capacity in the same space you are currently using.

A. Bulk rack beams provide storage levels up to 96" in length

B. Wire shelves provide optimum flow of air and light

C. Modular drawers in 48 standard sizes and 200 or 400lb. capacity

D. Mechanical-assist drive system requires only 1 lb. of effort to move 10,000 lbs. of load

E. Ramp available in standard 12" or 24" to accommodate ADA requirements

F. Modular platform is surface mounted with re-levelable rails

G. Open style drive column provides greater visibility of items stored in the mobile aisle system

H. Closed style drive column for enhanced security

I. Heavy duty solid shelves

J. Manual style drive column



Contact your local Sales Representative for Assistance



Equipment Storage Carts

- · Quality one-piece tray construction, tubular posts and handles
- · 4" deep reversible steel trays with beaded edges for extra strength
- · Smooth rolling 5" rubber casters two swivel, two fixed
- · Optional welded drawer units provide extra capacity
- <u>.</u>.... . . .

| Ships | un-asser | mbled | | | | Dr A | awersB |
|-------|----------|-----------|--------|-------|----------|---------|-------------|
| Width | Length | Depth | Height | Trays | Capacity | None | (8)11" Deep |
| 16" | 30" | 11" | 36" | 2 | 500 lbs. | 145 | 145-8 |
| | | | | | 800 lbs. | 145D | 145D8 |
| 24" | 36" | up to 17' | ' 36" | 2 | 500 lbs. | 150 | 150-8 |
| | | | | | 800 lbs. | 150D | 150D8 |
| | | | | | | | |

Cart heights include casters. Casters are not recommended for carts over 66"



(C) Three tray 33" High

| Width | Tray Length | Depth | Capacity | Part No. |
|-------|-------------|--------------------|----------|----------|
| 16" | 30" | 1 9/16" | 500 lbs. | 156 |
| 24" | 36" | 1 9/16" | 500 lbs. | 161 |
| 16" | 30" | 1 ^{9/16"} | 800 lbs. | 156D |
| 24" | 36" | 19/16" | 800 lbs. | 161D |

(D) Four and Five tray 60" High

| Shelves | Width | Tray Length | Depth | Capacity | Part No. |
|---------|-------|-------------|--------------------|----------|----------|
| 4 | 16" | 30" | 19/16" | 800 lbs. | 163 |
| 4 | 24" | 36" | 19/16" | 800 lbs. | 165 |
| 5 | 16" | 30" | 19/16" | 800 lbs. | 164D |
| 5 | 24" | 36" | 1 ^{9/16"} | 800 lbs. | 166D |









Supplying all the pieces for a complete storage solution!

preconfigured StorageSolutions

225 Main Street, Tatamy PA, 18085 Ph: 800.323.0801 - Fax: 888.859.2121

PC20 Catalog

www.equipto.com info@equipto.com