

EQUIPTO



Shelving



Modular Drawer Cabinets



Small Parts Storage



Mobile Aisles



Platforms & Mezzanines



Stairways & Crosswalks



Workcenters & Workbenches



Storage Cabinets




Carts



Military Storage Systems

preconfigured **Storage**Solutions

Supplying all the pieces for a complete storage solution!



EQUIPTO is ready to become your partner in space storage and utilization products!

Recognized for innovation, quality and service, Equipto storage equipment is proudly manufactured in Tatamy, PA. Equipto's employee philosophy is to make it as simple as possible to do business with them.

It all began in 1907, when Thomas M. Dunham began developing motorcycle headlights and sidecars in Aurora, Illinois. With the increase in automobile production, motorcycle parts soon were not in such high demand, so Equipto began producing body parts for Ford Motor Company's Model T Chassis. As the relationship with the car industry flourished, Dunham began hearing other needs within the automotive industry. One car dealer needed heavy-duty shelving to store large, heavy car parts and the idea for space storage and utilization was born.

As the company continues to be innovative, new products and systems are constantly being designed and brought to the market. Equipto can be your single source for the largest offering of Innovative Storage Solutions. Products we proudly manufacture include: Shelving and Racks, Modular Storage Cabinets, Small Parts Storage Systems, Mobile Aisle Storage Systems, Platforms and Mezzanines, Stairways and Crosswalks, Workcenters and Workbenches, Storage Cabinets, Transport Carts, and Military Storage Systems. Equipto manufactures a high quality product for which we proudly stand behind and provide a limited lifetime warranty.

After more than 100 years, Equipto's customer base reaches across the U.S. and into many markets. As Equipto continues to grow and introduce new product lines, customers can expect the same innovation and quality that has made Equipto what it is today:

"The industry leader in space storage and utilization products!"



Equipto's Vision

Our company vision is to be recognized by our customers as a world-class supplier of industrial storage designs and solutions.

With the broadest line of storage solutions, our goal is to develop long-term partnerships with our customers as their storage requirements continue to expand and evolve.

We will accomplish this by:

- The best people, who are customer focused and driven.
- The best engineered products, which stand alone or are integrated into a system.
- Consistent production of superior products.

Equipto

EQUIPTO



Photo circa 1921

**A Century
of the
Strongest
Storage
Solutions**



Shelving

V-Grip™ Shelving - 18 gauge

Design Benefits and Features:

- Industry leader in structural integrity
- Exclusive V-Grip compression design
- Precision engineered for reliable performance
- Flexible selection of standard components
- System components are adjustable for convenient reconfiguration
- Durable enamel paint finish
- Accommodates high-rise and multi-level applications



V-Grip™ Shelving - 18 gauge Open Preconfigured Units



open shelving add-on



open shelving starter

Open shelving – 7' tall					
Depth	Width	Capacity Per Shelf	Five Shelves Starter	Five Shelves Add-On	Extra Shelf
12"	36"	650 lbs.	661-5S	661-5A	6230
12"	48"	430 lbs.	661W5S	661W5A	6240
18"	36"	700 lbs.	663-5S	663-5A	6231
18"	48"	440 lbs.	663W5S	663W5A	6241
24"	36"	721 lbs.	665-5S	665-5A	6232
24"	48"	450 lbs.	665W5S	665W5A	6242
36"	36"	670 lbs.	667-5S	667-5A	6234

V-Grip™ Shelving - - 18 gauge Closed Preconfigured Units



closed shelving add-on



closed shelving starter

Closed shelving – 7' tall					
Depth	Width	Capacity Per Shelf	Five Shelves Starter	Five Shelves Add-On	Extra Shelves
12"	36"	650 lbs.	671-5S	671-5A	6230
12"	48"	430 lbs.	671W5S	671W5A	6240
18"	36"	700 lbs.	673-5S	673-5A	6231
18"	48"	440 lbs.	673W5S	673W5A	6241
24"	36"	721 lbs.	675-5S	675-5A	6232
24"	48"	450 lbs.	675W5S	675W5A	6242
36"	36"	690 lbs.	677-5S	677-5A	6234

reflective white back and end panels are standard, regardless of upright and shelf color.

V-Grip™ Shelving with Drawers - 18 gauge Closed Preconfigured Units



Drawers Included:

(1) 3" high, (1) 4 1/2" high, (1) 6" high & (1) 7 1/2" high

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200lb	S4220VNS	S4220VNA
	36"	400lb	S4220VHS	S4220VHA
	48"	400lb	S4240VHS	S4240VHA
24"	36"	200lb	S4230VNS	S4230VNA
	36"	400lb	S4230VHS	S4230VHA
	48"	400lb	S4250VHS	S4250VHA



Drawers Included:

(2) 4 1/2" high & (2) 6" high

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200lb	S4221VNS	S4221VNA
	36"	400lb	S4221VHS	S4221VHA
	48"	400lb	S4241VHS	S4241VHA
24"	36"	200lb	S4231VNS	S4231VNA
	36"	400lb	S4231VHS	S4231VHA
	48"	400lb	S4251VHS	S4251VHA



Drawers Included:

(2) 3" high, (1) 4 1/2" high & (1) 7 1/2" high

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200lb	S4222VNS	S4222VNA
	36"	400lb	S4222VHS	S4222VHA
	48"	400lb	S4242VHS	S4242VHA
24"	36"	200lb	S4232VNS	S4232VNA
	36"	400lb	S4232VHS	S4232VHA
	48"	400lb	S4252VHS	S4252VHA



Drawers Included:

(4) 4 1/2" high

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200lb	S4223VNS	S4223VNA
	36"	400lb	S4223VHS	S4223VHA
	48"	400lb	S4243VHS	S4243VHA
24"	36"	200lb	S4233VNS	S4233VNA
	36"	400lb	S4233VHS	S4233VHA
	48"	400lb	S4253VHS	S4253VHA

Modular Drawers in V-Grip™ Shelving

- Small parts are stored ergonomically in the "gold zone" (between shoulders and knees) for easy access
- Bulk storage space for larger items is available above and below the drawers
- 100% drawer extension provides full drawer access
- 200 lb. (36" width) and 400 lb. (36" width and 48" width) capacities available
- Each drawer is individually mounted to the V-Grip™ upright posts utilizing Equipto's exclusive bracket system
- Drawers are individually adjustable and can be added at any time without disassembly of the unit.
- Reflective White back and side panels enhance visibility
- All preconfigured units are 7' tall

GOLDZONE

The same versatile V-Grip™ design that gives you the flexibility to add wire shelving and lockable cabinets can also be configured so that all your modular drawers are between your shoulders and knees, or in the "GOLD ZONE". Consequently, there's no squatting, stretching or straining to store and retrieve parts and tools.

(*Optional accessories shown below)

*Wire Shelf

Reflective White, side/back panels

Modular Drawers

*Doors



*All units come with 5 solid shelves.
For additional shelves please see page 5.

Shelving

V-Grip™ Shelving - components

Structural Integrity comes from the integration of Equipto's exclusive V-Grip™ upright post and heavy-duty, compression-fit components. When ordering V-Grip™ shelving by component, remember:

- 1) Shelving uprights can be shared and any number of units can be joined together in continuous row applications. A complete run of shelving only grows 1^{5/8"} no matter the length of the run.
- 2) Back sway braces and solid back panels can be shared between back-to-back units.
- 3) Closed shelving ends and solid back panels are finished in standard reflective white paint to enhance visibility in parts storage areas.
- 4) V-Grip™ shelves are heavy duty, 18-gauge steel and are provided with 4 corner reinforcements per shelf, which provide a friction fit to V-Grip™ upright posts.



Heavy Duty 18ga Solid Shelves

Description (d x w)	Part No.
12" x 36"	6230
18" x 36"	6231
12" x 48"	6240
18" x 48"	6241
24" x 36"	6232
24" x 48"	6242

Back Sway Braces

Description	Part No.
36" back, pair	6416
48" back, pair	6417



Open Shelving Ends

Description (d x h)	Part No.
12" x 84" open	6702
18" x 84" open	6712
24" x 84" open	6722
12" x 96" open	6703
18" x 96" open	6713
24" x 96" open	6723
84" and 96" high open shelving ends come with 2 upright posts and 2 end brace plates.	



Closed Shelving Ends

Description (d x h)	Part No.
12" x 84" Closed	6707
18" x 84" Closed	6717
24" x 84" Closed	6727
12" x 96" Closed	6708
18" x 96" Closed	6718
24" x 96" Closed	6728
84" high Closed Shelving Ends come with 2 upright posts and 2 end panels.	
96" high Closed Shelving Ends come with 2 upright posts and 3 end panels.	



Solid Back Panels

Description	Part No.
36" x 84" high or less	7588-2
36" x over 84" (to 10')	7588-3
48" x 84" high or less	7589-2
48" x over 84" (to 10')	7589-3

Hinged Double Doors for V-Grip™ Shelving

- Rigid door and frame assembly, sturdy hinges, 3-point latches and chrome handle with key lock
- Attaches quickly and easily to V-Grip™ shelving units

Doors for Shelving


Description	Part No.
36" wide x 84" high	18035
36" wide x 42" high	18043
36" wide x 34 ^{1/2} " high	18036
48" wide x 84" high	18435
48" wide x 42" high	18443
48" wide x 34 ^{1/4} " high	18436



Wire Shelves

Truss included

Description	Part no.
12" deep x 36" wide	6063
12" deep x 48" wide	6064
18" deep x 36" wide	6073
18" deep x 48" wide	6074
24" deep x 36" wide	6083
24" deep x 48" wide	6084



- Increased visibility of items on upper shelves
- Better flow of air, light, & sprinklers
- Capacity equal to heavy-duty 18 gauge solid steel shelves


V-Grip™ Post - Top/Bottom Caps

Description	Part No.
Top/Bottom Cap-White	10177W
Top/Bottom Cap-Black	10177B



Seismic Footplates*


Description	Part No.
Center floor anchor assembly	190317A
LH corner floor anchor assembly	190319A
RH corner floor anchor assembly	190320A



LH corner floor anchor assembly (shown)
 RH corner floor anchor assembly

Modular Drawers

Maximize density with modular drawers for V-Grip



- 100% drawer extension
- 36 and 48 inch widths; 18 and 24 inch depths
- 200 and 400 lb. capacity



Modular Drawers in V-Grip Shelving

Standard installation of V-Grip shelving drawers leaves a 1/4" space between drawer and the shelf directly above.

To close this gap, select the appropriate filler strip."

For 36"W drawers: 7702 For 48"W drawers: 7702-48

Depth (Front to Rear)	Height of Drawer Front	Inside Height	36" Wide 200 lb. Capacity	36" Wide 400 lb. Capacity	48" Wide 400 lb. Capacity
18"	3"	2"	S8603N	S8603H	S8661H
	4 1/2"	3 1/2"	S8604N	S8604H	S8662H
	6"	5"	S8605N	S8605H	S8663H
	7 1/2"	6 1/2"	S8606N	S8606H	S8664H
	9"	8"	S8601N	S8601H	S8665H
	10 1/2"	9 1/2"	S8602N	S8602H	S8666H
	12"	11"	S8607N	S8607H	S8667H
	13 1/2"	12"	S8608N	S8608H	S8668H
24"	3"	2"	S8610N	S8610H	S8671H
	4 1/2"	3 1/2"	S8611N	S8611H	S8672H
	6"	5"	S8612N	S8612H	S8673H
	7 1/2"	6 1/2"	S8613N	S8613H	S8674H
	9"	8"	S8615N	S8615H	S8675H
	10 1/2"	9 1/2"	S8616N	S8616H	S8676H
	12"	11"	S8614N	S8614H	S8677H
	13 1/2"	12"	S8617N	S8617H	S8678H

Note: All Drawer part numbers listed above do not include dividers.

Divider kits - 36" wide

Width	For Drawer Height	Divider Set	18" Deep Divider Kit	24" Deep Divider Kit
36"	3"	D	4173D10	4183D10
	3"	E	4173E10	4183E10
	3"	F	4173F10	4183F10
	3"	H	4173H10	4183H10
	4 1/2"	D	4174D15	4184D15
	4 1/2"	E	4174E15	4184E15
	4 1/2"	F	4174F15	4184F15
	4 1/2"	H	4174H15	4184H15
	6" and up	D	4175D20	4185D20
	6" and up	E	4175E20	4185E20
	6" and up	F	4175F20	4185F20
	6" and up	H	4175H20	4185H20


Divider kits - 48" wide

Width	For Drawer Height	Divider Set	18" Deep Divider Kit	24" Deep Divider Kit
48"	3"	D	4176D10	4186D10
	3"	E	4176E10	4186E10
	3"	F	4176F10	4186F10
	3"	H	4176H10	4186H10
	4 1/2"	D	4177D15	4187D15
	4 1/2"	E	4177E15	4187E15
	4 1/2"	F	4177F15	4187F15
	4 1/2"	H	4177H15	4187H15
	6" and up	D	4178D20	4188D20
	6" and up	E	4178E20	4188E20
	6" and up	F	4178F20	4188F20
	6" and up	H	4178H20	4188H20

Important ordering considerations:

- A shelf should be positioned above each group of drawers
- **Do not exceed 36" vertical spacing of continuous drawers**
- Handles include label holder, plastic cover strip and end caps
- Inside clear width: 36" - 31 7/8" / 48" - 43 1/4"
- Inside clear depth: 18" - 16 5/16" / 24" - 22 5/16"


18" Deep




24" Deep



18" Deep



24" Deep



Important ordering considerations:

- When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered

Depth	Width	36"H with 2 shelves		48"H with 3 shelves		60"H with 4 shelves		72"H with 5 shelves		84"H with 6 shelves		96"H with 7 shelves		120"H with 9 shelves	
		Starter	Add-On	Starter	Add-On										
12" Depth															
12"	24"	4723-02S	4723-02A	4724-03S	4724-03A	4725-04S	4725-04A	4726-05S	4726-05A	4727-06S	4727-06A	4728-07S	4728-07A	4729-08S	4729-08A
12"	36"	4733-02S	4733-02A	4734-03S	4734-03A	4735-04S	4735-04A	4736-05S	4736-05A	4737-06S	4737-06A	4738-07S	4738-07A	4739-08S	4739-08A
12"	48"	4743-02S	4743-02A	4744-03S	4744-03A	4745-04S	4745-04A	4746-05S	4746-05A	4747-06S	4747-06A	4748-07S	4748-07A	4749-08S	4749-08A
12"	60"	4753-02S	4753-02A	4754-03S	4754-03A	4755-04S	4755-04A	4756-05S	4756-05A	4757-06S	4757-06A	4758-07S	4758-07A	4759-08S	4759-08A
12"	72"	4763-02S	4763-02A	4764-03S	4764-03A	4765-04S	4765-04A	4766-05S	4766-05A	4767-06S	4767-06A	4768-07S	4768-07A	4769-08S	4769-08A
18" Depth															
18"	24"	4523-02S	4523-02A	4524-03S	4524-03A	4525-04S	4525-04A	4526-05S	4526-05A	4527-06S	4527-06A	4528-07S	4528-07A	4529-08S	4529-08A
18"	36"	4533-02S	4533-02A	4534-03S	4534-03A	4535-04S	4535-04A	4536-05S	4536-05A	4537-06S	4537-06A	4538-07S	4538-07A	4539-08S	4539-08A
18"	48"	4543-02S	4543-02A	4544-03S	4544-03A	4545-04S	4545-04A	4546-05S	4546-05A	4547-06S	4547-06A	4548-07S	4548-07A	4549-08S	4549-08A
18"	60"	4553-02S	4553-02A	4554-03S	4554-03A	4555-04S	4555-04A	4556-05S	4556-05A	4557-06S	4557-06A	4558-07S	4558-07A	4559-08S	4559-08A
18"	72"	4563-02S	4563-02A	4564-03S	4564-03A	4565-04S	4565-04A	4566-05S	4566-05A	4567-06S	4567-06A	4568-07S	4568-07A	4569-08S	4569-08A
24" Depth															
24"	24"	4623-02S	4623-02A	4624-03S	4624-03A	4625-04S	4625-04A	4626-05S	4626-05A	4627-06S	4627-06A	4628-07S	4628-07A	4629-08S	4629-08A
24"	36"	4633-02S	4633-02A	4634-03S	4634-03A	4635-04S	4635-04A	4636-05S	4636-05A	4637-06S	4637-06A	4638-07S	4638-07A	4639-08S	4639-08A
24"	48"	4643-02S	4643-02A	4644-03S	4644-03A	4645-04S	4645-04A	4646-05S	4646-05A	4647-06S	4647-06A	4648-07S	4648-07A	4649-08S	4649-08A
24"	60"	4653-02S	4653-02A	4654-03S	4654-03A	4655-04S	4655-04A	4656-05S	4656-05A	4657-06S	4657-06A	4658-07S	4658-07A	4659-08S	4659-08A
24"	72"	4663-02S	4663-02A	4664-03S	4664-03A	4665-04S	4665-04A	4666-05S	4666-05A	4667-06S	4667-06A	4668-07S	4668-07A	4669-08S	4669-08A

Extra wire shelves

Depth	2' wide	3' wide	4' wide	5' wide	6' wide
12"	6062	6063	6064	6065	6066
18"	6072	6073	6074	6075	6076
24"	6082	6083	6084	6085	6086



Add-on*



Starter

V-Grip™ Spill Containment System

Utilizing our V-Grip™ wire shelving and our drip containment system, you can now have shelving fully capable of containing the occasional drip or spill from any fluid you need to store. At the same time, get the benefit from multiple levels to increase your storage capacity — no longer do you have to keep all of your fluid containers and drums on the floor. Available for four of our most popular shelf sizes.

Pre-configured wire shelving with spill containment trays (all 84" tall shelving units with 4 shelves and trays)


Width	Shelving Depth	Height	Starter	Add-On
36	18	84	43878-01S	43878-01A
36	24	84	43878-07S	43878-07A
48	18	84	43878-08S	43878-08A
48	24	84	43878-09S	43878-09A



Spill tray only

Part No.	Shelf Size	'A'-Length of pan	'B'-Width of pan	Capacity
43878-01	36 x 18	34	16	5 Gallons
43878-07	36 x 24	34	22	6.5 Gallons
43878-08	48 x 18	46	16	6.5 Gallons
43878-09	48 x 24	46	22	9 Gallons

Spill pan is 2 1/4" deep and hooks under a wire shelf.



V-Grip™ Bulk Rack

V-Grip Bulk Rack is designed to accommodate longer spans and heavier loads than conventional shelving. Bulk Rack beams engage V-Grip upright posts providing a rigid connection. Bulk Rack levels are designed to carry load capacities from 1500 lbs. to 3000 lbs. per level, depending on beam span length and deck material used.

The units to the right are shown with wire decking for the top shelf and corrugated steel decking unit bottom shelf.



Three level bulk rack with decking

Depth	Height	48" Wide		60" Wide		72" Wide		96" Wide	
		Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
Standard duty (from 1100 lbs. to 1500 lbs.)									
15"	60"	1005D41S	1005D41A	1005D51S	1005D51A	1005D61S	1005D61A	—	—
	72"	1006D41S	1006D41A	1006D51S	1006D51A	1006D61S	1006D61A	—	—
24"	60"	1005D42S	1005D42A	1005D52S	1005D52A	1005D62S	1005D62A	—	—
	72"	1006D42S	1006D42A	1006D52S	1006D52A	1006D62S	1006D62A	—	—
30"	60"	1007D42S	1007D42A	1007D52S	1007D52A	1007D62S	1007D62A	—	—
	72"	1005D40S	1005D40A	1005D50S	1005D50A	1005D60S	1005D60A	—	—
	84"	1006D40S	1006D40A	1006D50S	1006D50A	1006D60S	1006D60A	—	—
36"	60"	1007D40S	1007D40A	1007D50S	1007D50A	1007D60S	1007D60A	—	—
	72"	1005D43S	1005D43A	1005D53S	1005D53A	1005D63S	1005D63A	—	—
	84"	1006D43S	1006D43A	1006D53S	1006D53A	1006D63S	1006D63A	—	—
48"	60"	1007D43S	1007D43A	1007D53S	1007D53A	1007D63S	1007D63A	—	—
	72"	1005D44S	1005D44A	1005D54S	1005D54A	1005D64S	1005D64A	—	—
	84"	1006D44S	1006D44A	1006D54S	1006D54A	1006D64S	1006D64A	—	—
Medium duty (from 1500 lbs. to 2000 lbs.)									
15"	60"	1015D41S	1015D41A	1015D51S	1015D51A	1015D61S	1015D61A	1015D81S	1015D81A
	72"	1016D41S	1016D41A	1016D51S	1016D51A	1016D61S	1016D61A	1016D81S	1016D81A
24"	60"	1015D42S	1015D42A	1015D52S	1015D52A	1015D62S	1015D62A	1015D82S	1015D82A
	72"	1016D42S	1016D42A	1016D52S	1016D52A	1016D62S	1016D62A	1016D82S	1016D82A
30"	84"	1017D42S	1017D42A	1017D52S	1017D52A	1017D62S	1017D62A	1017D82S	1017D82A
	60"	1015D40S	1015D40A	1015D50S	1015D50A	1015D60S	1015D60A	1015D80S	1015D80A
	72"	1016D40S	1016D40A	1016D50S	1016D50A	1016D60S	1016D60A	1016D80S	1016D80A
36"	84"	1017D40S	1017D40A	1017D50S	1017D50A	1017D60S	1017D60A	1017D80S	1017D80A
	60"	1015D43S	1015D43A	1015D53S	1015D53A	1015D63S	1015D63A	1015D83S	1017D83A
	72"	1016D43S	1016D43A	1016D53S	1016D53A	1016D63S	1016D63A	1016D83S	1016D83A
48"	84"	1017D43S	1017D43A	1017D53S	1017D53A	1017D63S	1017D63A	1017D83S	1017D83A
	60"	1015D44S	1015D44A	1015D54S	1015D54A	1015D64S	1015D64A	1015D84S	1015D84A
	72"	1016D44S	1016D44A	1016D54S	1016D54A	1016D64S	1016D64A	1016D84S	1016D84A
Heavy duty (over 2000 lbs.)									
15"	60"	1025D41S	1025D41A	1025D51S	1025D51A	1025D61S	1025D61A	1025D81S	1025D81A
	72"	1026D41S	1026D41A	1026D51S	1026D51A	1026D61S	1026D61A	1026D81S	1026D81A
24"	60"	1025D42S	1025D42A	1025D52S	1025D52A	1025D62S	1025D62A	1025D82S	1025D82A
	72"	1026D42S	1026D42A	1026D52S	1026D52A	1026D62S	1026D62A	1026D82S	1026D82A
30"	84"	1027D42S	1027D42A	1027D52S	1027D52A	1027D62S	1027D62A	1027D82S	1027D82A
	60"	1025D40S	1025D40A	1025D50S	1025D50A	1025D60S	1025D60A	1025D80S	1025D80A
	72"	1026D40S	1026D40A	1026D50S	1026D50A	1026D60S	1026D60A	1026D80S	1026D80A
36"	84"	1027D40S	1027D40A	1027D50S	1027D50A	1027D60S	1027D60A	1027D80S	1027D80A
	60"	1025D43S	1025D43A	1025D53S	1025D53A	1025D63S	1025D63A	1025D83S	1025D83A
	72"	1026D43S	1026D43A	1026D53S	1026D53A	1026D63S	1026D63A	1026D83S	1026D83A
48"	84"	1027D43S	1027D43A	1027D53S	1027D53A	1027D63S	1027D63A	1027D83S	1027D83A
	60"	1025D44S	1025D44A	1025D54S	1025D54A	1025D64S	1025D64A	1025D84S	1025D84A
	72"	1026D44S	1026D44A	1026D54S	1026D54A	1026D64S	1026D64A	1026D84S	1026D84A
	84"	1027D44S	1027D44A	1027D54S	1027D54A	1027D64S	1027D64A	1027D84S	1027D84A

DECKING: "D" in catalog number represents corrugated steel decking.

Substitute "W" for drop in wire decking (available in 24", 36", & 48" depths) or "-" for no decking.

Four level bulk rack with solid decking

Depth	Height	48" Wide		60" Wide		72" Wide		96" Wide	
		Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 24)									
24"	96"	1008D42S	1008D42A	1008D52S	1008D52A	1008D62S	1008D62A	—	—
	120"	1010D42S	1010D42A	1010D52S	1010D52A	1010D62S	1010D62A	—	—
30"	96"	1008D40S	1008D40A	1008D50S	1008D50A	1008D60S	1008D60A	—	—
	120"	1010D40S	1010D40A	1010D50S	1010D50A	1010D60S	1010D60A	—	—
36"	96"	1008D43S	1008D43A	1008D53S	1008D53A	1008D63S	1008D63A	—	—
	120"	1010D43S	1010D43A	1010D53S	1010D53A	1010D63S	1010D63A	—	—
48"	96"	1008D44S	1008D44A	1008D54S	1008D54A	1008D64S	1008D64A	—	—
	120"	1010D44S	1010D44A	1010D54S	1010D54A	1010D64S	1010D64A	—	—
Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 24)									
24"	96"	1018D42S	1018D42A	1018D52S	1018D52A	1018D62S	1018D62A	1018D82S	1018D82A
	120"	1020D42S	1020D42A	1020D52S	1020D52A	1020D62S	1020D62A	1020D82S	1020D82A
30"	96"	1018D40S	1018D40A	1018D50S	1018D50A	1018D60S	1018D60A	1018D80S	1018D80A
	120"	1020D40S	1020D40A	1020D50S	1020D50A	1020D60S	1020D60A	1020D80S	1020D80A
36"	96"	1018D43S	1018D43A	1018D53S	1018D53A	1018D63S	1018D63A	1018D83S	1018D83A
	120"	1020D43S	1020D43A	1020D53S	1020D53A	1020D63S	1020D63A	1020D83S	1020D83A
48"	96"	1018D44S	1018D44A	1018D54S	1018D54A	1018D64S	1018D64A	1018D84S	1018D84A
	120"	1020D44S	1020D44A	1020D54S	1020D54A	1020D64S	1020D64A	1020D84S	1020D84A
Heavy duty (over 2000 lbs. For specific capacities see chart on page 24)									
24"	96"	1028D42S	1028D42A	1028D52S	1028D52A	1028D62S	1028D62A	1028D82S	1028D82A
	120"	1030D42S	1030D42A	1030D52S	1030D52A	1030D62S	1030D62A	1030D82S	1030D82A
30"	96"	1028D40S	1028D40A	1028D50S	1028D50A	1028D60S	1028D60A	1028D80S	1028D80A
	120"	1030D40S	1030D40A	1030D50S	1030D50A	1030D60S	1030D60A	1030D80S	1030D80A
36"	96"	1028D43S	1028D43A	1028D53S	1028D53A	1028D63S	1028D63A	1028D83S	1028D83A
	120"	1030D43S	1030D43A	1030D53S	1030D53A	1030D63S	1030D63A	1030D83S	1030D83A
48"	96"	1028D44S	1028D44A	1028D54S	1028D54A	1028D64S	1028D64A	1028D84S	1028D84A
	120"	1030D44S	1030D44A	1030D54S	1030D54A	1030D64S	1030D64A	1030D84S	1030D84A

Bulk Rack shelving options



Solid beams

- 3 lugs on each beam connector locks securely to post
- Adjusts on 1 1/2" centers



Drop In Wire decking

- Capacity to 2667 lbs.**
- Lets air, light and water pass through
- Offset between beam and wire shelving is .2625 +/- or just over 1/4"



Solid shelf

- Capacity to 2763 lbs.**
- Solid corrugated steel
- Versatile: Use ridge side up or flat channeled surface

Boltless Storage Rack

Equipto Boltless Storage Rack is the economical alternative to standard steel shelving. Designed for hand loading and unloading only, it is ideal for automotive supplies, parts, warehouse materials, paint, batteries and just about anything else you need to store.

Equipto offers three pre-configured shelf kit sizes:

- 4 Shelves 32"D x 69"W x 84"H
- 5 Shelves 32"D x 69"W x 120"H
- 6 Shelves 32"D x 69"W x 144"H

Preconfigured shelving units:

Frames only - wood or particle board shelves not included

Part No.	Description	Weight
RSR-693284	4 Shelves - 32"D X 69"W X 84"H	94 lbs
RSR-6932120	5 Shelves - 32"D X 69"W X 120"H	122 lbs
RSR-6932144	6 Shelves - 32"D X 69"W X 144"H	146 lbs



Please contact your sales representative to create your own custom Boltless Storage Rack shelving units from components.

Wire Spool Rack

- 7-shelf reel rack adjustable on 1 1/2" centers
- Organize and retrieve wire, cable, chain, hose, rope or tubing
- Holds reels up to 16" in diameter
- V-shaped shelves with center rod
- Fiberboard on shelves to deaden noise and prevent excessive uncoiling



Part No. 880-7

Bar Racks

Equipto Bar Racks are ideal for storing long and bulky parts as well as pipes. Each arm carries 325 lbs. Choose 3', 6' or 8' widths, to support parts as needed.

- Specialty bar racks
- Single or double face
- Two heights, three widths, two depths
- Use individually or in rows
- Shelves optionally available.
- Capacity 650 lbs. per level


Bar Racks are the effective answer to organizing steel — or any other items that don't need shelf support. Slotted angle, pipe, tubes, bars — Equipto Bar Racks hold them all. With no wasted space and absolutely simple access.

Note: Be sure to order a rack end to finish each row.†




Bar Racks - a complete rack includes one or more units and a rack end. (†)

Description	Height	Width	Depth	Part No
Double-face unit	7'	3'	34"	1060
Double-face unit	7'	6'	34"	1060-72
Double-face unit	7'	8'	34"	1060-96
†Double-face rack end	7'	2 3/8"	34"	1061
Single-face unit	7'	3'	22 1/8"	1062
Single-face unit	7'	6'	22 1/8"	1062-72
Single-face unit	7'	8'	22 1/8"	1062-96
†Single-face rack end	7'	2 3/8"	22 1/8"	1063
Double-face unit	4'	3'	34"	1064
Double-face unit	4'	6'	34"	1064-72
Double-face unit	4'	8'	34"	1064-96
†Double-face rack end	4'	2 3/8"	34"	1065
Single-face unit	4'	3'	22 1/8"	1066
Single-face unit	4'	6'	22 1/8"	1066-72
Single-face unit	4'	8'	22 1/8"	1066-96
†Single-face rack end	4'	2 3/8"	22 1/8"	1067



Shelves (12" x 36") fit between rack arms to hold long and short products in same unit.



Single-faced rack with end can be used free-standing to hold slotted angle, pipe, bars, etc.

Accessories

Description	Part No.
Extra Arm, 12" deep; capacity 325 lbs.	1070
12" x 36" Extra shelf for bottom arms only	6052
12" x 36" Extra shelf for other arms	6053

Modular Drawer Cabinets

30" Wide Modular Drawer Cabinets

Modular Drawer Cabinets provide a versatile system for high-density storage of parts, tools and equipment. Equipto's design utilizes precision-engineered components in a rugged design that will provide years of reliable performance. Maximum utilization of space results in higher storage efficiency and reduced time for the retrieval of stored items

- 400 pound capacity drawers
- 100% drawer extension
- One piece welded frames
- Fork lift channels on base of cabinet
- Optional unit locking mechanism available
- 27³/₄" Deep



30" Wide Modular Drawer Cabinets - Preconfigured units*

30"W x 27³/₄"D x 33¹/₂"H



4430h
 Drawer/Dividers Included
 (8) 3" h "H" type
 (1) 4.5" h "H" type
 Order #4430 for unit
 without divider kits.



4431h
 Drawer/Dividers Included
 (2) 3" h "H" type
 (5) 4.5" h "H" type
 Order #4431 for unit
 without divider kits.



4432h
 Drawer/Dividers Included
 (1) 3" h "H" type
 (1) 6" h "H" type
 (1) 7.5" h "H" type
 (1) 12" h "H" type
 Order #4432 for unit
 without divider kits.



4433h
 Drawer/Dividers Included
 (1) 3" h "H" type
 (3) 4.5" h "H" type
 (2) 6" h "H" type
 Order #4433 for unit
 without divider kits.



4434h
 Drawer/Dividers Included
 (5) 4.5" h "H" type
 (1) 6" h "H" type
 Order #4434 for unit
 without divider kits.

30"W x 27³/₄"D x 38"H



443038-042-01
 Drawer/Dividers Included
 (4) 4.5" h "N" type
 (2) 7.5" h "N" type
 Order #443038-042MT
 for unit without divider kits.



443038-005-01
 Drawer/Dividers Included
 (1) 6" h "E" type
 (4) 6.75" h "E" type
 Order #443038-005MT
 for unit without divider kits.



443038-512-01
 Drawer/Dividers Included
 (5) 3" h "N" type
 (1) 4.5" h "R" type
 (1) 6.75" h "R" type
 (1) 6.75" h "E" type
 Order #443038-512MT
 for unit without divider kits.



443038-412-01
 Drawer/Dividers Included
 (4) 3" h "N" type
 (1) 4.5" h "R" type
 (1) 7.5" h "E" type
 (1) 9" h "F" type
 Order #443038-412MT
 for unit without divider kits.



443038-11D-N
 Drawer/Dividers Included
 (2) 4.5" h "N" type
 (1) 24" h Flush Cabinet Door
 Order #443038-11DMT
 for unit without divider kits.

* Illustrations are for visual purposes only, actual product may vary slightly.

Modular Drawer Cabinets

30"W x 27³/₄"D x 44"H



4411-01
 Drawer/Dividers Included
 (1) 3"h "C" type
 (3) 4.5"h "E" type
 (2) 4.5"h "G" type
 (3) 4.5"h "P" type
 Order #4411 for unit
 without divider kits.



4414-01
 Drawer/Dividers Included
 (3) 3"h "C" type
 (1) 4.5"h "E" type
 (1) 6"h "F" type
 (1) 7.5"h "S" type
 (1) 12"h "L" type
 Order #4414 for unit
 without divider kits.



4415-01
 Drawer/Dividers Included
 (1) 7.5"h "F" type
 (1) 9"h "G" type
 (1) 10.5"h "G" type
 (1) 12"h "H" type
 Order #4415 for unit
 without divider kits.




4416-01
 Drawer/Dividers Included
 (3) 4.5"h "P" type
 (3) 6"h "G" type
 (1) 7.5"h "S" type
 Order #4416 for unit
 without divider kits.




4418-01
 Drawer/Dividers Included
 (2) 9"h "S" type
 (2) 10.5"h "H" type
 Order #4418 for unit
 without divider kits.

30"W x 27³/₄"D x 59"H



4420-01
 Drawer/Dividers Included
 (3) 3"h "C" type
 (5) 3"h "E" type
 (5) 3"h "F" type
 (5) 3"h "N" type
 Order #4420 for unit
 without divider kits.



4423-01
 Drawer/Dividers Included
 (2) 3"h "C" type
 (3) 3"h "N" type
 (3) 4.5"h "E" type
 (4) 4.5"h "F" type
 (1) 7.5"h "G" type
 Order #4423 for unit
 without divider kits.



4424-01
 Drawer/Dividers Included
 (3) 3"h "C" type
 (3) 4.5"h "E" type
 (2) 6"h "G" type
 (1) 7.5"h "S" type
 (1) 12"h "L" type
 Order #4424 for unit
 without divider kits.




4427-01
 Drawer/Dividers Included
 (3) 6"h "F" type
 (2) 6"h "G" type
 (2) 7.5"h "S" type
 (1) 9"h "H" type
 Order #4427 for unit
 without divider kits.



4428-01
 Drawer/Dividers Included
 (1) 4.5"h "E" type
 (3) 6"h "R" type
 (3) 7.5"h "G" type
 (1) 9"h "S" type
 Order #4428 for unit
 without divider kits.

30" Wide Modular Drawer Cabinets - Divider Kits



Cabinet Locks

Description	Part No.
Lock	4101
Lock - Keyed Alike	4101KA


NOTE: If you are ordering more than one cabinet and want all the locks to be the same on each cabinet, order lock 4101KA for each cabinet

* Illustrations are for visual purposes only, actual product may vary slightly.

Modular Drawer Cabinets

45" Wide Modular Drawer Cabinets

- Use these modular drawer cabinets to organize more of your items in less floor space.
- High quality welded steel construction
- Precision engineered
- 400 pound capacity per drawer
- 100% drawer extension
- Saves time
- Optional unit locking mechanism available




Model 4484

45" Wide Modular Drawer Cabinets - Preconfigured units*

45"W x 27³/₄"D x 38"H



444538-512-01
 Drawer/Dividers included
 (5) 3" h "C" Type
 (1) 4.5" h "C" Type
 (1) 6.75" h "C" Type
 (1) 6.75" h "E" Type
 Order #444538-512MT
 for unit without divider kits.



444538-113-01
 Drawer/Dividers included
 (1) 3" h "C" Type
 (1) 4.5" h "C" Type
 (1) 6" h "E" Type
 (1) 9" h "E" Type
 (1) 10.5" h "F" Type
 Order #444538-113MT
 for unit without divider kits.



444538-999-01
 Drawer/Dividers included
 (1) 3" h "C" Type
 (1) 4.5" h "C" Type
 (1) 6" h "E" Type
 (1) 9" h "E" Type
 (1) 10.5" h "F" Type
 Order #444538-999MT
 for unit without divider kits.



444538-004-01
 Drawer/Dividers included
 (2) 8.25" h "E" Type
 (1) 8.25" h "C" Type
 (1) 8.25" h "H" Type
 Order #444538-004MT
 for unit without divider kits.



444538-11D-E
 Drawer/Dividers included
 (1) 3" h "E" Type
 (1) 4.5" h "E" Type
 (1) 24" h Flush Cabinet Door
 has a 5 point security channel
 Order #444538-11DMT
 for unit without divider kits.

45"W x 27³/₄"D x 44"H



4470H
 Drawer/Dividers included
 (13) 3" h "H" Type
 Order #4470 for unit
 without divider kits.



4471H
 Drawer/Dividers included
 (1) 3" h "H" Type
 (8) 4.5" h "H" Type
 Order #4471 for unit
 without divider kits.



4472H
 Drawer/Dividers included
 (1) 3" h "H" Type
 (6) 6" h "H" Type
 Order #4472 for unit
 without divider kits.



4473H
 Drawer/Dividers included
 (3) 3" h "H" Type
 (5) 4.5" h "H" Type
 (1) 7.5" h "H" Type
 Order #4473 for unit
 without divider kits.



4474H
 Drawer/Dividers included
 (3) 3" h "H" Type
 (1) 4.5" h "H" Type
 (1) 6" h "H" Type
 (1) 7.5" h "H" Type
 (1) 12" h "H" Type
 Order #4474 for unit
 without divider kits.

* Illustrations are for visual purposes only, actual product may vary slightly.

Modular Drawer Cabinets

45"W x 27^{3/4}"D x 59"H



4480H
Drawer/Dividers included
(18) 3"h "H" Type
Order #4480 for unit
without divider kits.



4481H
Drawer/Dividers included
(12) 4.5"h "H" Type
Order #4481 for unit
without divider kits.



4482H
Drawer/Dividers included
(9) 6"h "H" Type
Order #4482 for unit
without divider kits.




4483H
Drawer/Dividers included
(5) 3"h "H" Type
(7) 4.5"h "H" Type
(1) 7.5"h "H" Type
Order #4483 for unit
without divider kits.



4484H
Drawer/Dividers included
(3) 3"h "H" Type
(3) 4.5"h "H" Type
(2) 6"h "H" Type
(1) 7.5"h "H" Type
(1) 12"h "H" Type
Order #4484 for unit
without divider kits.

45" Wide Modular Drawer Cabinets - Divider Kits



Cabinet is shown with multiple drawers open to show divider kit options.

To ensure proper safety, only **ONE** drawer should be open at a time.

Cabinet Locks



Description	Part No.
Lock	4101
Lock - Keyed Alike	4101KA

NOTE: If you are ordering more than one cabinet and want all the locks to be the same on each cabinet, order lock 4101KA for each cabinet





1714/1719

Combination Cabinet

Versatile unit with 5 shelves plus wardrobe area with rod and 4 hooks. Divider panel permits locating wardrobe on either side. Locking handles and key. **Extra shelves can be added.**



1712/1717

Wardrobe Cabinet

Spacious cabinet has a sturdy, metal rod and 4 hooks for hanging coats, plus a top shelf for personal items. Locking handles and key.



1710/1715

Spacious Cabinet

Rugged cabinet in 2 depths features locking handles and key and 4 adjustable shelves (2" centers). **Extra shelves can be added.**



1700/1705

Counter High Cabinet

Double-door cabinet has locking handles and 2 interior shelves. Use back-to-back; side-by-side; add extra shelves.

Available in two depths.



1730

Desk High Cabinet

Use back-to-back or side-by-side to form a credenza. Has 1 shelf, locking handles. Add extra shelves to expand space.



1730WS

Book Shelf Cabinet

Combination unit with 2 adjustable shelves (3/4" centers) and 2 door cabinet with internal shelf and locking handles.



1734/1735

Handy Cabinet

Keeps books, manuals, parts.

Locking handle.

Shipped set-up. Order part number 1734DI/1735DI if it's required to have the handles located lower on the cabinet.

Cabinet		Size			Extra Shelves	
Part No.	Description	Width	Depth	Height	Part No.	Shelf Capacity
1712	Wardrobe	36"	18"	78"	--	200 lbs.
1717	Wardrobe	36"	24"	78"	--	225 lbs.
1710	5-shelf	36"	18"	78"	16027A	200 lbs.
1715	5-shelf	36"	24"	78"	16029A	225 lbs.
1734*	2-shelf	30"	13"	27"	16017	200 lbs.
1734DI*	2 shelf upper cabinet	30"	13"	27"	16017	200 lbs.
1735*	2-shelf	36"	13"	27"	16025	200 lbs.
1735DI*	2 shelf upper cabinet	36"	13"	27"	16025	200 lbs.
1730WS	Book Shelf/Cabinet	36"	18"	71"	6192 (Upper) 16027A (Lower)	200 lbs.
1714	Combination	36"	18"	78"	16032A	200 lbs.
1719	Combination	36"	24"	78"	16033A	225 lbs.
1700	Counter High	36"	18"	42"	16027A	200 lbs.
1705	Counter High	36"	24"	42"	16029A	225 lbs.
1730	Desk High	36"	18"	29"	16027A	200 lbs.
11245	Locking Handle					
11245KA	Locking Handle Keyed Alike					
11246	Rigid Handle					
10428	Key					

All cabinets shipped unassembled. *Shipped assembled (no UPS)

Storage Cabinets

Flammable Liquid Storage Cabinets

Protect your personnel and your business

- Galvanized steel shelves and leveling legs
- Support up to 350 lbs.
- Internal and external welded construction
- 18 gauge steel reinforced double wall panel construction
- 2" raised leakproof sill
- 2" vent with fire baffle and cap
- Ground connection
- Lead-free high gloss baked on powder finish
- 3 point key lock doors
- Meet OSHA and NFPA code 30 specifications
- Self-closing models meet UFC 79



Equipto flammable liquid cabinets help protect you from fire hazard. Use them for volatile liquids that need to be safely contained like:

- Alcohol
- Acetone
- Formaldehyde
- Gasoline



These cabinets can be conveniently placed wherever safe housekeeping procedures or ease of accessibility dictate.

Part No.	Description	Dimensions (W X D X H)	Weight
FSC15S	15 gal two door self-closing	43" x 18" x 22 ¹ / ₄ "	145 lbs.
FSC15M	15 gal two door manual close	43" x 18" x 22 ¹ / ₄ "	135 lbs.
FSC30M	30 gal two door, one shelf, manual close	43" x 18" x 44"	247 lbs.
FSC30S	30 gal two door, one shelf, self-closing	43" x 18" x 44"	257 lbs.
FSC45M	45 gal two door, two shelves, manual close	43" x 18" x 65"	342 lbs.
FSC45S	45 gal two door, two shelves, self-closing	43" x 18" x 65"	353 lbs.
FSC60M	60 gal two door, two shelves, manual close	31 ¹ / ₄ " x 31 ¹ / ₄ " x 65"	354 lbs.
FSC60S	60 gal two door, two shelves, self-closing	31 ¹ / ₄ " x 31 ¹ / ₄ " x 65"	364 lbs.
FSC90M	90 gal two door, two shelves, manual close	43" x 34" x 65"	465 lbs.
FSC90S	90 gal two door, two shelves, self-closing	43" x 34" x 65"	475 lbs.

Flammable liquid storage cabinets are safety yellow.



Quick View Storage Cabinets

Design Benefits and Features:

- UV, break and scratch resistant Lexan panels are mounted in both door frames for an unobstructed view of the cabinet's contents.
- Each shelf has a 225 lb. capacity per shelf - adjustable in 2" increments
- Cabinet doors have a 3-point locking mechanism with one chrome plated handle.
- Multiple cabinets can be keyed alike or individually.
- Dollies are available for the 78" high cabinets for ease of movement.
- **Add 'SU' to the end of the part number to have it shipped assembled**

Part No.	Description	Width	Depth	Height	Weight
514-1220SU	Wall Hung QVS Cabinet	30"	12"	26"	41 lbs.
510-1820	QVS Cabinet	36"	18"	42"	90 lbs.
512-4855	QVS Cabinet	36"	18"	78"	245 lbs.
512-4865	QVS Cabinet	36"	24"	78"	265 lbs.
512-4845	QVS Cabinet	48"	24"	78"	285 lbs.
Additional Shelves					
514-1240	Shelf	30"	12"	—	5 lbs.
514-1836	Shelf	36"	18"	—	6 lbs.
514-2436	Shelf	36"	24"	—	8 lbs.
514-2448	Shelf	48"	24"	—	11 lbs.



Storage Cabinets

Heavy Duty Standard Cabinets

- Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications

Each cabinet includes:

- 14 gauge shelves with up to 1900 lb. capacity
- Adjustable shelves 2" increments
- Handle includes a hasp for use with padlock
- 7 gauge welded legs for moving and durability
- More shelves can be added for versatility

Part No.	Dimensions		Shelves	Shelf P/N	Capacity	Weight
	(W x D x H)	Overall Height				
ICL24132*	36" x 24" x 60"	66"	3	ICS8241	1900	406 lbs.
ICL25103	36" x 20" x 72"	78"	4	ICS8251	1600	435 lbs.
ICL25133	36" x 24" x 72"	78"	4	ICS8241	1900	475 lbs.
ICL34132*	48" x 24" x 60"	66"	3	ICS8341	1200	489 lbs.
ICL35133	48" x 24" x 72"	78"	4	ICS8341	1200	573 lbs.
ICL44132*	60" x 24" x 60"	66"	3	ICS8441	1650	595 lbs.
ICL45133	60" x 24" x 72"	78"	4	ICS8441	1650	699 lbs.
ICL54132*	72" x 24" x 60"	66"	3	ICS8551	1525	726 lbs.
ICL55133	72" x 24" x 72"	78"	4	ICS8551	1525	856 lbs.



Total Bin Cabinet

- Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications.

Packed with 32 or 40 Large Bins holding up to 60 lbs. each, large bins are 8^{1/4}" wide by 14^{3/4}" deep and 7" high. There are 94 or 144 Small Bins which hold up to 10 lbs each, and comes completely assembled. Small bins are 4^{1/4}" wide, 7^{3/8}" deep and 3" high polypropylene.

Part No.	Dimensions (W x D x H)	Overall Height
ICLB730	36" x 24" x 72"	78"
ICLB740	48" x 24" x 72"	78"



Half and Half Cabinet

- Easily separate your items on shelves or in drawers
- Cabinet shelves can be adjusted in 2" increments to accommodate both large and small items

Part No.	Dimensions (W x D x H)	Overall Height	Shelf P/N
ICL3513354	48" x 24" x 72"	78"	ICS8342
ICL4513354	60" x 24" x 72"	78"	ICS8442
ICL5513354	72" x 24" x 72"	78"	ICS8552



Workbenches



2303DT shown with optional fluid container, drawer kit and shelf.

Teardown Bench

Design Benefits and Features:

- Ideal for working on transmissions, small engines and hydraulic components
- Reinforced work surface will stand up to years of heavy use
- Top has a 3/4" high retaining lip on all sides tapering to the rear center to a 1/2" threaded and plumbed drain
- Optional caster kit consists of 4 swivel 7 1/2"H casters
- 1/2" threaded drain nipple allows for connection of a hose to divert fluid to a storage container; or capture fluid with an optional fluid container kit



2307DT
Fluid Container Kit



221DT - Drawer Kit



2203 - Caster Kit

Teardown bench

Part No.	Description	Depth	Length	Leg Height
2301DT	Steel Top	30"	48"	29"
2303DT	Steel Top	30"	48"	34"
2311DT	Steel Top	30"	60"	29"
2313DT	Steel Top	30"	60"	34"
2301DTSS	Stainless Steel Top	30"	48"	29"
2303DTSS	Stainless Steel Top	30"	48"	34"
2311DTSS	Stainless Steel Top	30"	60"	29"
2313DTSS	Stainless Steel Top	30"	60"	34"

Kits and accessories

Part No.	Description	Depth	Length	Height
2304DT	Kit Support Channels*	-	48"	-
2305DT	Kit Support Channels*	-	60"	-
2307DT	Fluid Container Kit-White*	22"	11"	7"
221DT	Drawer Kit*	23"	15"	6 1/4"
2203	Caster Kit	30"	-	-
6120	Bottom Shelf	127/8"	48"	-
6121	Bottom Shelf	127/8"	60"	-

*Kit support channels are required when ordering a fluid container kit or a drawer kit. If both kits are ordered for the same bench, only one set of kit support channels is needed.



Equipto Workcenters - Preconfigured Units 360 Series

The right cabinet, in the main work surface area, consists of two 3"H drawers, one 6"H drawer and one 12"H file drawer.

In the left return area, the cabinet consists of two 12" H file drawers.

Main work area is 72"W x 36"D and return is 48"W x 30"D. Work surface is 30"H.

Model 360L - Plastic laminate top. (cloud spectrum)

As shown - Model 360LW - Wood top; includes 464W6 area shelf with wood top

To order a right hand return instead of a left hand return, order Model 360R - Plastic laminate top.

Model 360RW for Wood top

**Wood Tops add 1 3/4" to the overall height of the bench.

Hardwood Topped Modular Drawer Benches (27^{3/4}" Deep)

Bench Length	Stock Number
5'	2576-5W
6'	2576-6W
8'	2576-8W
8'	2596-8W



These models also available in a 36" depth. Please contact your sales representative for further details.

5' - 8' PN: 2576 includes, 1 - 4433 modular drawer cabinet (30" wide); does not include a lock, partitions or dividers. Drawer sizes include: (1)3", (3)4.5, (2)6"

8' - PN: 2596-8W includes, 2 - 4433 modular drawer cabinets (30" wide); does not include a lock, partitions or dividers. Drawer sizes include: (1)3", (3)4.5, (2)6"

Closed Leg Workbench with Painted Steel Top (30" Deep; 34" High)


Bench Length	Stock Number
4'	275U4
5'	275U5
6'	275U6
8'	275U8



275U6


Tops - Choice of 6:

Tempered hardboard bonded to 12 gauge steel; plastic laminate (color: cloud spectrum); ESD (anti-static, color: cloud spectrum - Not shown); 3/8" resin wood bonded to wood block core; 12 gauge (.104") stainless steel; solid laminated hardwood.



Pedestal Benches with Painted Steel Top (30" Deep; 34" High)

Bench Length	Part Number
4'	255U4
5'	255U5
6'	255U6
8'	255U8



255U6

2300 Series Open Leg Bench



Pictured without backstop.

8' bench legs are on 6' centers. The top overhangs legs 1' on each side. Does not include PN: 2596-8W

Depth	Height	Length	-----Steel Tops -----		----- Wood Tops -----		-----Hardboard on Steel -----		ESD Anti-Static
			----- Backstop -----	----- Backstop -----	Hardwood	Bonded Wood	-----Backstop -----	-----Backstop -----	
			With	Without			With	Without	
30"	29"	4'	2321U4	2321D4	2321-4W	2321-4B	2321U4M	2321D4M	2321-4C
		5'	2321U5	2321D5	2321-5W	2321-5B	2321U5M	2321D5M	2321-5C
		6'	2321U6	2321D6	2321-6W	2321-6B	2321U6M	2321D6M	2321-6C
		8'	2321U8	2321D8	2321-8W	2321-8B	2321U8M	2321D8M	2321-8C
	31 ^{1/4} "	4'	2322U4	2322D4	2322-4W	2322-4B	2322U4M	2322D4M	2322-4C
		5'	2322U5	2322D5	2322-5W	2322-5B	2322U5M	2322D5M	2322-5C
		6'	2322U6	2322D6	2322-6W	2322-6B	2322U6M	2322D6M	2322-6C
		8'	2322U8	2322D8	2322-8W	2322-8B	2322U8M	2322D8M	2322-8C
34"	4'	2323U4	2323D4	2323-4W	2323-4B	2323U4M	2323D4M	2323-4C	
	5'	2323U5	2323D5	2323-5W	2323-5B	2323U5M	2323D5M	2323-5C	
	6'	2323U6	2323D6	2323-6W	2323-6B	2323U6M	2323D6M	2323-6C	
	8'	2323U8	2323D8	2323-8W	2323-8B	2323U8M	2323D8M	2323-8C	

Iron-I Bench with lower shelf, aerial shelf, drawer, and rails



Iron-I Bench with lower shelf, aerial shelf, drawer and rails.

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Depth	Height	Length	----- Wood Tops -----					
			Steel with Backstop	Hardwood	Bonded Wood	Hardboard with Backstop	ESD Anti-Static	
30"	26"	4'	427U4	427-4W	427-4B	427U4M	427-4C	
		to 5'	427U5	427-5W	427-5B	427U5M	427-5C	
		36"	6'	427U6	427-6W	427-6B	427U6M	427-6C
		8'	427U8	427-8W	427-8B	427U8M	427-8C	
	34"	4'	428U4	428-4W	428-4B	428U4M	428-4C	
		to 5'	428U5	428-5W	428-5B	428U5M	428-5C	
		44"	6'	428U6	428-6W	428-6B	428U6M	428-6C
		8'	428U8	428-8W	428-8B	428U8M	428-8C	
	36"	26"	4'	437U4	437-4W	437-4B	437U4M	437-4C
		to 5'	437U5	437-5W	437-5B	437U5M	437-5C	
		36"	6'	437U6	437-6W	437-6B	437U6M	437-6C
		8'	437U8	437-8W	437-8B	437U8M	437-8C	
34"	4'	438U4	438-4W	438-4B	438U4M	438-4C		
	to 5'	438U5	438-5W	438-5B	438U5M	438-5C		
	44"	6'	438U6	438-6W	438-6B	438U6M	438-6C	
	8'	438U8	438-8W	438-8B	438U8M	438-8C		

Workcenter Accessories

Production Boosters

- Can be used on any work bench
- Hands off use for manuals and instruments
- Shelves adjust to any angle, tip toward front or back
- Safely holds expensive test equipment
- Can triple work surface

A. 14" High Unit	For 4' Bench	For 5' Bench	For 6' Bench
With 1 Shelf	454T48	454T60	454T72
B. 24" High Unit	For 4' Bench	For 5' Bench	For 6' Bench
With 1 Shelf	451T48	451T60	451T72
With 2 Shelves	452T48	452T60	452T72
With 3 Shelves	453T48	453T60	453T72
D. 36" High Unit	For 4' Bench	For 5' Bench	For 6' Bench
With 1 Shelf	461T48	461T60	461T72
With 2 Shelves	462T48	462T60	462T72
With 3 Shelves	463T48	463T60	463T72
Extra Top Shelves	450T48	450T60	450T72
For additional intermediate shelves please contact Equipto Inside Sales			
C. Cabinet			
13" D x 30" W x 27" H		Part No. 1734DI	
2 required for 5' bench			
13" D x 36" W x 27" H		Part No. 1735DI	
2 required for 6' bench			
None available for 4' benches			



NOTE: To order production booster with top shelf that can be tilted, substitute "—" for "T" in part number.

Intermediate shelves are 13^{1/2}" D x 44", 56" or 68" L

Full length top shelves are 13^{1/2}" D x 48", 60" or 72" L

Tech Bench Workcenter - Modular Components

Upper cabinet components

Part No.	Description
TBU-2	Upper Cabinet - 24"
TBU-M	Upper Monitor Cabinet - 24"
TBU-3	Upper Cabinet - 36"
TBU-4	Upper Cabinet - 48"
TBU-2GS	Upper Cabinet w/ gas shocks - 24"
TBU-MGS	Upper Monitor Cabinet w/ gas shocks - 24"
TBU-3GS	Upper Cabinet w/ gas shocks - 36"
TBU-4GS	Upper Cabinet w/ gas shocks - 48"


Note: Upper Cabinet Units have an 18" high clearance when the cabinet doors are retracted.



Upper cabinets



TBU-2



TBU-M



TBU-3



TBU-4

Mobile Aisles




Design Benefits & Features

- Can be used on any work bench
- Hands off use for manuals and instruments
- Shelves adjust to any angle, tip toward front or back
- Safely holds expensive test equipment
- Can triple work surface

Motorized Pallet Rack Mobile Aisle System

- Fully motorized operation including safety sensors
- Rows up to 50' in length
- Capacity up to 75,000 lbs. per row



Mezzanines

Mezzanines


Need more space, but don't want to move or add on?

Double or triple your floor space with Equipto pre-fabricated mezzanines! These rugged elevated floors, walkways and stairways add valuable area where you need it, at a fraction of the cost of acquiring new buildings. Because of their modular design, Equipto mezzanines are economical, quickly installed and can even be re-configured on your premises as your requirements change.

- Double floor capacity
- Modular design lets you add units as needed
- Cost-effective
- Less expensive than leasing or Construction
- Relocation to other facilities is easy
- Prefabricated for immediate use
- 36" wide stairway to 4' x 4' landing

They are designed to integrate with other Equipto products to provide one-source space savings that are custom tailored for your individual application. Everyplace from aircraft hangars to warehouses to factories will benefit from the space saving solutions provided with Equipto mezzanines!

Decking options include:



Anti-Skid Tuffdeck

Bar Grating

Perforated Steel Grating

Solid Steel Grating

Rendered image is for visual purposes only. Final product will vary slightly.



Photo is a rendered image, the actual product may vary.


Height	Type of Decking	MEZZANINE DIMENSIONS (not including 4'x4' stair landing)		
		10'x10'	10'x 20'	8'x12'
8'	Bar Grating	1010-8GMEZ-BG-15	1020-8GMEZ-BG-15	1208-8GMEZ-BG-15
8'	Perforated Steel Grating	1010-8GMEZ-PG-15	1020-8GMEZ-PG-15	1208-8GMEZ-PG-15
8'	Anti-skif Tuffdeck	1010-8GMEZ-RT-15	1020-8GMEZ-RT-15	1208-8GMEZ-RT-15
8'	Solid Steel Grating	1010-8GMEZ-SG-15	1020-8GMEZ-SG-15	1208-8GMEZ-SG-15
12'	Bar Grating	1010-12GMEZ-BG-15	1020-12GMEZ-BG-15	1208-12GMEZ-BG-15
12'	Perforated Steel Grating	1010-12GMEZ-PG-15	1020-12GMEZ-PG-15	1208-12GMEZ-PG-15
12'	Anti-skif Tuffdeck	1010-12GMEZ-RT-15	1020-12GMEZ-RT-15	1208-12GMEZ-RT-15
12'	Solid Steel Grating	1010-12GMEZ-SG-15	1020-12GMEZ-SG-15	1208-12GMEZ-SG-15

Contact your local Sales Rep to design a custom mezzanine platform!

OSHA Stairways

Rise Min/Max	Run Min/Max	24" Tread Width Part No.	30" Tread Width Part No.	36" Tread Width Part No.	48" Tread Width Part No.
3'0"/3'5"	3'0"/3'4"	1524F04	1530F04	1536F04	1548F04
3'6"/4'0"	3'9"/4'2"	1524F05	1530F05	1536F05	1548F05
4'1"/4'8"	4'5"/5'0"	1524F06	1530F06	1536F06	1548F06
4'9"/5'4"	5'2"/5'9"	1524F07	1530F07	1536F07	1548F07
5'5"/5'11"	5'11"/6'6"	1524F08	1530F08	1536F08	1548F08
6'0"/6'6"	6'8"/7'4"	1524F09	1530F09	1536F09	1548F09
6'7"/7'3"	7'5"/8'1"	1524F10	1530F10	1536F10	1548F10
7'4"/8'2"	8'2"/8'9"	1524F11	1530F11	1536F11	1548F11
8'3"/8'9"	8'10"/9'4"	1524F12	1530F12	1536F12	1548F12
8'10"/10'2"	10'4"/11'5"	1524F14	1530F14	1536F14	1548F14
10'3"/12'3"	12'8"/14'11"	1524F17	1530F17	1536F17	1548F17

Overall width of stairway is 5" greater than tread width.



**Stair tread solid panels
(to close vertical rise)
(Order one per stair tread)**

- 30" #1530FRC
- 36" #1536FRC
- 48" #1548FRC

BOCA Stairways


Where conformity with Uniform Building Code (UBC) or Building Officials & Code Administrators International Inc. (BOCA) is required, these stairways are the answer. Seismic code conformity available upon request. Stairways are hot dipped galvanized except for railings which come in safety yellow only.

Rise Min/Max	Run Min/Max	36" Tread Width Part No.	48" Tread Width Part No.
3'0"/3'6"	4'8"/4'11"	1536U5	1548U5
3'7"/4'0"	5'7"/5'11"	1536U6	1548U6
4'1"/4'7"	6'6"/6'10"	1536U7	1548U7
4'8"/5'1"	7'5"/7'10"	1536U8	1548U8
5'2"/5'10"	8'4"/8'10"	1536U9	1548U9
6'0"/7'0"	10'1"/10'9"	1536U11	1548U11
7'1"/8'2"	12'0"/12'9"	1536U13	1548U13
8'3"/9'4"	13'10"/14'6"	1536U15	1548U15
9'5"/10'6"	15'8"/16'4"	1536U17	1548U17
10'7"/12'3"	18'5"/19'4"	1536U20	1548U20

**Stair tread solid panels
(to close vertical rise)**

Riser covers for BOCA stairways are included in the above preconfigured units. (Order one per stair tread)


- 36" #1536URC
- 48" #1548URC



- Available in 36" or 48" widths
- Heights to 12' 3"
- Pre-cut and drilled for fast, easy installation
- One-piece, welded upright frames with support beams
- Galvanized steel perforated floor provides non-skid traction
- Weight-bearing capacity of 125 lbs. per sq. ft.

IBC Stairways (International Building Code)

Rise Min/Max	Run Min/Max	36" Tread Width Part No.	48" Tread Width Part No.
3'0"/3'6"	4'8"/4'11"	1536IBC5	1548IBC5
3'7"/4'0"	5'7"/5'11"	1536IBC6	1548IBC6
4'1"/4'7"	6'6"/6'10"	1536IBC7	1548IBC7
4'8"/5'1"	7'5"/7'10"	1536IBC8	1548IBC8
5'2"/5'10"	8'4"/8'10"	1536IBC9	1548IBC9
6'0"/7'0"	10'1"/10'9"	1536IBC11	1548IBC11
7'1"/8'2"	12'0"/12'9"	1536IBC13	1548IBC13
8'3"/9'4"	13'10"/14'6"	1536IBC15	1548IBC15
9'5"/10'6"	15'8"/16'4"	1536IBC17	1548IBC17
10'7"/12'3"	18'5"/19'4"	1536IBC20	1548IBC20



**Stair tread solid panels
(to close vertical rise)**

Riser covers for IBC stairways are included in the above preconfigured units. (Order one per stair tread)

- 36" #1536URC-M
- 48" #1548URC-M

Catwalks and Walkways

Ideal for machinery repair, inspection or observation, Equipto Bridge Catwalks can be combined with stairways and ship's stairs to create structures. Versatile, pre-fabricated for easy assembly and engineered for maximum safety and performance.

- Catwalks feature rugged platform frames, 42" high safety railings and 4" high kickplates
- Choose ships stairs or stairways for access
- 3 pre-configured heights, multiple lengths with add-on units available

Note: Stairways and ship's stairs should be ordered equal to or narrower than catwalk width.




Catwalk

Floor Height	Vertical Clear	Walkway Length	Walkway Width	Catwalk Part No.
6' high unit				
73 ⁵ / ₈ "	63 ¹ / ₂ "	2'	48"	976S02
73 ⁵ / ₈ "	63 ¹ / ₂ "	4'	48"	976S04
73 ⁵ / ₈ "	63 ¹ / ₂ "	6'	48"	976S06
73 ⁵ / ₈ "	63 ¹ / ₂ "	8'	48"	976S08
73 ⁵ / ₈ "	63 ¹ / ₂ "	10'	48"	976S10
73 ⁵ / ₈ "	60 ³ / ₄ "	12'	48"	976S12
73 ⁵ / ₈ "	58"	16'	48"	976S16
73 ⁵ / ₈ "	56"	20'	48"	976S20
8' high unit				
97 ⁵ / ₈ "	87 ¹ / ₂ "	2'	48"	977S02
97 ⁵ / ₈ "	87 ¹ / ₂ "	4'	48"	977S04
97 ⁵ / ₈ "	87 ¹ / ₂ "	6'	48"	977S06
97 ⁵ / ₈ "	87 ¹ / ₂ "	8'	48"	977S08
97 ⁵ / ₈ "	87 ¹ / ₂ "	10'	48"	977S10
97 ⁵ / ₈ "	84 ³ / ₄ "	12'	48"	977S12
97 ⁵ / ₈ "	82"	16'	48"	977S16
97 ⁵ / ₈ "	80"	20'	48"	977S20
10' high unit				
121 ⁵ / ₈ "	111 ¹ / ₂ "	2'	48"	978S02
121 ⁵ / ₈ "	111 ¹ / ₂ "	4'	48"	978S04
121 ⁵ / ₈ "	111 ¹ / ₂ "	6'	48"	978S06
121 ⁵ / ₈ "	111 ¹ / ₂ "	8'	48"	978S08
121 ⁵ / ₈ "	111 ¹ / ₂ "	10'	48"	978S10
121 ⁵ / ₈ "	108 ³ / ₄ "	12'	48"	978S12
121 ⁵ / ₈ "	106"	16'	48"	978S16
121 ⁵ / ₈ "	104"	20'	48"	978S20

Stair crossover bridges


A Vertical Clearance	B Length at 36" Height	C Overall Height	D Overall Length	Part No. 24" Stair Tread is 29" Overall	Part No. 30" Stair Tread is 35" Overall	Part No. 36" Stair Tread is 41" Overall
31"	—	6'2 ¹ / ₂ "	9'11"	1524B04	1530B04	1536B04
39"	4'2"	6'10 ¹ / ₂ "	11'5"	1524B05	1530B05	1536B05
47"	5'8"	7'6 ¹ / ₂ "	12'10"	1524B06	1530B06	1536B06
55"	7'1"	8'2 ¹ / ₂ "	14'4"	1524B07	1530B07	1536B07
63"	8'7"	8'10 ¹ / ₂ "	15'9"	1524B08	1530B08	1536B08
71"	10'1"	9'6 ¹ / ₂ "	17'3"	1524B09	1530B09	1536B09
79"	11'6"	10'2 ¹ / ₂ "	18'9"	1524B10	1530B10	1536B10
88"	13'0"	10'11 ¹ / ₂ "	20'2"	1524B11	1530B11	1536B11



Stair Crossover Bridge

#1524 Stair Treads are 23³/₄" wide and 7¹/₄" deep. #1530 Stair Treads are 29³/₄" wide and 7¹/₄" deep. Overall width of #1524 stair is 29". Overall width of #1530 Stair is 35". Stair inclines are 75 degrees to the horizontal plane.

Items on this page hot dip galvanized except railings, which are safety yellow.



3 1/8" High shelf drawers

One-piece construction with curved handle, reinforced fronts; label holders (full-width on fronts) on both drawers and dividers; embossed bottoms for easy sliding; front and rear drawer stops for pull out, tilt down part retrieval. Insert individual drawers and small cabinets in shelving; stack cabinets high and wide — along walls — back-to-back for partitions — or in rows.

Hundreds of combinations are available for inserting drawers and drawer cabinets into existing shelving (individual drawers shown here.) For example, arranging #8539, #8563 and #8566 drawers in 8-across, 4-across and 3-across patterns converts 36" wide shelf to clean, safe drawer units. Create in-shelf drawers wherever you need them, without replacing existing shelving.

3 1/8" H Individual drawers

Width	Depth of Stop	Height	Height to Make Row Across	Number of Drawers	Drawer Number	Straight Divider to Fit 3' Wide Shelf
4 1/4"	11"	3 1/8"	3 7/8"	8	8504	8709
4 1/4"	17"	3 1/8"	3 7/8"	8	8539	8709
8 3/8"	11"	3 1/8"	3 7/8"	4	8553	8753
8 3/8"	17"	3 1/8"	3 7/8"	4	8563	8753
11 1/4"	11"	3 1/8"	3 7/8"	3	8556	8756
11 1/4"	17"	3 1/8"	3 7/8"	3	8566	8756

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.



34 1/8" W x 13 5/8" H Cabinets


Cabinet Depth	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Part No.
12"	4 1/4"	11"	24 (8 per row)	72	3411
18"	4 1/4"	17"	24 (8 per row)	72	3417
12"	8 3/8"	11"	12 (4 per row)	36	3426
18"	8 3/8"	17"	12 (4 per row)	36	3486
12"	11 1/4"	11"	9 (3 per row)	27	3420
18"	11 1/4"	17"	9 (3 per row)	27	3480

Note: All units in table supplied with 2 dividers per drawer.

Carts

Equipment Storage Carts

- Quality one-piece tray construction, tubular posts and handles
- 4" deep reversible steel trays with beaded edges for extra strength
- Smooth rolling 5" rubber casters two swivel, two fixed
- Optional welded drawer units provide extra capacity
- Ships un-assembled



Width	Length	Height	Trays	Capacity	Drawers	
					None	(8)11" Deep
16"	30"	36"	2	500 lbs.	145	145-8
				800 lbs.	145D	145D8
24"	36"	36"	2	500 lbs.	150	150-8
				800 lbs.	150D	150D8

Cart heights include casters. Casters are not recommended for carts over 66"



(C) Three tray 33" High

Width	Tray Length	Depth	Capacity	Part No.
16"	30"	19/16"	500 lbs.	156
24"	36"	19/16"	500 lbs.	161
16"	30"	19/16"	800 lbs.	156D
24"	36"	19/16"	800 lbs.	161D



(D) Four and Five tray 60" High

Shelves	Width	Tray Length	Depth	Capacity	Part No.
4	16"	30"	19/16"	800 lbs.	163
4	24"	36"	19/16"	800 lbs.	165
5	16"	30"	19/16"	800 lbs.	164D
5	24"	36"	19/16"	800 lbs.	166D





Weapons Cabinet

SPECIFICATIONS:

- 84"H x 36"W x 15"D; weighs 465 lbs
- 14-gauge all-welded steel construction
- Patented saddle system for 24 rifles
- 12 large bins with removable dividers
- Low profile handles
- Louvered back panel for full adjustability
- Bi-fold doors with 9-point locking system
- Grey textured powder coat finish

Fast Box – Large or Dual Weapons

SPECIFICATIONS:

- 47.25"W x 6.5"H x 13"D; weighs 47 lbs
- 14-gauge all-welded steel construction
- Electronic push-button lock with key override
- Black textured powder coat finish
- Three point locking system
- Full-length piano hinge door
- Louvered back panel



Combined Weapons/Crew Cabinet

SPECIFICATIONS:

- 84"H x 36"W x 15"D; weighs 465 lbs
- 14-gauge all-welded steel construction
- Low profile handles
- Louvered back panel
- Bi-fold doors with 9-point locking system (accepts standard padlock)
- Patented saddle system for 4 crew-served weapons and 12 rifles
- Three adjustable shelves
- Textured grey powder coat finish

Fast Box – Single Weapon

SPECIFICATIONS:

- 40"W x 6.5"H x 13"D; weighs 42 lbs
- 14-gauge all-welded steel construction
- Secures a firearm up to 39.5" long
- Electronic push-button lock with key override
- Two adjustable lie down straps with clip
- Black textured powder coat finish
- Three point locking system
- Full-length piano hinge door
- Neoprene padding

Weapons Storage Cabinets

Name	Part No.	Length	Width	Height	Weight
Weapons Cabinet	WS-2424	84"	36"	15"	465 lbs
Combined Weapons/Crew Cabinet	WS-Crew	84"	36"	15"	465 lbs
Fast Box – Single Weapon	WS-Harrier	40"	6.5"	13"	42 lbs
Fast Box – Large or Dual Weapons	WS-Falcon	47.5"	6.5"	13"	47 lbs

EQUIPTO[®]

ONE DECISION • INFINITE SOLUTIONS

2016 Preconfigured Catalog



preconfigured
StorageSolutions

Supplying all the pieces for a complete storage solution!

225 Main Street
Tatamy, PA 18085
Phone: 800.323.0801
Fax: 888.859.2121

www.equipto.com
info@equipto.com
catalog.equipto.com