

V-Grip™ Shelving

At the heart of equipto's engineered space solutions is V-Grip, an industrial shelving system design that is unmatched in structural integrity and provides the industry's broadest selection of accessory components to meet virtually any application.

- V-Grip upright posts have an exclusive triangular design that maximizes load-bearing capability while providing a smooth front surface without unsightly holes or hardware.
- Combine V-Grip components to meet specific applications:
- Heavy duty steel shelves
- Wire shelves for better flow of light and air
- Versa rack shelf beams accommodate wood, wire or steel shelves
- Modular drawers in 48 different sizes with a capacity of 200 or 400 lbs.
- Use full or partial height dividers to create custom storage bins
- Bulk rack options including solid or wire shelves with spans up to 8 feet and capacities up to 3400 lbs. Per level
- Reflective white back and end panels



Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Shelving and Racks

Design Benefits & Features

Industry leader in structural integrity.

Exclusive V-Grip™ compression design.

Precision engineered for reliable performance.

Flexible selection of standard components.

System components are adjustable for convenient reconfiguration.

Durable enamel paint finish.

Accommodates high-rise and multi-level applications.

Space Utilization Advantages

V-Grip with modular drawers increases small parts storage density.

V-Grip on mobile aisle eliminates wasted aisle space.

Double deck V-Grip uses wasted overhead space.

Market Applications

Manufacturing - parts/supplies, maintenance, R and D, tool room.

Automotive - parts department, service areas, bulk parts, archival records.

Education - athletic department, maintenance, supplies.

Retail - backroom storage, merchandise display.

Government - military bases, vehicle & flight maintenance, supply departments.

Healthcare - pharmacy, supplies, maintenance.

Law enforcement - property and evidence, supplies.

The Versatility of the V-Grip™ Upright Post

One post - 10 shelf options

Wire rack truss is designed with a rigid 3-point connection for maximum rigidity.

Bulk rack beams with reinforced waterfall wire decking for maximum load capacity in a wire deck application.

Bulk rack beams with reinforced drop-in wire decking.

Bulk rack beams with heavy-duty 18 gauge corrugated Steel deck panels.

Versa rack shelf beams with 24 Gauge corrugated steel deck shelf.



Wire shelf with integrated wire truss for maximum rigidity.

Heavy duty 18 gauge solid steel shelf.

Modular drawers come in 48 standard sizes in 200 lb. and 400 lb. capacity.

Versarack shelf beams with drop-in wire shelf.


Versarack shelf beams with 5/8" particleboard shelf.

V-Grip™ Shelving features the most efficient fastening principle known:


Corner shelf reinforcements with extruded studs insert easily into tapered slots in uprights. Shelf corner drops firmly over corner reinforcement and seats itself. Four-way, crossed tension minimizes deflection, and imparts superior strength and rigidity to the unit.



Double-flanged V-Grip uprights allow easy side-by-side assembly of shelving in rows, with the strongest configuration. Each flange of the upright supports a shelf from one adjoining unit only.



Heavy duty V-Grip shelves are constructed of 18-gauge steel, and double-flanged on all four sides for maximum strength and firmness.



Common upright clamp provides back-to-back reinforcement.**
*Shown in color for clarity, actual part is galvanized steel



Optional drawers maximize cubic density in V-Grip shelving.

Versatile V-Grip uprights

permit practical back-to-back assembly of shelving units, with the same, strong reinforcement that actually strengthens shelves and uprights, yet permits their easy adjustment.

Shelves adjust instantly on 1 1/2" centers, without disturbing shelves in adjoining units.

Corner reinforcement inserts into upright; shelf simply fits down over it, and locks into place.*

Tapered slots in uprights accept corner reinforcements for 4-way shelf support.

Double-flanged upright avoids two shelves from adjoining units placing stress on a single flange.



Shelving & Racks

* Shown in color for clarity, actual part is zinc plated.
** Shown in color for clarity, actual part is galvanized steel.

V-Gript™ Solid Shelving - Open - 84”H

		Shelf Capacity	5 Shelves		7 Shelves		Extra Shelf
Depth	Width		Starter	Add-On	Starter	Add-On	
12" Depth							
12"	36"	650 lbs.	661-5S	661-5A	661-7S	661-7A	6230
12"	36"	940 lbs.	761-5S	761-5A	761-7S	761-7A	6230R
12"	42"	500 lbs.	661Y5S	661Y5A	661Y7S	661Y7A	6250
12"	42"	900 lbs.	761Y5S	761Y5A	761Y7S	761Y7A	6250R
12"	48"	430 lbs.	661W5S	661W5A	661W7S	661W7A	6240
12"	48"	700 lbs.	761W5S	761W5A	761W7S	761W7A	6240R
18" Depth							
18"	36"	700 lbs.	663-5S	663-5A	663-7S	663-7A	6231
18"	36"	1,170 lbs.	763-5S	763-5A	763-7S	763-7A	6231R
18"	42"	500 lbs.	663Y5S	663Y5A	663Y7S	663Y7A	6251
18"	42"	900 lbs.	763Y5S	763Y5A	763Y7S	763Y7A	6251R
18"	48"	440 lbs.	663W5S	663W5A	663W7S	663W7A	6241
18"	48"	740 lbs.	763W5S	763W5A	763W7S	763W7A	6241R
24" Depth							
24"	36"	721 lbs.	665-5S	665-5A	665-7S	665-7A	6232
24"	36"	1,000 lbs.	765-5S	765-5A	765-7S	765-7A	6232R
24"	42"	500 lbs.	665Y5S	665Y5A	665Y7S	665Y7A	6252
24"	42"	900 lbs.	765Y5S	765Y5A	765Y7S	765Y7A	6252R
24"	48"	450 lbs.	665W5S	665W5A	665W7S	665W7A	6242
24"	48"	720 lbs.	765W5S	765W5A	765W7S	765W7A	6242R
36" Depth							
36"	36"	670 lbs.	667-5S	667-5A	667-7S	667-7A	6234
36"	36"	790 lbs.	767-5S	767-5A	767-7S	767-7A	6234R

Reflective white back and end panels are standard, regardless of shelf color
Add 1⁵/₈” to nominal shelving row width to determine total row width.



V-Gript™ Solid Shelving - Closed - 84”H

		Shelf	5 Shelves		7 Shelves		
Depth	Width	Capacity	Starter	Add-On	Starter	Add-On	Extra Shelf
12" Depth							
12"	36"	650 lbs.	671-5S	671-5A	671-7S	671-7A	6230
12	36"	940 lbs.	771-5S	771-5A	771-7S	771-7A	6230R
12	42"	500 lbs.	671Y5S	671Y5A	671Y7S	671Y7A	6250
12	42"	900 lbs.	771Y5S	771Y5A	771Y7S	771Y7A	6250R
12	48"	430 lbs.	671W5S	671W5A	671W7S	671W7A	6240
12	48"	700 lbs.	771W5S	771W5A	771W7S	771W7A	6240R
18" Depth							
18"	36"	700 lbs.	673-5S	673-5A	673-7S	673-7A	6231
18	36"	1,170 lbs.	773-5S	773-5A	773-7S	773-7A	6231R
18	42"	500 lbs.	673Y5S	673Y5A	673Y7S	673Y7A	6251
18	42"	900 lbs.	773Y5S	773Y5A	773Y7S	773Y7A	6251R
18	48"	440 lbs.	673W5S	673W5A	673W7S	673W7A	6241
18	48"	740 lbs.	773W5S	773W5A	773W7S	773W7A	6241R
24" Depth							
24"	36"	721 lbs.	675-5S	675-5A	675-7S	675-7A	6232
24	36"	1,000 lbs.	775-5S	775-5A	775-7S	775-7A	6232R
24	42"	500 lbs.	675Y5S	675Y5A	675Y7S	675Y7A	6252
24	42"	900 lbs.	775Y5S	775Y5A	775Y7S	775Y7A	6232R
24	48"	450 lbs.	675W5S	675W5A	675W7S	675W7A	6242
24	48"	720 lbs.	775W5S	775W5A	775W7S	775W7A	6242R
36" Depth							
36"	36"	690 lbs.	677-5S	677-5A	677-7S	677-7A	6234
36	36"	790 lbs.	777-5S	777-5A	777-7S	777-7A	6234R

Reflective white back and end panels are standard, regardless of shelf color
Add 1⁵/₈” to nominal shelving row width to determine total row width.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.



V-Gript™ Wire Shelving - 700 lb. capacity per shelf

		36"H with 2 shelves		48"H with 3 shelves		60"H with 4 shelves		72"H with 5 shelves		84"H with 6 shelves		96"H with 7 shelves		120"H with 9 shelves	
Depth	Width	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On
12" Depth															
12"	24"	4723-02S	4723-02A	4724-03S	4724-03A	4725-04S	4725-04A	4726-05S	4726-05A	4727-06S	4727-06A	4728-07S	4728-07A	4720-09S	4720-09A
12"	36"	4733-02S	4733-02A	4734-03S	4734-03A	4735-04S	4735-04A	4736-05S	4736-05A	4737-06S	4737-06A	4738-07S	4738-07A	4730-09S	4730-09A
12"	48"	4743-02S	4743-02A	4744-03S	4744-03A	4745-04S	4745-04A	4746-05S	4746-05A	4747-06S	4747-06A	4748-07S	4748-07A	4740-09S	4740-09A
12"	60"	4753-02S	4753-02A	4754-03S	4754-03A	4755-04S	4755-04A	4756-05S	4756-05A	4757-06S	4757-06A	4758-07S	4758-07A	4750-09S	4750-09A
12"	72"	4763-02S	4763-02A	4764-03S	4764-03A	4765-04S	4765-04A	4766-05S	4766-05A	4767-06S	4767-06A	4768-07S	4768-07A	4760-09S	4760-09A
18" Depth															
18"	24"	4523-02S	4523-02A	4524-03S	4524-03A	4525-04S	4525-04A	4526-05S	4526-05A	4527-06S	4527-06A	4528-07S	4528-07A	4520-09S	4520-09A
18"	36"	4533-02S	4533-02A	4534-03S	4534-03A	4535-04S	4535-04A	4536-05S	4536-05A	4537-06S	4537-06A	4538-07S	4538-07A	4530-09S	4530-09A
18"	48"	4543-02S	4543-02A	4544-03S	4544-03A	4545-04S	4545-04A	4546-05S	4546-05A	4547-06S	4547-06A	4548-07S	4548-07A	4540-09S	4540-09A
18"	60"	4553-02S	4553-02A	4554-03S	4554-03A	4555-04S	4555-04A	4556-05S	4556-05A	4557-06S	4557-06A	4558-07S	4558-07A	4550-09S	4550-09A
18"	72"	4563-02S	4563-02A	4564-03S	4564-03A	4565-04S	4565-04A	4566-05S	4566-05A	4567-06S	4567-06A	4568-07S	4568-07A	4560-09S	4560-09A
24" Depth															
24"	24"	4623-02S	4623-02A	4624-03S	4624-03A	4625-04S	4625-04A	4626-05S	4626-05A	4627-06S	4627-06A	4628-07S	4628-07A	4620-09S	4620-09A
24"	36"	4633-02S	4633-02A	4634-03S	4634-03A	4635-04S	4635-04A	4636-05S	4636-05A	4637-06S	4637-06A	4638-07S	4638-07A	4630-09S	4630-09A
24"	48"	4643-02S	4643-02A	4644-03S	4644-03A	4645-04S	4645-04A	4646-05S	4646-05A	4647-06S	4647-06A	4648-07S	4648-07A	4640-09S	4640-09A
24"	60"	4653-02S	4653-02A	4654-03S	4654-03A	4655-04S	4655-04A	4656-05S	4656-05A	4657-06S	4657-06A	4658-07S	4658-07A	4650-09S	4650-09A
24"	72"	4663-02S	4663-02A	4664-03S	4664-03A	4665-04S	4665-04A	4666-05S	4666-05A	4667-06S	4667-06A	4668-07S	4668-07A	4660-09S	4660-09A

Extra wire shelves

Depth	2’ wide	3’ wide	4’ wide	5’ wide	6’ wide
12”	6062	6063	6064	6065	6066
18”	6072	6073	6074	6075	6076
24”	6082	6083	6084	6085	6086



Standard Color - Mirror silver. For other colors refer to equipto color chart - inside rear cover. *Not shown to scale.

V-Grip™ Shelving with Drawers

Combining modular drawers with V-Grip™ shelving optimizes flexibility by providing an ergonomic approach to storing a mix of small and bulk items. Placement of drawers between the knees and shoulders reduces the reaching and bending required of conventional storage cabinets, while providing space for bulk storage above and below drawers.

- 48 Standard drawer sizes
- 36" and 48" widths
- 18" and 24" depths
- Drawer heights from 3" to 13 1/2"
- 200 and 400lb. Drawer capacity
- Each drawer has individual rigid mounting brackets for 100% flexibility of drawer location
- Drawers available with or without divider sets
- Drawers include handles with integral plastic-covered label holder



Order drawer dividers to easily organize parts.

GOLDZONE

The same versatile V-Grip™ design that gives you the flexibility to add wire shelving and lockable cabinets can also be configured so that all your modular drawers are between your shoulders and knees, or "GOLD ZONE". Consequently, there's no squatting, stretching or straining to store and retrieve parts and tools.



Easily organize drawer contents.

84”H Closed preconfigured units with drawers:
Shown with optional wire shelf top.



Drawers included: (1)-3”H, (1)-4 1/2”H, (1)-6”H & (1)-7 1/2”H

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200 lbs.	4220VNS	4220VNA
	36"	400 lbs.	4220VHS	4220VHA
	48"	400 lbs.	4240VHS	4240VHA
24"	36"	200 lbs.	4230VNS	4230VNA
	36"	400 lbs.	4230VHS	4230VHA
	48"	400 lbs.	4250VHS	4250VHA



Drawers included: (2)-3”H, (1)-4 1/2”H & (1)-7 1/2”H

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200 lbs.	4222VNS	4222VNA
	36"	400 lbs.	4222VHS	4222VHA
	48"	400 lbs.	4242VHS	4242VHA
24"	36"	200 lbs.	4232VNS	4232VNA
	36"	400 lbs.	4232VHS	4232VHA
	48"	400 lbs.	4252VHS	4252VHA

*All units come with 5 solid shelves. Optional wire shelf is shown in unit pictures.
For additional shelves please see page 17, item K (Solid Shelves) and item L (Wire Shelves).
No Divider Kits included, refer to page 18 and 19 for Divider Kit options.



Drawers included: (2)-4 1/2”H & (2)-6 1/2”H

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200 lbs.	4221VNS	4221VNA
	36"	400 lbs.	4221VHS	4221VHA
	48"	400 lbs.	4241VHS	4241VHA
24"	36"	200 lbs.	4231VNS	4231VNA
	36"	400 lbs.	4231VHS	4231VHA
	48"	400 lbs.	4251VHS	4251VHA



Drawers included: (4)-4 1/2”H

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200lb	4223VNS	4223VNA
	36"	400lb	4223VHS	4223VHA
	48"	400lb	4243VHS	4243VHA
24"	36"	200lb	4233VNS	4233VNA
	36"	400lb	4233VHS	4233VHA
	48"	400lb	4253VHS	4253VHA


Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.


V-Grip™ Shelving Bin Units

23 Openings				21 Openings		36 Openings		66 Openings		78 Openings	
4-9"W x 9"H, 8-9"W x 12"H				18-12"W x 12"H		36-9"W x 9"H		60-6"W x 7 1/2"H		72-6"W x 6"H	
9-12"W x 12"H, 2-18"W x 12"H				3-12"W x 9"H				6-6"W x 9"H		6-6"W x 9"H	
Depth	Starter	Add-on		Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
12"	914S	914A		906S	906A	905S	905A	904S	904A	903S	903A
18"	914DS	914DA		906DS	906DA	905DS	905DA	904DS	904DA	903DS	903DA
24"	914ES	914EA		906ES	906EA	905ES	905EA	904ES	904EA	903ES	903EA

All Units are 36" Wide and 84" in Height, for other available heights and widths contact Equipto.
Clear height of bin opening is 1 1/2" less than nominal height shown.



- Simple clip and divider system creates efficient bin compartments. match right size opening to your parts and supplies
- Add doors for cleanliness and security
- Use bin units back-to-back, form dividing walls, use near desks, machines or benches



36 openings 9"W x 9"H		79 openings Assorted Sizes 12 Drawers 3 Compartments in each drawer		92 openings Assorted Sizes 24 Drawers 5 ^{5/8} "W x 3"H		72 drawers Drawers: 55/8"W x 3"H 6 Bins: 18"W		108 drawers 5 ^{5/8} "W x 3"H (324 Compartments)		
Depth	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
12"	907S	907A	910S	910A	911S	911A	920S	920A	919S	919A
18"	907DS	907DA	910DS	910DA	911DS	911DA	920DS	920DA	919DS	919DA
24"	907ES	907EA	-	-	-	-	-	-	-	-

All Units are 36" Wide and 84" in Height, for other available heights and widths contact Equipto.
Clear height of bin opening is 1 1/2" less than nominal height shown.

V-Gript™ X-Ray Shelving

84" high x 36" wide x 18" deep

Starter	Add-on	Extra divider
908D	908DA	8091
• Unit design provides smooth surfaces to eliminate torn or snagged file folders • Unit includes 15 dividers • V-Gript™ design allows easy addition of add-on sections		



V-Grip™ Economy Wire Shelving



Economy bulk wire rack shown

Three Tier Bulk Rack with Economy Wire Decking

Capacity per tier. 1100 lbs.

48" Wide Shelving				
Depth	Height	Starter Part No.	Add-on Part No.	Decking Part No.
24"	60"	EW1005W42S	EW1005W42A	6100
24"	72"	EW1006W42S	EW1006W42A	6100
24"	84"	EW1007W42S	EW1007W42A	6100
36"	60"	EW1005W43S	EW1005W43A	6101
36"	72"	EW1006W43S	EW1006W43A	6101
36"	84"	EW1007W43S	EW1007W43A	6101
48"	60"	EW1005W44S	EW1005W44A	6109
48"	72"	EW1006W44S	EW1006W44A	6109
48"	84"	EW1007W44S	EW1007W44A	6109

60" Wide Shelving				
Depth	Height	Starter Part No.	Add-on Part No.	Decking Part No.
36"	60"	EW1005W53S	EW1005W53A	6102
36"	72"	EW1006W53S	EW1006W53A	6102
36"	84"	EW1007W53S	EW1007W53A	6102
48"	60"	EW1005W54S	EW1005W54A	6110
48"	72"	EW1006W54S	EW1006W54A	6110
48"	84"	EW1007W54S	EW1007W54A	6110

96" Wide Shelving				
Depth	Height	Starter Part No.	Add-on Part No.	Decking Part No.
24"	60"	EW1015W82S	EW1015W82A	6100
24"	72"	EW1016W82S	EW1016W82A	6100
24"	84"	EW1017W82S	EW1017W82A	6100
36"	60"	EW1015W83S	EW1015W83A	6101
36"	72"	EW1016W83S	EW1016W83A	6101
36"	84"	EW1017W83S	EW1017W83A	6101
48"	60"	EW1015W84S	EW1015W84A	6109
48"	72"	EW1016W84S	EW1016W84A	6109
48"	84"	EW1017W84S	EW1017W84A	6109

- High visibility for inventory inspection
- Improves air circulation
- Increase overhead sprinkler effectiveness
- Expandable construction
- Eliminates dirt build-up

Three Level V-Grip™ Economy Wire Rack

Depth	Width	Height	Starter Part No.	Add-on Part No.	Decking Part No.
24"	48"	60"	EW1524-05S	EW1524-05A	6100
24"	48"	72"	EW1524-06S	EW1524-06A	6100
24"	48"	84"	EW1524-07S	EW1524-07A	6100
24"	96"	60"	EW1528-05S	EW1528-05A	6100
24"	96"	72"	EW1528-06S	EW1528-06A	6100
24"	96"	84"	EW1528-07S	EW1528-07A	6100
36"	48"	60"	EW1534-05S	EW1534-05A	6101
36"	48"	72"	EW1534-06S	EW1534-06A	6101
36"	48"	84"	EW1534-07S	EW1534-07A	6101
36"	96"	60"	EW1538-05S	EW1538-05A	6101
36"	96"	72"	EW1538-06S	EW1538-06A	6101
36"	96"	84"	EW1538-07S	EW1538-07A	6101
48"	48"	60"	EW1544-05S	EW1544-05A	6109
48"	48"	72"	EW1544-06S	EW1544-06A	6109
48"	48"	84"	EW1544-07S	EW1544-07A	6109
48"	96"	60"	EW1548-05S	EW1548-05A	6109
48"	96"	72"	EW1548-06S	EW1548-06A	6109
48"	96"	84"	EW1548-07S	EW1548-07A	6109

Capacity per tier. 1000 lbs.

Four Level V-Grip™ Economy Wire Rack

Depth	Width	Height	Starter Part No.	Add-On Part No.	Decking Part No.
24"	48"	96"	EW1524-08S	EW1524-08A	6100
24"	48"	120"	EW1524-10S	EW1524-10A	6100
24"	96"	96"	EW1528-08S	EW1528-08A	6100
24"	96"	120"	EW1528-10S	EW1528-10A	6100
36"	48"	96"	EW1534-08S	EW1534-08A	6101
36"	48"	120"	EW1534-10S	EW1534-10A	6101
36"	96"	96"	EW1538-08S	EW1538-08A	6101
36"	96"	120"	EW1538-10S	EW1538-10A	6101
48"	48"	96"	EW1544-08S	EW1544-08A	6109
48"	48"	120"	EW1544-10S	EW1544-10A	6109
48"	96"	96"	EW1548-08S	EW1548-08A	6109
48"	96"	120"	EW1548-10S	EW1548-10A	6109

Capacity per tier. 1000 lbs.

Four Tier Bulk Rack with Economy Wire Decking

Capacity per tier. 1100 lbs.

48" Wide Shelving				
Depth	Height	Starter Part No.	Add-on Part No.	Decking Part No.
24"	96"	EW1008W42S	EW1008W42A	6100
24"	120"	EW1010W42S	EW1010W42A	6100
36"	96"	EW1008W43S	EW1008W43A	6101
36"	120"	EW1010W43S	EW1010W43A	6101
48"	96"	EW1008W44S	EW1008W44A	6109
48"	120"	EW1010W44S	EW1010W44A	6109

60" Wide Shelving				
Depth	Height	Starter Part No.	Add-on Part No.	Decking Part No.
36"	96"	EW1008W53S	EW1008W53A	6102
36"	120"	EW1010W53S	EW1010W53A	6102
48"	96"	EW1008W54S	EW1008W54A	6110
48"	120"	EW1010W54S	EW1010W54A	6110

96" Wide Shelving				
Depth	Height	Starter Part No.	Add-on Part No.	Decking Part No.
24"	96"	EW1018W82S	EW1018W82A	6100
24"	120"	EW1020W82S	EW1020W82A	6100
36"	96"	EW1018W83S	EW1018W83A	6101
36"	120"	EW1020W83S	EW1020W83A	6101
48"	96"	EW1018W84S	EW1018W84A	6109
48"	120"	EW1020W84S	EW1020W84A	6109

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Standard color - Powder coated gray finish. For other colors please refer to the Equipto color chart on the rear cover.

V-Grip™ Shelving Carts

- Instant mobility
- Open wire construction promotes high visibility, letting light and air pass freely
- Rugged and easy to use
- Handles the most demanding jobs
- All units have two brake and two rigid casters



V-Grip™ wire cart with triangular open slotted upright (painted)



Equipto Carts are heavy duty to handle the toughest jobs. For Perimeter Bases see page 20.

V-Grip™ wire carts

Depth	Width	Overall Height	Number of Shelves	With Standard Duty Casters (500 lbs. Capacity)	With Heavy Duty Casters (800 lbs. Capacity)	Additional Intermediate Shelves
18" Depth						
36"	42"		2	4573	4573D	6073
	54"		3	4583	4583D	
	66"		4	4593	4593D	
48"	42"		2	4574	4574D	6074
	54"		3	4584	4584D	
	66"		4	4594	4594D	
60"	42"		2	4575	4575D	6075
	54"		3	4585	4585D	
	66"		4	4595	4595D	
72"	42"		2	4576	4576D	6076
	54"		3	4586	4586D	
	66"		4	4596	4596D	
24" Depth						
36"	42"		2	4673	4673D	6083
	54"		3	4683	4683D	
	66"		4	4693	4693D	
48"	42"		2	4674	4674D	6084
	54"		3	4684	4684D	
	66"		4	4694	4694D	
60"	42"		2	4675	4675D	6085
	54"		3	4685	4685D	
	66"		4	4695	4695D	
72"	42"		2	4676	4676D	6086
	54"		3	4686	4686D	
	66"		4	4696	4696D	

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

V-Grip™ Shelving Components

Designed and engineered for maximum interchangeability, V-Grip™ components carry the quality assurance that has made Equipto the leader in industrial shelving systems. All parts and accessories are designed and produced by Equipto to integrate and form a solid compression fit resulting in a storage system that is guaranteed to deliver years of reliable service.

V-Grip™ shelving components

Structural Integrity comes from the integration of Equipto's exclusive V-Grip™ upright post and heavy-duty, compression-fit components.

When ordering V-Grip shelving by component, remember:


- 1) To include 1 shelving end for each section of shelving and 1 shelving end to terminate each row.
- 2) Back sway braces and solid back panels can be shared between back-to-back units.
- 3) Closed shelving ends and solid back panels are finished in standard reflective white paint to enhance visibility in parts storage areas.
- 4) V-Grip™ shelves are heavy duty, 18-gauge steel and are provided with 4 corner reinforcements per shelf, which provide a friction fit to V-Grip™ upright posts.



Upright posts

Description	Part No.
36" High	5003
42" High	5035
48" High	5004
54" High	5031
60" High	5005
72" High	5006
78" High	5022
84" High	5007
90" High	5023
96" High	5008
108" High	5009
120" High	5010
144" High	5012
180" High	5015

*Posts over 144"H are spliced



Back sway braces

Description	Part No.
24" Back, pair	6418
36" Back, pair	6416
42" Back, pair	6419
48" Back, pair	6417

Open shelving ends (D X H)

Description	Part No.
12" x 84" Open	6702
18" x 84" Open	6712
24" x 84" Open	6722
36" x 84" Open	6732
12" x 96" Open	6703
18" x 96" Open	6713
24" x 96" Open	6723
36" x 96" Open	6733
12" x 120" Open	6705
18" x 120" Open	6715
24" x 120" Open	6725
36" x 120" Open	6735
12" x 144" Open	6741
18" x 144" Open	6747
24" x 144" Open	6753
36" x 144" Open	6759
12" x 180" Open	6743
18" x 180" Open	6749
24" x 180" Open	6755
36" x 180" Open	6761
12" x 180" Closed	6746

84" and 96" high Open Shelving Ends come with 2 upright posts and 2 end brace plates.

Closed shelving ends (D X H)

Description	Part No.
12" x 84" Closed	6707
18" x 84" Closed	6717
24" x 84" Closed	6727
36" x 84" Closed	6737
12" x 96" Closed	6708
18" x 96" Closed	6718
24" x 96" Closed	6728
36" x 96" Closed	6738
12" x 120" Closed	6710
18" x 120" Closed	6720
24" x 120" Closed	6730
36" x 120" Closed	6740
12" x 144" Closed	6744
18" x 144" Closed	6750
24" x 144" Closed	6756
36" x 144" Closed	6762
12" x 180" Closed	6746
18" x 180" Closed	6752
24" x 180" Closed	6758
36" x 180" Closed	6764

84" high Closed Shelving Ends come with 2 upright posts and 2 end panels. 96" high Closed Shelving Ends come with 2 upright posts and 3 end panels.



Solid back panels (W X H)


Description	Part No.
24" x 42" High	7590
36" x 35 1/4" High	7588-36
36" x 42" High	7588
36" x 84" High or less	7588-2
36" x over 84" (to 120")	7588-3
36" x 126" to 168"	7588-4
36" x 168" to 210"	7588-5
42" x 42" High	7585
48" x 35 1/4" High	7589-36
48" x 42" High	7589
48" x 84" High or less	7589-2
48" x over 84" (to 120")	7589-3
48" x 126" to 168"	7589-4
48" x 168" to 210"	7589-5

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

V-Grip™ shelving components


Equipto's exclusive Wire Shelf design combines wire truss supports with a heavy-duty waterfall shelf to provide:

- Increased visibility of items on upper shelves
- Better flow of air, light, & sprinklers
- Capacity equal to heavy-duty 18 gauge solid steel shelves



Wire back grids (W x H)

Description	Part No.
36" x 36"	7556
48" x 36"	7557
60" x 36"	7558
72" x 36"	7559
96" x 36"	7560
36" x 48"	7561
48" x 48"	7562
60" x 48"	7563
72" x 48"	7564
96" x 48"	7566



Wire grids are reflective white

Wire end grids (H x D)

Description	Part No.
36" x 12"	6780-03
36" x 18"	6781-03
36" x 24"	6782-03
36" x 36"	6783-03
36" x 48"	6784-03
48" x 12"	6795-04
48" x 18"	6791-04
48" x 24"	6792-04
48" x 36"	6793-04
48" x 48"	6794-04



Wire grids are reflective white

Heavy duty 18ga solid shelves (D x W)

Description	Part No.
12" x 24"	6202
12" x 36"	6230
12" x 42"	6250
12" x 48"	6240
15" x 36"	6229
15" x 48"	6239
18" x 24"	6203
18" x 36"	6231
18" x 42"	6251
18" x 48"	6241
24" x 24"	6204
24" x 36"	6232
24" x 42"	6252
24" x 48"	6242
36" x 36"	6234
36" x 48"	6244



Reinforced heavy duty solid shelves

12" x 36"	6230R
12" x 48"	6240R
18" x 36"	6231R
18" x 48"	6241R
24" x 36"	6232R
24" x 48"	6242R
36" x 36"	6234R

Includes front and rear reinforcing bars.
Recommended for bottom 2 shelves on units over 8'.

Center reinforcements

36" Channel	10051
48" Channel	10052

Reinforcements

36" Front/Rear End	10093
42" Front or Rear	9952
48" Front or Rear	10094
12" End	9630
18" End	9631
24" End	9632



End brace plates

Description	Part No.
12" End, pair	6412
15" End, pair	6411
18" End, pair	6413
24" End, pair	6414
30" End, pair	6406
36" End, pair	6415
48" End, pair	6410

Finishing end panels

Description (D x H)	Part No.
12" x 84"	7917-12
15" x 84"	7917-15
18" x 84"	7917-18
24" x 84"	7917-24
30" x 84"	7917-30

Flush fit to V-Grip.
Row end covers all holes.
Does not eliminate requirement for sway brace.

Wire shelves-truss included

(D X W)

Description	Part No.
12" x 24"	6062
12" x 36"	6063
12" x 48"	6064
12" x 60"	6065
12" x 72"	6066
18" x 24"	6072
18" x 36"	6073
18" x 48"	6074
18" x 60"	6075
18" x 72"	6076
24" x 24"	6082
24" x 36"	6083
24" x 48"	6084
24" x 60"	6085
24" x 72"	6086

Wire deck shelf panel

12" x 24"	6002
12" x 36"	6003
18" x 24"	6012
18" x 36"	6013
24" x 24"	6042
24" x 36"	6043

Wire shelf truss

24"	9472
36"	9473
48"	9474
60"	9475
72"	9476

Solid end panels (D x H)

Description	Part No.
12" x 42"	6796
12" x 84" or less	6796-2
12" x over 84" (to 120")	6796-3
12" x 126" to 168"	6796-4
12" x 168" to 210"	6796-5
15" x 42 ^{3/4} "	810515
18" x 42"	6797
18" x 84" or less	6797-2
18" x over 84" (to 120")	6797-3
18" x 126" to 168"	6797-4
18" x 168" to 210"	6797-5
24" x 33 ^{3/4} "	6799
24" x 36"	6799-36
24" x 42"	6798
24" x 84" or less	6798-2
24" x over 84" (to 120")	6798-3
24" x 126" to 168"	6798-4
24" x 168" to 210"	6798-5
30" x 42 ^{3/4} "	810530
36" x 42"	6800
36" x 84" or less	6800-2
36" x over 84" (to 120")	6800-3
36" x 126" to 168"	6800-4
36" x 168" to 210"	6800-5

Does not include upright posts.



Pull out reference shelves (D x W)

Description	Part No.
12" x 36"	6230RFS
12" x 48"	6240RFS
15" x 36"	6229RFS
15" x 48"	6239RFS
24" x 36"	6232RFS
24" x 48"	6242RFS



Front bases (D x H)


Description	Part No.
2 ^{5/8} " x 36"	6803
4 ^{1/8} " x 36"	6804
2 ^{5/8} " x 48"	6805
4 ^{1/8} " x 48"	6806

Bin fronts


Description	Part No.
1 ^{1/2} " x 36" Bin Front	10514
3 ^{1/4} " x 36" Bin Front	10516
3 ^{1/4} " x 48" Bin Front	10517

Modular Drawers

Maximize density with modular drawers for V-Grip



- 100% drawer extension
- 36 and 48 inch widths; 18 and 24 inch depths
- 200 and 400 lb. capacity




Modular Drawers in V-Grip Shelving


Divider kits - 36" wide

Width	For Drawer Height	Divider Set	18" Deep Divider Kit	24" Deep Divider Kit
36"	3"	D	4173D10	4183D10
	3"	E	4173E10	4183E10
	3"	F	4173F10	4183F10
	3"	H	4173H10	4183H10
	4 ^{1/2} "	D	4174D15	4184D15
	4 ^{1/2} "	E	4174E15	4184E15
	4 ^{1/2} "	F	4174F15	4184F15
	4 ^{1/2} "	H	4174H15	4184H15
	6" and up	D	4175D20	4185D20
	6" and up	E	4175E20	4185E20
	6" and up	F	4175F20	4185F20
	6" and up	H	4175H20	4185H20

18" Deep



24" Deep



Important ordering considerations:

- When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Divider kits - 48” wide

Width	For Drawer Height	Divider Set	18” Deep Divider Kit	24” Deep Divider Kit
48”	3”	D	4176D10	4186D10
	3”	E	4176E10	4186E10
	3”	F	4176F10	4186F10
	3”	H	4176H10	4186H10
	4 1/2”	D	4177D15	4187D15
	4 1/2”	E	4177E15	4187E15
	4 1/2”	F	4177F15	4187F15
	4 1/2”	H	4177H15	4187H15
	6” and up	D	4178D20	4188D20
	6” and up	E	4178E20	4188E20
48”	6” and up	F	4178F20	4188F20
	6” and up	H	4178H20	4188H20


Hinged double doors for V-Grip™ shelving

- Rigid door and frame assembly, sturdy hinges, 3-point latches
- Attaches quickly and easily to V-Grip™ shelving units



Doors for shelving (W x H)

Description	Part No.
36” x 84”	18035
36” x 42”	18043
36” x 34 1/2”	18036
48” x 84”	18435
48” x 42”	18443
48” x 34 1/4”	18436



6620



6615/6613

Label holders

Description (H x W)	Part No.
1 1/8” x 34” Label Holder	6615
1 1/8” x 46” Label Holder	6613
1” x 6” Plastic (for wire only)	6620



Full height shelf dividers (H x D)

Description	Part No.
2” x 12”	8049
4 1/2” x 12”	8018
6” x 12”	8019
7 1/2” x 12”	8020
9” x 12”	8021
10 1/2” x 12”	8022
12” x 12”	8023
13 1/2” x 12”	8024
15” x 12”	8025
16 1/2” x 12”	8026
2” x 18”	8093
4 1/2” x 18”	8090
6” x 18”	8094
7 1/2” x 18”	8095
9” x 18”	8096
10 1/2” x 18”	8097
12” x 18”	8098
13 1/2” x 18”	8099
15” x 18”	810313
16 1/2” x 18”	8091
18” x 18”	8092
6” x 24”	8119
7 1/2” x 24”	8120
9” x 24”	8121
10 1/2” x 24”	8122
12” x 24”	8123
13 1/2” x 24”	8124
15” x 24”	8125
16 1/2” x 24”	8126
10 1/2” x 36”	8133
12” x 36”	8134
Speediclip	10226

(Speediclip holds shelf dividers to shelves above and below.)

18” Deep



24” Deep



Important ordering considerations:


- When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered



Close the top of any V-Grip Bulk Rack upright. Easy to attach - simply tap its triangular base into the upright. May also be used as floor glide to protect all floors. Made of high-impact plastic, it will withstand any load within the capacity of the upright itself.

Top/bottom cap


Description	Part No.
Top or Bottom Cap/White	10177W
Top or Bottom Cap/Black	10177B



Ribbed and slotted partitions fit easily into drawers, running the full depth of the drawer from front-to-back. Adjustable in 3/4” increments, they may be used alone, or with dividers. Metal screws are supplied for fastening to drawer bottoms.

Partitions


Partition Height	To Fit Drawer Height	To Fit 18” Deep Drawers	To Fit 24” Deep Drawers
2”	3”	8780N	8790N
3”	4 1/2”	8781N	8791N
4 1/2”	6” and up	8782N	8792N



To further expand the possibilities in creating your own drawer design, we offer a variety of individual dividers. Use them with front-to-back partitions to make compartments of all sizes. Spaces across drawers; each 3/4” wide
36” wide drawers — 40 spaces
48” wide drawers — 53 spaces

Individual dividers

Divider Width	Spaces	For 3” High Drawers	For 4 1/2” High Drawers	For 6” High Drawers and Up
3 3/32”	4	8834	8844	8854
4 11/16”	6	8835	8845	8855
6 9/32”	8	8836	8846	8856
7 7/8”	10	8837	8847	8857
9 7/16”	12	8838	8848	8858
12 11/16”	16	8839	8849	8859



Sliding dividers (H x D)


Description	Part No.
2 3/4” x 12”	8110
4 1/2” x 12”	8111
5 3/4” x 12”	8112
7 1/4” x 12”	8113
2 3/4” x 18”	8103
4 1/2” x 18”	8104
5 3/4” x 18”	8105
7 1/4” x 18”	8106
2 3/4” x 24”	8114
4 1/2” x 24”	8115
5 3/4” x 24”	8116
7 1/4” x 24”	8117



Wire dividers for wire shelves (H x D)

Description	Part No.
9” x 18”	8101
9” x 24”	8102

Add mobility to any V-Grip™ steel or wire shelving or rack 18” or more deep. capacity 800 lbs. per unit.




Plastic containers (W x D x H)

Color	Part No.
White (11” x 22 3/4” x 7”)	8501W
Yellow (11” x 22 3/4” x 7”)	8501Y
Blue (11” x 22 3/4” x 7”)	8501B
(3 Across fits 36” wide shelf)	
White (8 1/4” x 22 3/4” x 6”)	8512W
Yellow (8 1/4” x 22 3/4” x 6”)	8512Y
Blue (8 1/4” x 22 3/4” x 6”)	8512B
(4 Across fits 36” wide shelf)	

Perimeter base

Depth	36” wide	48” wide	60” wide	72” wide	96” wide
18”	4699C13	4699C14	4699C15	4699C16	4699C18
24”	4699C23	4699C24	4699C25	4699C26	4699C28
30”	4699C03	4699C04	4699C05	4699C06	4699C08
36”	4699C33	4699C34	4699C35	4699C36	4699C38
48”	4699C43	4699C44	4699C45	4699C46	4699C48

Note: Includes 2 swivel and 2 stationary heavy duty casters. when ordering V-Grip™ uprights with perimeter base, add suffix “tu” after part number. Ex: 5005TU. Not recommended over 66”H.



Hanger bar & bracket

Hanger bar and bracket

(Includes rod, brackets and one support channel) (D x W)

Description	Part No.
18” x 36”	9753-18
18” x 48”	9754-18
24” x 36”	9753-24
24” x 48”	9754-24
36” x 36”	9753-36
36” x 48”	9754-36
Order one end support channel to each section to finish row.	
18” deep	7732
24” deep	7733
36” deep	7734

Note: 150 lb. cap. distributed load.



Splicer 5568 inserts into top and bottom of stacked V-Grip™ shelving units to provide rigid support needed for hi-rise.
**** order 5566 for V-Grip™ Rack splicer**



10381 - Common upright clamp
13037 - Dart clip



Miscellaneous parts

Description	Part No.
Common upright clamp	10381
Corner reinforcement	7680
Back panel bracket	10388
Bolt and nut (3/16” x 1/4”)	13001
Bolt and nut (3/16” x 3/8”)	13000
Panel clip	10332
Speedy clip	10226
Upright splicer	5568
Corner bracket L.H.	7698L
Corner bracket R.H.	7698R
Flush bracket, L.H.	7700L
Flush bracket, R.H.	7700R
Back-to-back bracket	7750
V-grip floor plates	9826
#Rod (3/16” x 79”)	9705
#Rod (3/16” x 85”)	9720
Aisle safety rail, 3’	10043V
Aisle safety rail, 4’	10044V
Floor anchor L.H.	7695L
Floor anchor R.H.	7695R
Dartclip for beams	13037
Dart clip for label holder	13041
Aisle bracket L.H.	7693L
Aisle bracket R.H.	7693R
Foot/leveler	13149
V-Grip™ top mount bracket, left	7692L
V-Grip™ top mount bracket, right	7692R

Seismic accessories


Description	Part No.
Back panel bracket, pair	190301U
Back brace, pair, 36”	190302U
Back brace, pair, 48”	190303U
End sway brace, pair, 12”	190304U
End sway brace, pair, 18”	190305U
End sway brace, pair, 24”	190306U
End sway brace, pair, 36”	190307U
Floor anchor-center	190317A
Floor anchor (left hand)	190319A
Floor anchor (right hand)	190320A
Self locking clip	10231
Upright splicer (bolt-in)	5567

Double entry beams (2 required)

Description	Part No.
36” Long	9403
48” Long	9404



Brackets (flush front 7700 L & R and corner 7698 L & R) allow easy attachment of catwalks to V-Grip™ uprights.



Floor anchor fastens shelving to floor for increased stability. Order no. **7695L** (left hand) or no. **7695R** (right hand). seismic floor anchor (center) **190317A**.

V-Grip™ Versarack

- Versarack provides the reliability and flexibility of the V-Grip™ upright post and the choice of particleboard, wire, or steel deck shelves.
- Fast and easy assembly.
- Ideal for bulk parts, archival records, and back room storage applications.
- Versarack offers easy assembly and clear spans for double-entry units.



Shelf reinforcements provide additional capacity for particleboard and wire shelf applications.



Low profile shelf beams are 1 1/2" high and adjustable on 1 1/2" centers.



Shelf beams have a 2-point wedge lock connection for maximum rigidity.




V-Grip™ Versarack - Preconfigured Units

Decking: second “-” in catalog number designates no decking. Substitute “P” for particle board decking, “D” for corrugated steel decking, or “W” for wire decking.



Starter



Add-on



Starter with particle Board decking



Starter with corrugated Steel decking



Starter with wire decking

V-Grip™ Versarack - Components



Shelf beams

Description	capacity	Part No.
36" Wide	890 lbs.	VVR-B36
42" Wide	720 lbs.	VVR-B42
48" Wide	550 lbs.	VVR-B48

Order 2 shelf beams for each shelf.
*Uniform distributed load



Shelf reinforcements

(front to back)

Description	Part No.
15" Deep	VVR-R15
18" Deep	VVR-R18
24" Deep	VVR-R24
30" Deep	VVR-R30
36" Deep	VVR-R36

Although reinforcements are optional, when storing heavy loads, 3 per shelf are recommended on shelf depths of 24", 30", 36"



End brace plates

Description	Part No.
12" End, pair	6412
15" End, pair	6411
18" End, pair	6413
24" End, pair	6414
30" End, pair	6406
36" End, pair	6415
48" End, pair	6410

Versarack™ (84" high units) 5 Shelves

Width	Depth	Starter	Add-on
36" Width			
12"		VVR-361284-5S	VVR-361284-5A
15"		VVR-361584-5S	VVR-361584-5A
18"		VVR-361884-5S	VVR-361884-5A
24"		VVR-362484-5S	VVR-362484-5A
30"		VVR-363084-5S	VVR-363084-5A
36"		VVR-363684-5S	VVR-363684-5A
42" Width			
12"		VVR-421284-5S	VVR-421284-5A
15"		VVR-421584-5S	VVR-421584-5A
18"		VVR-421884-5S	VVR-421884-5A
24"		VVR-422484-5S	VVR-422484-5A
30"		VVR-423084-5S	VVR-423084-5A
36"		VVR-423684-5S	VVR-423684-5A
48" Width			
12"		VVR-481284-5S	VVR-481284-5A
15"		VVR-481584-5S	VVR-481584-5A
18"		VVR-481884-5S	VVR-481884-5A
24"		VVR-482484-5S	VVR-482484-5A
30"		VVR-483084-5S	VVR-483084-5A
36"		VVR-483684-5S	VVR-483684-5A

V-Grip™ VersaRack - Components



Particle board shelves
(W x D)

Description	Part No.
36" x 12"	VVR-P3612
36" x 15"	VVR-P3615
36" x 18"	VVR-P3618
36" x 24"	VVR-P3624
36" x 30"	VVR-P3630
36" x 36"	VVR-P3636
42" x 12"	VVR-P4212
42" x 15"	VVR-P4215
42" x 18"	VVR-P4218
42" x 24"	VVR-P4224
42" x 30"	VVR-P4230
42" x 36"	VVR-P4236
48" x 12"	VVR-P4812
48" x 15"	VVR-P4815
48" x 18"	VVR-P4818
48" x 24"	VVR-P4824
48" x 30"	VVR-P4830
48" x 36"	VVR-P4836

shelf beams not included.
see page 22 for shelf beams.



Corrugated steel shelves
(W x D)

Description	Part No.
36" x 12"	VVR-D3612
36" x 15"	VVR-D3615
36" x 18"	VVR-D3618
36" x 24"	VVR-D3624
36" x 30"	VVR-D3630
36" x 36"	VVR-D3636
42" x 12"	VVR-D4212
42" x 15"	VVR-D4215
42" x 18"	VVR-D4218
42" x 24"	VVR-D4224
42" x 30"	VVR-D4230
42" x 36"	VVR-D4236
48" x 12"	VVR-D4812
48" x 15"	VVR-D4815
48" x 18"	VVR-D4818
48" x 24"	VVR-D4824
48" x 30"	VVR-D4830
48" x 36"	VVR-D4836

shelf beams not included.
see page 22 for shelf beams.



Wire shelves
(W x D)

Description	Part No.
36" x 12"	VVR-W3612
36" x 15"	VVR-W3615
36" x 18"	VVR-W3618
36" x 24"	VVR-W3624
36" x 30"	VVR-W3630
36" x 36"	VVR-W3636
42" x 12"	VVR-W4212
42" x 15"	VVR-W4215
42" x 18"	VVR-W4218
42" x 24"	VVR-W4224
42" x 30"	VVR-W4230
42" x 36"	VVR-W4236
48" x 12"	VVR-W4812
48" x 15"	VVR-W4815
48" x 18"	VVR-W4818
48" x 24"	VVR-W4824
48" x 30"	VVR-W4830
48" x 36"	VVR-W4836

shelf beams not included.
see page 22 for shelf beams.

V-Grip™ Wire Rack

V-Grip Wire Racks provide the ideal solution when storing medium to heavy loads in an environment where air and light flow are important. Wire trusses provide 3-point rigid connection with V-Grip upright post for maximum rigidity without use of sway braces for a cleaner look and easier installation.

V-Grip™ Wire Rack Components

Wire rack truss beam (W x H)		Wire rack deck grid (W x D) (fits over wire truss or solid beam)	
Description	Part No.	Description	Part No.
48" x 3 1/4"	9484	24" x 24"	6092
72" x 3 1/2"	9486	24" x 36"	6093
96" x 4 1/4"	9488	24" x 48"	6094



Wire Rack

Three shelf wire racks

	Depth	Height	48" Wide		72" Wide		96" Wide		Extra shelf	
			Starter	Add-on	Starter	Add-on	Starter	Add-on		
1,500 lbs.	24"	60"	1524-05S	1524-05A	1526-05S	1526-05A	1528-05S	1528-05A	24" D x 48" W	6092-02
per shelf		72"	1524-06S	1524-06A	1526-06S	1526-06A	1528-06S	1528-06A	24" D x 72" W	6092-03
		84"	1524-07S	1524-07A	1526-07S	1526-07A	1528-07S	1528-07A	24" D x 96" W	6092-04
	36"	60"	1534-05S	1534-05A	1536-05S	1536-05A	1538-05S	1538-05A	36" D x 48" W	6093-02
		72"	1534-06S	1534-06A	1536-06S	1536-06A	1538-06S	1538-06A	36" D x 72" W	6093-03
		84"	1534-07S	1534-07A	1536-07S	1536-07A	1538-07S	1538-07A	36" D x 96" W	6093-04
	48"	60"	1544-05S	1544-05A	1546-05S	1546-05A	1548-05S	1548-05A	48" D x 48" W	6094-02
		72"	1544-06S	1544-06A	1546-06S	1546-06A	1548-06S	1548-06A	48" D x 72" W	6094-03
		84"	1544-07S	1544-07A	1546-07S	1546-07A	1548-07S	1548-07A	48" D x 96" W	6094-04

Shelves are adjustable on 1 1/2" Centers. Features Wire Shelves and Wire Trusses.

Four shelf wire racks

	Depth	Height	48" Wide		72" Wide		96" Wide		Extra shelf	
			Starter	Add-on	Starter	Add-on	Starter	Add-on		
1,500 lbs.	24"	96"	1524-08S	1524-08A	1526-08S	1526-08A	1528-08S	1528-08A	24" D x 48" W	6092-02
per shelf		120"	1524-10S	1524-10A	1526-10S	1526-10A	1528-10S	1528-10A	24" D x 72" W	6092-03
	36"	96"	1534-08S	1534-08A	1536-08S	1536-08A	1538-08S	1538-08A	24" D x 96" W	6092-04
		120"	1534-10S	1534-10A	1536-10S	1536-10A	1538-10S	1538-10A	36" D x 48" W	6093-02
		96"	1544-08S	1544-08A	1546-08S	1546-08A	1548-08S	1548-08A	36" D x 72" W	6093-03
		120"	1544-10S	1544-10A	1546-10S	1546-10A	1548-10S	1548-10A	36" D x 96" W	6093-04
									48" D x 48" W	6094-02
									48" D x 72" W	6094-03
									48" D x 96" W	6094-04

Shelves are adjustable on 1 1/2" Centers. Features Wire Shelves and Wire Trusses.

Open shelving ends (D x H)

Description	Part No.
12" x 84" Open	6702
18" x 84" Open	6712
24" x 84" Open	6722
36" x 84" Open	6732
12" x 96" Open	6703
18" x 96" Open	6713
24" x 96" Open	6723
36" x 96" Open	6733
12" x 120" Open	6705
18" x 120" Open	6715
24" x 120" Open	6725
36" x 120" Open	6735
12" x 144" Open	6741
18" x 144" Open	6747
24" x 144" Open	6753
36" x 144" Open	6759
12" x 180" Open	6743
18" x 180" Open	6749
24" x 180" Open	6755
36" x 180" Open	6761

84" and 96" high open shelving ends come with 2 upright posts and 2 end brace plates.

Closed shelving ends (D x H)

Description	Part No.
12" x 84" Closed	6707
18" x 84" Closed	6717
24" x 84" Closed	6727
36" x 84" Closed	6737
12" x 96" Closed	6708
18" x 96" Closed	6718
24" x 96" Closed	6728
36" x 96" Closed	6738
12" x 120" Closed	6710
18" x 120" Closed	6720
24" x 120" Closed	6730
36" x 120" Closed	6740
12" x 144" Closed	6744
18" x 144" Closed	6750
24" x 144" Closed	6756
36" x 144" Closed	6762
12" x 180" Closed	6746
18" x 180" Closed	6752
24" x 180" Closed	6758
36" x 180" Closed	6764

84" high closed shelving ends come with 2 upright posts and 2 end panels.

96" high closed shelving ends come with 2 upright posts and 3 end panels.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

V-Grip™ Bulk Rack

V-Grip Bulk Rack is designed to accommodate longer spans and heavier loads than conventional shelving. Bulk Rack beams engage V-Grip upright posts providing a rigid connection. Bulk Rack levels are designed to carry load capacities from 1500 lbs. to 3000 lbs. per level, depending on beam span length and deck material used.



Three level bulk rack with solid decking

Depth	Height	48" Wide		60" Wide		72" Wide		96" Wide	
		Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 26)									
15"	60"	1005D41S	1005D41A	1005D51S	1005D51A	1005D61S	1005D61A	—	—
	72"	1006D41S	1006D41A	1006D51S	1006D51A	1006D61S	1006D61A	—	—
24"	60"	1005D42S	1005D42A	1005D52S	1005D52A	1005D62S	1005D62A	—	—
	72"	1006D42S	1006D42A	1006D52S	1006D52A	1006D62S	1006D62A	—	—
30"	84"	1007D42S	1007D42A	1007D52S	1007D52A	1007D62S	1007D62A	—	—
	60"	1005D40S	1005D40A	1005D50S	1005D50A	1005D60S	1005D60A	—	—
	72"	1006D40S	1006D40A	1006D50S	1006D50A	1006D60S	1006D60A	—	—
36"	84"	1007D40S	1007D40A	1007D50S	1007D50A	1007D60S	1007D60A	—	—
	60"	1005D43S	1005D43A	1005D53S	1005D53A	1005D63S	1005D63A	—	—
	72"	1006D43S	1006D43A	1006D53S	1006D53A	1006D63S	1006D63A	—	—
48"	84"	1007D43S	1007D43A	1007D53S	1007D53A	1007D63S	1007D63A	—	—
	60"	1005D44S	1005D44A	1005D54S	1005D54A	1005D64S	1005D64A	—	—
	72"	1006D44S	1006D44A	1006D54S	1006D54A	1006D64S	1006D64A	—	—
84"	1007D44S	1007D44A	1007D54S	1007D54A	1007D64S	1007D64A	—	—	
Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 26)									
15"	60"	1015D41S	1015D41A	1015D51S	1015D51A	1015D61S	1015D61A	1015D81S	1015D81A
	72"	1016D41S	1016D41A	1016D51S	1016D51A	1016D61S	1016D61A	1016D81S	1016D81A
24"	60"	1015D42S	1015D42A	1015D52S	1015D52A	1015D62S	1015D62A	1015D82S	1015D82A
	72"	1016D42S	1016D42A	1016D52S	1016D52A	1016D62S	1016D62A	1016D82S	1016D82A
30"	84"	1017D42S	1017D42A	1017D52S	1017D52A	1017D62S	1017D62A	1017D82S	1017D82A
	60"	1015D40S	1015D40A	1015D50S	1015D50A	1015D60S	1015D60A	1015D80S	1015D80A
	72"	1016D40S	1016D40A	1016D50S	1016D50A	1016D60S	1016D60A	1016D80S	1016D80A
36"	84"	1017D40S	1017D40A	1017D50S	1017D50A	1017D60S	1017D60A	1017D80S	1017D80A
	60"	1015D43S	1015D43A	1015D53S	1015D53A	1015D63S	1015D63A	1015D83S	1017D83A
	72"	1016D43S	1016D43A	1016D53S	1016D53A	1016D63S	1016D63A	1016D83S	1016D83A
48"	84"	1017D43S	1017D43A	1017D53S	1017D53A	1017D63S	1017D63A	1017D83S	1017D83A
	60"	1015D44S	1015D44A	1015D54S	1015D54A	1015D64S	1015D64A	1015D84S	1015D84A
	72"	1016D44S	1016D44A	1016D54S	1016D54A	1016D64S	1016D64A	1016D84S	1016D84A
84"	1017D44S	1017D44A	1017D54S	1017D54A	1017D64S	1017D64A	1017D84S	1017D84A	
Heavy duty (over 2000 lbs. For specific capacities see chart on page 26)									

DECKING: “D” in catalog number represents solid decking.
Substitute “W” for drop in wire decking (available in 24”,36”, & 48” depths) or “-” for no decking.

Four level bulk rack with solid decking

Depth	Height	48" Wide		60" Wide		72" Wide		96" Wide	
		Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 23)									
24"	96"	1008D42S	1008D42A	1008D52S	1008D52A	1008D62S	1008D62A	—	—
	120"	1010D42S	1010D42A	1010D52S	1010D52A	1010D62S	1010D62A	—	—
30"	96"	1008D40S	1008D40A	1008D50S	1008D50A	1008D60S	1008D60A	—	—
	120"	1010D40S	1010D40A	1010D50S	1010D50A	1010D60S	1010D60A	—	—
36"	96"	1008D43S	1008D43A	1008D53S	1008D53A	1008D63S	1008D63A	—	—
	120"	1010D43S	1010D43A	1010D53S	1010D53A	1010D63S	1010D63A	—	—
48"	96"	1008D44S	1008D44A	1008D54S	1008D54A	1008D64S	1008D64A	—	—
	120"	1010D44S	1010D44A	1010D54S	1010D54A	1010D64S	1010D64A	—	—
Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 23)									
24"	96"	1018D42S	1018D42A	1018D52S	1018D52A	1018D62S	1018D62A	1018D82S	1018D82A
	120"	1020D42S	1020D42A	1020D52S	1020D52A	1020D62S	1020D62A	1020D82S	1020D82A
30"	96"	1018D40S	1018D40A	1018D50S	1018D50A	1018D60S	1018D60A	1018D80S	1018D80A
	120"	1020D40S	1020D40A	1020D50S	1020D50A	1020D60S	1020D60A	1020D80S	1020D80A
36"	96"	1018D43S	1018D43A	1018D53S	1018D53A	1018D63S	1018D63A	1018D83S	1018D83A
	120"	1020D43S	1020D43A	1020D53S	1020D53A	1020D63S	1020D63A	1020D83S	1020D83A
48"	96"	1018D44S	1018D44A	1018D54S	1018D54A	1018D64S	1018D64A	1018D84S	1018D84A
	120"	1020D44S	1020D44A	1020D54S	1020D54A	1020D64S	1020D64A	1020D84S	1020D84A

Five level bulk rack with solid decking

Depth	Height	48'' Wide		60'' wide		72'' wide		96'' wide	
		Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 26)									
36"	180"	1012D43S	1012D43A	1012D53S	1012D53A	1012D63S	1012D63A	—	—
48"	180"	1012 D44S	1012D44A	1012D54S	1012D54A	1012D64S	1012D64A	—	—
Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 26)									
36"	180"	1022D43S	1022D43A	1022D53S	1022D53A	1022D63S	1022D63A	1022D83S	1022D83A
48"	180"	1022D44S	1022D44A	1022D54S	1022D54A	1022D64S	1022D64A	1022D84S	1022D84A

DECKING: “D” in Catalog number represents Solid Decking. Substitute “W” for drop in Wire Decking or “-” for no decking.

Bulk Rack shelving options



Solid beams

- 3 lugs on each beam connector
- locks securely to post
- Adjusts on 1 1/2" centers



Drop In Wire decking


- Capacity to 2667 lbs.
- Lets air, light and water pass through
- Offset between beam and wire shelving is .2625+/- or just over 1/4"



Solid shelf


- Capacity to 2763 lbs.
- Solid corrugated steel
- Versatile: Use ridge side up or flat channeled surface

Bulk Rack load capacities



Rack Capacities

Rack end capacity is not a factor under most circumstances. However, if you intend to space beam levels unusually far apart, check your plan to insure that the cumulative load on the lower portions of each rack end is within the limits shown on this chart. Rack ends are designed with a safety factor of 1.92. Horizontal beams are designed with a safety factor of 1.65.



Load Capacities of V-Grip Bulk Rack solid beams

Light Duty*			
Width	Beam Height	Capacity (lbs.)	Part No.

4'	25/8"	1460	9434
5'	25/8"	1208	9435
6'	25/8"	1163	9436

Medium Duty*			
Width	Beam Height	Capacity (lbs.)	Part No.

4'	27/8"	2112	9444
5'	27/8"	1690	9445
6'	27/8"	1622	9446
8'	33/4"	1557	9448

Heavy Duty*			
Width	Beam Height	Capacity (lbs.)	Part No.

4'	31/2"	3454	9454
5'	31/2"	2763	9455
6'	31/2"	2630	9456
8'	33/4"	2667	9458

*Capacities are in lbs. per pair of beams

Load Capacities of drop in wire grid decking

(for solid beams)

Length	Depth of rack	Capacity (lbs.)	Part No.
4'	24"	1500	16324W
5'	24"	1500	16325W
6'	24"	2250	16326W
8'	24"	3000	16328W

4'	36"	1500	16334W
5'	36"	1500	16335W
6'	36"	2250	16336W
8'	36"	3000	16338W

4'	48"	1500	16344W
5'	48"	1500	16345W
6'	48"	2250	16346W
8'	48"	3000	16348W

Note: To determine shelf level capacity with decking, use beam or decking capacity, whichever is less.

Load Capacities of solid steel decking

(for solid beams)

Length	Depth of rack	Capacity (lbs.)	Part No.
4'	15"	2407	16314
5'	15"	3003	16315
6'	15"	3611	16316
8'	15"	4815	16318

4'	24"	1852	16324
5'	24"	2310	16325
6'	24"	2778	16326
8'	24"	3704	16328

4'	30"	1435	16354
5'	30"	1794	16355
6'	30"	2152	16356
8'	30"	2870	16358

4'	36"	1196	16334
5'	36"	1495	16335
6'	36"	1794	16336
8'	36"	2392	16338

4'	48"	1192	16344
5'	48"	1490	16345
6'	48"	1788	16346
8'	48"	2384	16348

Note: To determine shelf level capacity with decking, use beam or decking capacity, whichever is less.

V-Grip™ Bulk Rack shelving components

Designed with versatility to fit your needs

- Accessories to expand units higher
- Ability to mix rack with shelving
- Built-in capability for future expansion

Rack Accessories

Description	Part No.
Clamp for fastening units back-to-back; 2 needed per pair of frames	10381
Dart clip for locking down beams — 2 needed	13037
Plastic label holder fits V-Grip wire	6620

Wire Rack Deck Grid

(drop-in grid, flush with solid beams)

Description	Part No.
24"W x 24"D	6088
24"W x 36"D	6089
24"W x 48"D	6090
30"W x 24"D	6138
30"W x 36"D	6139
30"W x 48"D	6140

Rack Ends

Depth	5' High	6' High	7' High	8' High	10' High	15' High
	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
15"	9304	9309	9314	9319	9329	9345
24"	9301	9306	9311	9316	9326	9342
30"	9305	9310	9315	9320	9330	9346
36"	9302	9307	9312	9317	9327	9343
48"	9303	9308	9313	9318	9328	9344

Rack Ends with nut inserts for mounting to caster base

Depth	5' High	6' High
24"	9301TU	9306TU
30"	—	9310TU
36"	9302TU	9307TU

Perimeter caster base (pg.20).

Tie Bars for solid beams

Depth	Part No.
15"	6521
24"	6522
30"	6525
36"	6523
48"	6524



Order 1 per pair of 4' or 5' beams;
2 per pair of 6' or 8' beams.

Solid Decking Panels

Width	15" Deep	24" Deep	30" Deep	36" Deep	48" Deep
24"	16018	16002	16019	16003	16004
30"	16020	16022	16021	16023	16024



Label Holder

A neat and easy way to identify records or supplies.
Part No. 6620.

Splicer

Permits stacking V-Grip bulk rack units for multi-level space.
Part No. 5566




Floor Anchors

Fasten racks to floor for increased stability.

(Must be used when bottom beam is more than 12" from floor.)

7695 L&R (190317A for Seismic)



7695 L&R

190317A



Top/bottom cap

Description	Part No.
Top or Bottom Cap/White	10177W
Top or Bottom Cap/Black	10177B

Foot Plate

Fits under uprights to protect linoleum or wood floors, or to act as shim on uneven floors.

Part No. 9826



7698 L&R

7700 L&R

V-Grip™ Tire Rack

V-Grip Tire Racks provide a flexible and economical tire storage system. Tire Racks are available in various heights in either a stationary or mobile configuration. Support beams provide a rigid 3-point connection to V-Grip upright post and are adjustable on 1 1/2" centers to accommodate a variety of tire sizes.

Tire racks

- Racks assemble quickly and adjust with a minimum number of tools
- Beams adjust up or down on 1 1/2" centers
- Brackets furnished for back-to-back or against the wall use




Tire racks are adjustable for all passenger car sizes of tires and rims. If you require shelving to fit truck tires please contact Equipto.

Racks hold 7 to 10 tires
Each level 15"D x 60"W

All equipment assembles as shown, with cross beams locking into uprights. Beams are adjustable on 1 1/2" centers. All tire racks are furnished with brackets which may be used to anchor to wall or Back-to-back. Floor anchors are provided for all starting units.

Beam-to-Post Connection

Strong, V-Grip uprights with tapered slots accept 3 lugs on each beam end to lock post to beam firmly, without fasteners.




Separator wall tie

This flange is to be used for bolting brackets back-to-back or for mounting to a wall (hardware for mounting to wall by others).



11561 - Single tie
11562 - Set of two

Floor anchor



Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Zip-In Shelving

Equipto's Zip-In shelving is the ideal solution when there is frequent change in the size of items being stored and the ability to easily change the vertical clear opening of each shelf location is a prerequisite. Zip-In shelves simply slide in and out of the unit without unloading or removing adjacent shelves.



Zip-in shelving units provide adjustability of shelves on 11/2" centers.



Zip-in shelves adjust easily by sliding shelves in and out of the system.



Sliding dividers attach easily without hardware or fasteners and provide infinite adjustability left to right.



Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Zip-in preconfigured units



Part No. 3020



Part No. 3022



Part No. 3010



Part No. 3012
shown with 27 openings

Zip-in units

(All units are 84" high x 37 1/8" wide x 12" deep)


Part No.	Description
3020	With back: Shell only - order parts from list
3022	With back; 9 openings, 9" high
3010	With back; 21 bins: 18 - 12" x 12"; 3-9" x 12"
3012	With back; up to 36 openings, 9" x 9"

Zip-in components

(All units are 84" high x 37 1/8" wide x 12" deep)

Part No.	Description
6098	Shelf 36" wide
6098L	Shelf 36" wide, with label holder
10047	Shelf front channel reinforcement
8145	Divider 3" high for opening 4 1/2" or higher
8146	Divider 4 1/2" high for opening 6" or higher
8147	Divider 6" high for opening 9" or higher
8505	Drawer 5 5/8" x 3 1/8"
8720	Drawer straight divider

*6098(L) will carry 242 lb. evenly distributed load



Sliding divider

Hooks into shelf holes and snap-locks into place on 1" centers without interfering with label holders.



Shelf drawer

6 across fills Zip-In Shelf.
Order drawer divider separately.
Part No. 8505

Supports to use when supporting deckover platforms over Zip-In Shelving

Part No.	Description
41327-01	Vertical support 87" high painted
41327-02	Corner support 87" high painted
41327-03	Vertical support 96" high painted
41327-04	Corner support 96" high painted



Equipto Label Holder

is a neat and easy way to identify records or supplies.
Part No. 6615

Iron Grip® Shelving

The heavier the load the tighter the grip!

Equipto Iron Grip® features the strongest, most resourceful system.

- Quick shelf placement without tools; just a simple, solid steel stud at every shelf corner.
- Independent unit concept is engineered for strength, and is infinitely adjustable for custom fitting to your specific needs.
- Iron Grip shelving provides superior strength for heavy applications
- Add drawers, dividers, bin fronts, bases or doors for your specific applications
- The largest upright anywhere, with a heavy gauge stud in each shelf corner which locks a double thickness of metal together
- Stud grip increases as additional weight is added to shelf

Heights: Iron Grip shelving units come in 84" height, 38 5/8", 43 1/8", 60", 72", 96", 120" and 180" high units are also available. Any other heights by special order. Specify desired height; we'll provide a prompt quotation.



Superior Iron Grip strength automatically provides crucial 4-point reinforcement to shelves.

The tapered stud engages a sloped, key-shaped hole in the upright for instant binding strength.


Built to last. Studs are plated; other parts have oven-baked enamel surfaces, and all formed from prime rolled steel.



Durable 18-gauge shelves feature box-formed edges on all four sides. Adding 13-gauge, U-formed channels (3/8" x 1 3/32") provides extra strength reinforcement on heavily loaded shelves. For heaviest use, also add end and center channels. Angles (1" x 1") made of 1/8" thick carbon steel provide optional reinforcement at the ends.

High visibility panels

Equipto furnishes high visibility white back and end panels on Iron Grip shelving units, regardless of the color of other. Standard color on Iron Grip shelving is office gray with white panels. Optional decorator colors will also be shipped with white panels unless you specify otherwise.




- 1" x 2 3/8" uprights (13 gauge), are the largest anywhere. Side embossing adds even more strength and rigidity to the unit
- Iron Grip studs allow adjustment of shelves instantly on 1 1/2" centers
- Front and rear shelf flanges extend around the sides past keyhole. Steel stud binds both flanges to upright
- Dividers adjust on 1" centers with Speedy clips on 36" wide shelving (3" centers on 48" widths)

Shown in color for clarity, parts are actually zinc plated

Iron grip key

Fasten any two shelving units together quickly and easily. Easy-access keys remove just as simply, allowing rearrangement of any unit without disturbing adjacent units
U.S. patent No. 2,824,775

Use Iron Grip shelving in a variety of configurations: free-standing; side-by-side; back-to-back; or arranged in efficient work centers. Each shelf unit has four uprights.





- Reinforced shelf capacities up to 2000 lbs. per shelf
- Non-reinforced shelf capacities of 700 lbs. per 36"W shelf
- Remarkable Iron Grip strength
- Modular system allows quick adjustment of individual shelves as well as units
- Largest, sturdiest upright anywhere
- As the shelves are loaded, the unit strength increases
- Reflective white back and end panels are standard, regardless of shelf color

Iron Grip® Shelving

Preconfigured units



4203/4210



4204/4211



4205/4212



4206/4213



4207/4214



4208D

- Units are supplied with white back and end panels
- Keep bulk and individual parts in the same unit for better inventory control
- Add lockable swinging doors for extra protection and security
- Quiet Ride™ Drawers feature 200 lbs. per drawer capacity
- Heavy duty 400 pound capacity drawer available
- All drawers extend 100%
- Combine shelving and drawers in one unit

Iron Grip® Closed Shelving Units

Note: Starter unit has 2 closed ends; additional unit has 1 closed end.

Depth	Starting or Additional Unit	6 Shelves Avg. 16 1/2" c.c.	10 Shelves Avg. 9" c.c.	Extra Shelf
12"	Starter	70-6KD	70-10KD	6091
12"	Add-on	71-6KD	71-10KD	6091
18"	Starter	72-6KD	72-10KD	6150
18"	Add-on	73-6KD	73-10KD	6150
24"	Starter	74-6KD	74-10KD	6185
24"	Add-on	75-6KD	75-10KD	6185
36"	Starter	76-6KD	76-10KD	6260
36"	Add-on	77-6KD	77-10KD	6260

To order set-up (extra charge), change "KD" suffix to "SU".



Closed back and end

Iron Grip® Open Shelving Units

Depth	6 Shelves Avg. 16 1/2" c.c.	10 Shelves Avg. 9" c.c.	Extra Shelf
12"	60-6KD	60-10KD	6091
18"	62-6KD	62-10KD	6150
24"	64-6KD	64-10KD	6185
36"	66-6KD	66-10KD	6260

Width: All units in table are 3' wide. To order 4' widths (in any depth except 36"), substitute "W" for '-' in catalog number. Example: 60-6 is 3' wide: 60W6 is 4' wide.

Height: All units in table are 7' high. Units available in all additional heights listed in "Uprights" section on Page 31.

To order set-up (extra charge), change "KD" suffix to "SU".



Open shelf

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.


Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Unit Description	Part Numbers			
	18" Deep w/o Dividers	w/ Dividers	24" Deep w/o Dividers	w/ Dividers
12 drawers 3" high, 4 shelf openings 12" high	4203N	4203DN	4210N	4210DN
8 drawers 4 1/2" high, 4 shelf openings 12" high	4204N	4204DN	4211N	4211DN
6 drawers 6" high, 4 shelf openings 12" high	4205N	4205DN	4212N	4212DN
5 drawers 7 1/2" high, 4 shelf openings 12" high	4206N	4206DN	4213N	4213DN
3 drawers 12" high, 4 shelf openings 12" high	4207N	4207DN	4214N	4214DN
2 drawers 3" high, 2 drawers 4 1/2" high	4208N	4208DN	4215N	4215DN

2 drawers 6" high, 1 drawer 7 1/2" high
3 shelf openings 15" high
Doors for these units available on page 30. Note: Above units feature Quiet-Ride™ 200 pound capacity drawers. **To order 400 pound capacity Heavy-Duty drawers, substitute "H" for "N" in Part No.**

Handles are furnished the same color as the drawer and all units have reflective white back and side panels.

Components



Equipto's commitment to quality control and fast turnaround service assures reliable assistance to our customers in replacing, adapting or expanding Iron Grip shelving systems. Our complete line of dependable parts is your guide to achieving complete flexibility in your space utilization system.

Sway braces (pair)

Description	Part No.
36" Back, 50 ¹ / ₈ " CC	6499
48" Back, 67 ³ / ₁₆ " CC	6431
12" End, 13 ⁵ / ₃₂ " CC	6480
18" End, 25 ³ / ₁₆ " CC	6481
24" End, 33 ⁹ / ₁₆ " CC	6482
36" End, 48 ¹ / ₈ " CC	6483
Upright to shelf corner, user must drill shelf	6495

End panels

Description	Part No.
12" x 43 ¹ / ₂ " high	7982
12" x 7 ¹ / ₂ " or less	7982-2
12" x 7 ³ / ₃₂ " to 10 ¹ / ₂ "	7982-3
18" x 43 ¹ / ₂ " high	7983
18" x 7 ¹ / ₂ " or less	7983-2
18" x 7 ³ / ₃₂ " to 10 ¹ / ₂ "	7983-3
24" x 43 ¹ / ₂ " high	7984
24" x 7 ¹ / ₂ " or less	7984-2
24" x 7 ³ / ₃₂ " to 10 ¹ / ₂ "	7984-3
36" x 43 ¹ / ₂ " high	7991
36" x 7 ¹ / ₂ " or less	7991-2
36" x 7 ³ / ₃₂ " to 10 ¹ / ₂ "	7991-3

Bases

Description	Part No.
Front, 1 ¹ / ₂ " x 36"	6923
Front, 3" x 36"	6924
Front, 3" x 48"	6930

Doors for shelving

Description	Part No.
36" wide x 7" H	18035
36" wide x 42" H	18043
36" wide x 34 ¹ / ₂ "H	18036

Swinging doors in free height attach quickly and securely.

Uprights

Description	Part No.
38 ⁵ / ₈ " Left hand	5598L
38 ⁵ / ₈ " Right hand	5599R
43 ¹ / ₂ " Left hand	5596L
43 ¹ / ₂ " Right hand	5597R
5' Left hand	5582L
5' Right hand	5583R
6' Left hand	5586L
6' Right hand	5587R
7' Left hand	5588L
7' Right hand	5589R
8' Left hand	5590L
8' Right hand	5591R
10' Left hand	5594L
10' Right hand	5595R
15' Left hand	5572L
15' Right hand	5573R
Splicer 8" long	5580

Bin fronts & label holders

Description	Part No.
35 ³ / ₄ " x 1" Bin front	10506
35" x 3 ¹ / ₄ " Bin front	10507
34" x 1 ¹ / ₈ " Label holder	6615
46" x 1 ¹ / ₈ " Label holder	6613

Reinforcing channels & angles


Description	Part No.
End angle for 12" deep	9630
End angle for 18" deep	9631
End angle for 24" deep	9632
End angle for 36" deep	9633
36" Front or rear channel	10029
48" Front or rear angle	9636
36" Center channel	9629
48" Center channel	9637

Shelves (with studs)

Description	Part No.
12" x 36"	6091
18" x 36"	6150
24" x 36"	6185
36" x 36"	6260
12" x 48"	6111
18" x 48"	6165
24" x 48"	6198



Drawers in a variety of widths and heights, with or without dividers, are available. (see drawer section.)



Iron Grip components: (A) Upright; (B) Shelf Stud; (D) Unit Key

Back panels

Description	Part No.
36" x 43 ¹ / ₂ " high	7506
36" x 7 ¹ / ₂ " or less	7506-2
36" x 7 ³ / ₃₂ " to 10 ¹ / ₂ "	7506-3
48" x 43 ¹ / ₂ " high	7531
48" x 7 ¹ / ₂ " or less	7531-2
48" x 7 ¹ / ₂ " to 10 ¹ / ₂ "	7531-3

Dividers

Description	Part No.
2" x 12" deep	8049
4 ¹ / ₂ " x 12" deep	8018
6" x 12" deep	8019
7 ¹ / ₂ " x 12" deep	8020
9" x 12" deep	8021
10 ¹ / ₂ " x 12" deep	8022
12" x 12" deep	8023
13 ¹ / ₂ " x 12" deep	8024
15" x 12" deep	8025
16 ¹ / ₂ " x 12" deep	8026
4 ¹ / ₂ " x 18" deep	8090
6" x 18" deep	8094
7 ¹ / ₂ " x 18" deep	8095
9" x 18" deep	8096
10 ¹ / ₂ " x 18" deep	8097
12" x 18" deep	8098
13 ¹ / ₂ " x 18" deep	8099
16 ¹ / ₂ " x 18" deep	8091
18" x 18" deep	8092
6" x 24" deep	8119
7 ¹ / ₂ " x 24" deep	8120
18" x 18" deep	8092
9" x 24" deep	8121
10 ¹ / ₂ " x 24" deep	8122
12" x 24" deep	8123
13 ¹ / ₂ " x 24" deep	8124
15" x 24" deep	8125
16 ¹ / ₂ " x 24" deep	8126
10 ¹ / ₂ " x 36" deep	8133
12" x 36" deep	8134

Miscellaneous parts and hardware

Description	Part No.
Shelf stud	10392
Unit key	10394
Speedy clip	10226
Bolt & nut 3/16" x 3/8"	13000
Bolt & nut 3/16" x 1/4"	13001
Bolt & nut 1/4" x 1/2"	13002
Bolt & nut 1/4" x 1"	13003
Headed rod 3/16" x 12 ¹ / ₂ "	9720
Panel clip	10332
Corner brace	6420
Wide drawer filler strip	7702
Aisle safety rail 36"	10043G
Aisle safety rail 48"	10044G
Front seismic anchor	190330A
Common back anchor	190335A

Economy Shelving

Equipto Economy Shelving is available in either open or closed styles and is ideal for cost-effective storage of packaged goods or bulky items. 20-gauge shelves are supported by adjustable compression clips, have multiple edge bends for strength and can support up to 450lbs of evenly distributed load. Shelves can be height-adjusted in 1" increments.

Pre-engineered 5 shelf starter units are available with shelves in 36" and 48" widths and 12", 15", 18" and 24" depths. Unit heights are 75" and 87". 5-shelf starter units can be expanded with any number of 5-shelf add-on kits, now or in the future.

Extra shelves and compression clips are also available.



Closed shelving - pre-engineered units

Starter P/N	Width	Depth	Height	Weight	Adder P/N	Width	Depth	Height	Weight
EEC361275S	36"	12"	75"	88 lbs.	EEC361275A	36"	12"	75"	81 lbs.
EEC481275S	48"	12"	75"	108 lbs.	EEC481275A	48"	12"	75"	100 lbs.
EEC361575S	36"	15"	75"	98 lbs.	EEC361575A	36"	15"	75"	89 lbs.
EEC481575S	48"	15"	75"	119 lbs.	EEC481575A	48"	15"	75"	110 lbs.
EEC361875S	36"	18"	75"	109 lbs.	EEC361875A	36"	18"	75"	97 lbs.
EEC481875S	48"	18"	75"	131 lbs.	EEC481875A	48"	18"	75"	120 lbs.
EEC362475S	36"	24"	75"	131 lbs.	EEC362475A	36"	24"	75"	115 lbs.
EEC482475S	48"	24"	75"	159 lbs.	EEC482475A	48"	24"	75"	142 lbs.
EEC361287S	36"	12"	87"	96 lbs.	EEC361287A	36"	12"	87"	88 lbs.
EEC481287S	48"	12"	87"	117 lbs.	EEC481287A	48"	12"	87"	108 lbs.
EEC361587S	36"	15"	87"	107 lbs.	EEC361587A	36"	15"	87"	96 lbs.
EEC481587S	48"	15"	87"	129 lbs.	EEC481587A	48"	15"	87"	118 lbs.
EEC361887S	36"	18"	87"	118 lbs.	EEC361887A	36"	18"	87"	104 lbs.
EEC481887S	48"	18"	87"	142 lbs.	EEC481887A	48"	18"	87"	128 lbs.
EEC362487S	36"	24"	87"	132 lbs.	EEC362487A	36"	24"	87"	123 lbs.
EEC482487S	48"	24"	87"	171 lbs.	EEC482487A	48"	24"	87"	152 lbs.

Open shelving - pre-engineered units

Starter P/N	Width	Depth	Height	Weight	Adder P/N	Width	Depth	Height	Weight
EEO361275S	36"	12"	75"	52 lbs.	EEO361275A	36"	12"	75"	51 lbs.
EEO481275S	48"	12"	75"	63 lbs.	EEO481275A	48"	12"	75"	62 lbs.
EEO361575S	36"	15"	75"	58 lbs.	EEO361575A	36"	15"	75"	57 lbs.
EEO481575S	48"	15"	75"	71 lbs.	EEO481575A	48"	15"	75"	70 lbs.
EEO361875S	36"	18"	75"	65 lbs.	EEO361875A	36"	18"	75"	63 lbs.
EEO481875S	48"	18"	75"	79 lbs.	EEO481875A	48"	18"	75"	77 lbs.
EEO362475S	36"	24"	75"	79 lbs.	EEO362475A	36"	24"	75"	77 lbs.
EEO482475S	48"	24"	75"	98 lbs.	EEO482475A	48"	24"	75"	96 lbs.
EEO361287S	36"	12"	87"	54 lbs.	EEO361287A	36"	12"	87"	53 lbs.
EEO481287S	48"	12"	87"	65 lbs.	EEO481287A	48"	12"	87"	64 lbs.
EEO361587S	36"	15"	87"	60 lbs.	EEO361587A	36"	15"	87"	59 lbs.
EEO481587S	48"	15"	87"	73 lbs.	EEO481587A	48"	15"	87"	72 lbs.
EEO361887S	36"	18"	87"	67 lbs.	EEO361887A	36"	18"	87"	65 lbs.
EEO481887S	48"	18"	87"	81 lbs.	EEO481887A	48"	18"	87"	79 lbs.
EEO362487S	36"	24"	87"	80 lbs.	EEO362487A	36"	24"	87"	79 lbs.
EEO482487S	48"	24"	87"	100 lbs.	EEO482487A	48"	24"	87"	98 lbs.

Boltless Storage Rack

Equipto Boltless Storage Rack is the economical alternative to standard steel shelving. Designed for hand loading and unloading only, it is ideal for automotive supplies, parts, warehouse materials, paint, batteries and just about anything else you need to store.

Preconfigured shelving units:

Frames only - wood or particle board shelves not included

Part No.	Description	Weight
RSR-693284	4 Shelves - 32"D X 69"W X 84"H	94 lbs
RSR-6932120	5 Shelves - 32"D X 69"W X 120"H	122 lbs
RSR-6932144	6 Shelves - 32"D X 69"W X 144"H	146 lbs



Design your own boltless storage rack shelving units with components


Upright angle - 111/16" x 21/4" 14 gauge

Part No.	Weight
RSR-UR-72	5.20
RSR-UR-84	6.10
RSR-UR-96	7.00
RSR-UR-120	8.70
RSR-UR-144	10.40




Front to back

RSR-FB-12	0.70
RSR-FB-18	1.20
RSR-FB-24	1.60
RSR-FB-32	2.20
RSR-FB-36	2.50
RSR-FB-48	3.40
RSR-LR-48	3.60
RSR-LR-69	5.10
RSR-LR-72	5.40
RSR-LR-96	8.40



Left to right angle beams

RSR-LR-48	3.60
RSR-LR-69	5.10
RSR-LR-72	5.40
RSR-LR-96	8.40



Left to right channel beam

BSR-CLR-72	7.70
BSR-CLR-96	10.40



Shelf tie support

BSR-STs-24	2.10
BSR-STs-30	2.60
BSR-STs-32	2.70
BSR-STs-36	3.00
BSR-STs-48	4.00



Tie plate

BSR-TP	0.20
--------	------



Equipto offers three pre-configured shelf kit sizes:

- 4 Shelves 32"D x 69"W x 84"H
- 5 Shelves 32"D x 69"W x 120"H
- 6 Shelves 32"D x 69"W x 144"H

You can also design your own units from components as shown on the reverse side of this New Product News.

Bar Racks

Equipto Bar Racks are ideal for storing long and bulky parts as well as pipes. Each arm carries 350 lbs. Choose 3', 6' or 8' widths, to support parts as needed.

- Specialty bar racks
- Single or double face
- Two heights, three widths, two depths
- Use individually or in rows
- Shelves optionally available.
- Capacity 325 lbs. per arm

Bar Racks are the effective answer to organizing steel — or any other items that don't need shelf support. Slotted angle, pipe, tubes, bars — Equipto Bar Racks hold them all. With no wasted space and absolutely simple access. Note: Be sure to order a rack end to finish each row.†



Shelves (12" x 36") fit between rack arms to hold long and short products in same unit.



Single-faced rack with end can be used free-standing to hold slotted angle, pipe, bars, etc.



Why try to maneuver those special items in and out of shelving, when they don't need to be there in the first place? Solid steel Equipto Bar Racks are specially designed for just those items. Single or double-face bar racks in a range of heights and widths can be used individually or in rows. You can even add a shelf here and there for items too short to reach between rack arms.

Accessories

Description	Part No.
Extra Arm, 12" deep; capacity 325 lbs.	1070
12" x 36" Extra shelf for bottom arms only	6052
12" x 36" Extra shelf for other arms	6053


Bar Racks

Description	Height	Width	Depth	Part No
Double-face unit	7'	3'	34"	1060
Double-face unit	7'	6'	34"	1060-72
Double-face unit	7'	8'	34"	1060-96
†Double-face rack end	7'	23/8"	34"	1061
Single-face unit	7'	3'	221/8"	1062
Single-face unit	7'	6'	221/8"	1062-72
Single-face unit	7'	8'	221/8"	1062-96
†Single-face rack end	7'	23/8"	221/8"	1063
Double-face unit	4'	3'	34"	1064
Double-face unit	4'	6'	34"	1064-72
Double-face unit	4'	8'	34"	1064-96
†Double-face rack end	4'	23/8"	34"	1065
Single-face unit	4'	3'	221/8"	1066
Single-face unit	4'	6'	221/8"	1066-72
Single-face unit	4'	8'	221/8"	1066-96
†Single-face rack end	4'	23/8"	221/8"	1067

Heavy Duty Bar Racks

The innovative, space-saving answer to organization of a wide range of long items, with a capacity of up to 12,000 lbs. per unit! Choose single or double-faced designs in 18 different sizes for your best application. Available in three widths, three heights and two arm lengths - all adjustable, and designed for economical, common upright performance.

- Ideal for long, difficult-to-organize items
- Organizes and protects valuable bar stock, pipe, lumber, conduit, steel angle, tool steel and more
- High capacity and high strength
- Adjustable on 2" centers
- 18" arm holds 1,000 lbs, 30" arm holds 500 lbs.,
- Each frame up to 12,000 lbs.



Single-faced Rack
1043-48



Note: 8' high units have 5 levels; 10' and 12' high units have 6 and 7 levels respectively.

For additional arms, order:

Extra 18" arm: 1046-18

Extra 30" arm: 1056-30

Note: Be sure to order a rack end to finish each row.

Heavy Duty Bar Racks

Single-faced 18" Arms (Unit Depth 36")

Unit Height	Width of Unit Bays			Rack End
	48"	72"	99"	
8'-0"	1043-48	1043-72	1043-99	1043
10'-0"	1044-48	1044-72	1044-99	1044
12'-0"	1045-48	1045-72	1045-99	1045

Single-faced 30" Arms (Unit Depth 48")

Unit Height	Width of Unit Bays			Rack End
	48"	72"	99"	
8'-0"	1053-48	1053-72	1053-99	1053
10'-0"	1054-48	1054-72	1054-99	1054
12'-0"	1055-48	1055-72	1055-99	1055

Note: Be sure to order a rack end to finish each row.

Note: Limit 6 arms per upright. Capacity: 18" arm-1,000 lbs. each; 30" arm-500 lbs. each.

Double-faced 18" Arms (Unit Depth 54")

Unit Height	Width of Unit Bays			Rack End
	48"	72"	99"	
8'-0"	1040-48	1040-72	1040-99	1040
10'-0"	1041-48	1041-72	1041-99	1041
12'-0"	1042-48	1042-72	1042-99	1042

Double-faced 30" Arms (Unit Depth 78")

Unit Height	Width of Unit Bays			Rack End
	48"	72"	99"	
8'-0"	1050-48	1050-72	1050-99	1050
10'-0"	1051-48	1051-72	1051-99	1051
12'-0"	1052-48	1052-72	1052-99	1052



Hand loading and retrieval is fast with easy access from either side of rack.



Power trucks can load heavier items on rack with access from either side.

Reel Racks

Organize reels of cable and supplies, making them easy to retrieve. Equipto Reel Racks hold up to 2000 lbs. per level, and up to 12000 lbs. per rack. (Reel Rods not included.)

Racks hold small to large reels on both sides — safely. And you can move them easily by hand or fork lift truck.


- High capacity free standing A-frame racks
- 96"-120"-144" heights
- 12000 lb. capacity
- 3" x 3" vertical posts with mounting holes
- Adjustable cross beams on 2" centers with automatic safety locks



1072R04



1076E08 rack ends



Each unit supplied with right-hand reel holders (as specified) that fasten to next unit or rack end.


Width	Height			No. of Reel Holders
	96"	120"	144"	
48"	1072R04	1072R14	1072R24	Two pair
72"	1072R06	1072R16	1072R26	Two pair
48"	1073R04	1073R14	1073R24	Three pair
72"	1073R06	1073R16	1073R26	Three pair
48"	1074R04	1074R14	1074R24	Four pair
72"	1074R06	1074R16	1074R26	Four pair
48"	1075R04	1075R14	1075R24	Five pair
72"	1075R06	1075R16	1075R26	Five pair
1076E08 Rack End, 96" high				
1076E10 Rack End, 120" high				
1076E12 Rack End, 144" high				



Extra reel holders

- Pairs only.
- Reel holders accommodate axles up to 2³/₈" O.D.

Shaft Size	Capacity	Part No. (pr.)
To 2 ³ / ₈ " O.D.	2000 lbs.	78218RH



Rack with two pr. reel holders

Rack with three pr. reel holders

Rack with four pr. reel holders

Rack with five pr. reel holders



Pipe not included. Secure standard schedule 40 pipe (up to 2" nominal) from your local plumbing supply. Use 47" pipe length for 48" wide rack; 71" pipe for 72" wide rack. Reel holders are adjustable on 2" increments to hold multiple reels.

Specialty Racks

Equipto provides storage for all types of parts. Keep grinding wheels, spools, 55 gallon drums and even auto body parts on these unique, heavy-duty racks.

Disc rack

- V-Formed shelves with divider rods
- 6 shelves adjust 1 1/2" centers
- Divider rods are on 1" centers
- Ideal for grinding wheels and numerous disc shaped objects
- All items are easily accessible
- Size of unit is 84" high, 36" wide and 8 1/4" deep
- Up to 4 levels high



Description: Disc Rack
Part No. 879-7

Wire spool rack

- 7-shelf reel rack adjustable on 1 1/2" centers
- Organize and retrieve wire, cable, chain, hose, rope or tubing
- Holds reels up to 16" in diameter
- V-shaped shelves with center rod
- Fiberboard on shelves to deaden noise and prevent excessive uncoiling



Description: Wire Spool Rack
Size: 8"D x 36"W x 84"H
Part No. 880-7

Trim & molding rack

- Keep trim and molding horizontally
- 48 compartments
- Keep valuable trim and molding pieces organized and out of harm's way.



Description: Trim & Molding Rack
Size : 48"D x 36"W x 84"H
Part No: 878-9



Shelf Drawers

Little gem shelf drawers

An Equipto exclusive, Little Gem 1 1/4" high drawers are more popular than ever. They're simply the most efficient way to store and retrieve small parts. Designed to stack and interchange with other drawers, Little Gem drawers and cabinets combine the best of Equipto quality and versatility for effective small-item organization.



Type A drawers feature 8 dividers (adjustable every 19/16") and a total of 12 curved-front compartments.

Type B drawers feature 16 compartments with 6 adjustable (13/4" centers) "egg crate" dividers.

Type H drawers are built like Type A, but 17" deep with 6 rows of compartments. Total of 18 compartments.

		Height of Stop		Part No. w/o Dividers	Part No. with Dividers as Shown	Divider To Fit
Width	Depth	Height				
11"	11"	1 1/4"	1 1/2"	Type A 8520	Type A 8522	8730
11"	11"	1 1/4"	1 1/2"	Type B 8521	Type B 8523	8731
11"	17"	1 1/4"	1 1/2"	Type H 8530	Type H 8531	8730

Cabinets with type A drawers

Drawer Height	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Cabinet Height	Part No.
1 1/4"	11"	11"	2	24 (max. 56)	3 1/4"	1
1 1/4"	11"	11"	4	48 (max. 112)	6 1/2"	2
1 1/4"	11"	11"	6	72 (max. 168)	9 3/4"	3
1 1/4"	11"	11"	12	144 (max. 336)	19 3/4"	6

Cabinets with type B drawers

Drawer Height	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Cabinet Height	Part No.
1 1/4"	11"	11"	2	32 (max. 72)	3 1/4"	1B
1 1/4"	11"	11"	4	64 (max. 144)	6 1/2"	2B
1 1/4"	11"	11"	6	96 (max. 216)	9 3/4"	3B
1 1/4"	11"	11"	12	192 (max. 432)	19 3/4"	6B

Cabinets with type H drawers

Drawer Height	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Cabinet Height	Part No.
1 1/4"	11"	17"	2	36 (max. 84)	3 1/4"	1H
1 1/4"	11"	17"	4	72 (max. 168)	6 1/2"	2H
1 1/4"	11"	17"	6	108 (max. 252)	9 3/4"	3H
1 1/4"	11"	17"	12	216 (max. 504)	19 3/4"	6H

135/8"H x 341/8"W Cabinets with 18 drawers

Drawer Height	Drawer Width	Drawer Depth	Type of Drawer	No. of Compartments	Cabinet Height	Part No.
1 1/4"	11"	11"	A	216 (max. 504)	12"	15
1 1/4"	11"	11"	B	288 (max. 648)	12"	15B
1 1/4"	11"	17"	H	324 (max. 756)	12"	15H

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

2” high shelf drawers

Equipto’s rugged 2” drawers slide smoothly and evenly with just fingertip effort. With the added convenience of dividers, the 2” Equipto drawer provides an unbeatable value.



Whether purchased singularly, in multiples for shelving inserts, or in convenient cabinets, Equipto 2” drawers with rigid, quilted sides bring convenience, efficiency and long-term durability.

Width	Depth	Height	Height of Stop	Number of Drawers to Make Row Across 3’ Wide Shelf	For Shelves Spaced on Centers	Straight Drawer No.	Divider to Fit
4 1/4”	11”	2”	2 1/2”	8	Use Frame	8532	8732
4 1/4”	17”	2”	2 1/2”	8		8533	8732
5 5/8”	11”	2”	2 1/2”	6		8534	8734
5 5/8”	17”	2”	2 1/2”	6		8535	8734

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

34 1/8”W x 10 5/8”H Cabinets

Drawer Height	Drawer Width	Cabinet Depth	No. of Drawers	No. of Compartments	Part No. 12” Deep	Part No. 18” Deep
2”	4 1/4”	12”	32	96	32	33
2”	5 5/8”	12”	24	72	34	35
2”	4 1/4”	12”	16	96	36	37
2”	5 5/8”	12”	12	72	36	37

All units shipped with 2 dividers per drawer.

Note: The above cabinets fit all makes of 36” wide shelving.

Standard color on above cabinets is office gray.

3 1/8”H Shelf drawers

Width	Depth	Height	Number of Drawers to Make Row Across 3’ Wide Shelf	For Shelves Spaced on Centers	Drawer No.	Straight Divider to fit
5 5/8”	11”	3 1/8”	6	4 1/2”	8505	8720
5 5/8”	17”	3 1/8”	6	4 1/2”	8540	8720

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired. New: Drawers have attractive, bright plated finish on handles.

Galvanized divider

Cabinet Width	Cabinet Height	No. of Depth	No. of Drawers	Drawer Compartments	Catalog Type	Part No.
23”	9 3/8”	12”	8	24	8505	8


Unit is shipped with 2 dividers per drawer.

34 1/8”W x 13 5/8”H Cabinets

Cabinet Depth	No. of Drawers	No. of Compartments	Drawer Type	Part No.
12”	18	54	8505	11
18”	18	54	8540	22
12”	14	42	8505	12
	4	48	Little Gem A	
18”	14	42	8540	12H
	4	72	Little Gem H	
12”	14	42	8505	12B
	4	64	Little Gem B	
12”	6	18	8505	14
	12	144	Little Gem A	
18”	6	18	8540	14H
	12	216	Little Gem H	
12”	6	18	8505	14B
	12	192	Little Gem B	

Units supplied with 2 dividers per drawer. Note: The above cabinets fit all makes of 36” wide shelving. Standard color on above cabinets is office gray.

3 1/8” High shelf drawers



One-piece construction with curved handle, reinforced fronts; label holders (full-width on fronts) on both drawers and dividers; embossed bottoms for easy sliding; front and rear drawer stops for pull out, tilt down part retrieval. Insert individual drawers and small cabinets in shelving; stack cabinets high and wide — along walls — back-to-back for partitions — or in rows.



Hundreds of combinations are available for inserting drawers and drawer cabinets into existing shelving (individual drawers shown here.) For example, arranging #8539, #8563 and #8566 drawers in 8-across, 4-across and 3-across patterns converts 36” wide shelf to clean, safe drawer units. Create in-shelf drawers wherever you need them, without replacing existing shelving.

Width	Depth	Height	Height to Make Row Across	Number of Drawers Spaced on Centers	For Shelves to Fit	Drawer No.	Straight Divider 3’ Wide Shelf
4 1/4”	11”	3 1/8”	3 7/8”	8	4 1/2”	8504	8709
4 1/4”	17”	3 1/8”	3 7/8”	8	4 1/2”	8539	8709
8 3/8”	11”	3 1/8”	3 7/8”	4	4 1/2”	8553	8753
8 3/8”	17”	3 1/8”	3 7/8”	4	4 1/2”	8563	8753
11 1/4”	11”	3 1/8”	3 7/8”	3	4 1/2”	8556	8756
11 1/4”	17”	3 1/8”	3 7/8”	3	4 1/2”	8566	8756

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.



3411 Also available in 3 and 4 across

Drawers on this page will fit any shelving on 4 1/2” centers and all makes of 36” wide shelving.

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

34 1/8”W x 13 5/8”H Cabinets

Cabinet Depth	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Part No.
12”	4 1/4”	11”	24 (8 per row)	72	3411
18”	4 1/4”	17”	24 (8 per row)	72	3417
12”	8 3/8”	11”	12 (4 per row)	36	3426
18”	8 3/8”	17”	12 (4 per row)	36	3486
12”	11 1/4”	11”	9 (3 per row)	27	3420
18”	11 1/4”	17”	9 (3 per row)	27	3480

Note: All units in table supplied with 2 dividers per drawer.

- Easy-to-read label holder on each slanted top divider
- Straight divider design adjusts easily on 1” center; keeps parts from creeping within drawer
- Drawer front has label holder for easy identification
- Full-width, curved handle for quick, fingertip access

36”W x 43 1/8”H Cabinets (Counter High)

Cabinet Width	Cabinet Depth	No. of Drawers	No. of Compartments	Drawer type	Part No.
36”	12”	54	162	8505	1164AD
36”	18”	54	162	8540	1854

Units supplied with 2 dividers per drawer.

Drawer cabinets 36 1/2” and 84” high furnished with white side and back panels.




Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

45/8” High shelf drawers

Equipto construction is strong enough for smaller units to be hung or stacked anywhere. Larger units form convenient counter top work surfaces or efficient wall systems.



3352
3362

Consider these quality Equipto features; sturdy, one-piece construction with top 2” double thickness steel; built-in, curved handle with full-width label holder; drawer stops both front and rear; adjustable, lock-in dividers with label holders.

Then consider versatility: Insert single drawers and smaller, welded-frame cabinets (34^{1/8}” width) directly into shelving. Stack or hang shorter cabinets anywhere. Use taller units, as free-standing structures.

Insert drawers into your existing shelving in various combinations, #8561 (6-across), #8564 (4-across) and #8567 (3-across) illustrated here. Drawers and small cabinets fit easily between uprights and sit securely on shelving.

Width	Depth	Height of Stop	Height	Number of Drawers to Make Row Across 3' Wide Shelf	For Shelves Spaced on Centers	Drawer No.	Straight Divider to Fit
55/8"	11"	45/8"	53/8"	6	6"	8551	8751
55/8"	17"	45/8"	53/8"	6	6"	8561	8751
83/8"	11"	45/8"	53/8"	4	6"	8554	8754
83/8"	17"	45/8"	53/8"	4	6"	8564	8754
111/4"	11"	45/8"	53/8"	3	6"	8557	8757
111/4"	17"	45/8"	53/8"	3	6"	8567	8757

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

341/8” W x 193/4”H Cabinets

Cabinet Depth	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Part No.
12"	55/8"	11"	18	54	3629
18"	55/8"	17"	18	54	3689
12"	83/8"	11"	12	36	3626
18"	83/8"	17"	12	36	3686
12"	111/4"	11"	9	27	3620
18"	111/4"	17"	9	27	3680

Note: Above cabinets are standard color office gray.

36”W x 431/8”H Cabinets (Counter High)

Cabinet Depth	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Part No.
12"	111/4"	11"	21 (7 rows of 3)	63	3350
18"	111/4"	17"	21 (7 rows of 3)	63	3360
12"	83/8"	11"	28 (7 rows of 4)	84	3351
18"	83/8"	17"	28 (7 rows of 4)	84	3361
12"	55/8"	11"	42 (7 rows of 6)	126	3352
18"	55/8"	17"	42 (7 rows of 6)	126	3362

Note: All units have 2 dividers per drawer.

Drawer cabinets 3^{1/2}” and 7” high furnished with white end panels.

61/8” High shelf drawers

The highest Equipto drawer - big and rugged, yet simply designed. Ideal for tools, dies, chucks, hardware and hundreds of other boxed, canned or bulk items. Available in 3 widths and 2 depths, these large drawers will handle just about anything you choose to put in them. Simple, effective, safe.



8562 8565 8568

Width	Depth	Height	Height of Stop	Number of Drawers to Make Row Across 3' Wide Shelf	For Shelves Spaced on Centers	Part No.	Straight Divider to Fit
55/8"	11"	61/8"	67/8"	6	71/2"	8552	8752
55/8"	17"	61/8"	67/8"	6	71/2"	8562	8752
83/8"	11"	61/8"	67/8"	4	71/2"	8555	8755
83/8"	17"	61/8"	67/8"	4	71/2"	8565	8755
111/4"	11"	61/8"	67/8"	3	71/2"	8558	8758
111/4"	17"	61/8"	67/8"	3	71/2"	8568	8758

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

36”W x 431/8”H cabinets

12” depth			
Drawer Width	Drawer Depth	No. of Drawers	Part No.
111/4"	11"	15 (3/row)	3370
83/8"	11"	20 (4/row)	3371
55/8"	11"	30 (6/row)	3372
18” depth			
111/4"	17"	15 (3/row)	3380
83/8"	17"	20 (4/row)	3381
55/8"	17"	30 (6/row)	3382

Note: All units supplied with 2 straight dividers per drawer.



36”W x 84”H cabinets

12” depth			
Drawer Width	Drawer Depth	No. of Drawers	Part No.
111/4"	11"	33 (3/row)	3970
83/8"	11"	44 (4/row)	3971
55/8"	11"	66 (6/row)	3972
18” depth			
111/4"	17"	33 (3/row)	3980
83/8"	17"	44 (4/row)	3981
55/8"	17"	66 (6/row)	3982

Note: All units supplied with 2 straight dividers per drawer.



Drawers on this page will fit any shelving on 6” centers and all makes of 36” wide shelving.

Note: Cabinet units are shipped with 2 dividers per drawer. Individual drawers are supplied without dividers; order separately as desired.


Drawers on this page will fit any shelving on 7^{1/2}” centers and all makes of 36” wide shelving.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.

Pick Racks




- One bin fits drawer units and open Pick Rack.
- Go from stock to sales area just by exchanging bins.
- Rearrange displays in moments.
- Contents are completely visible.



NOTE — Pick Rack bins, except Little Gem, are less dividers.
Order dividers if required from drawer pages. All drawers are 11” deep.



Bin Description	Unit Height — Part No.				
	38 ⁵ / ₈ ”	43 ¹ / ₈ ”	60”	72”	84”
Little Gem A 11” W x 1 ¹ / ₄ ” H #8520	30303 8 Rows 24 Dwrs.	30403 9 Rows 27 Dwrs.	30503 12 Rows 36 Dwrs.	30603 14 Rows 42 Dwrs.	30703 17 Rows 51 Dwrs.
Little Gem B 11” W x 1 ¹ / ₄ ” H #8521	30313 8 Rows 24 Dwrs.	30413 9 Rows 27 Dwrs.	30513 12 Rows 36 Dwrs.	30613 14 Rows 42 Dwrs.	30713 17 Rows 51 Dwrs.
#8532 4 ¹ / ₄ ” W x 2” H	30328 6 Rows 48 Dwrs.	30428 6 Rows 48 Dwrs.	30528 9 Rows 72 Dwrs.	30628 11 Rows 88 Dwrs.	30728 13 Rows 104 Dwrs.
#8534 5 ⁵ / ₈ ” W x 2” H	30326 6 Rows 36 Dwrs.	30426 6 Rows 36 Dwrs.	30526 9 Rows 54 Dwrs.	30626 11 Rows 66 Dwrs.	30726 13 Rows 78 Dwrs.
#8505 5 ⁵ / ₈ ” W x 3 ¹ / ₈ ” H	30336 4 Rows 24 Dwrs.	30436 5 Rows 30 Dwrs.	30536 7 Rows 42 Dwrs.	30636 8 Rows 48 Dwrs.	30736 10 Rows 60 Dwrs.
#8553 8 ³ / ₈ ” w x 3 ¹ / ₈ ” H	30334 4 Rows 16 Dwrs.	30434 5 Rows 20 Dwrs.	30534 7 Rows 28 Dwrs.	30634 8 Rows 32 Dwrs.	3073 10 Rows 40 Dwrs.
#8556 11 ¹ / ₄ ” w x 3 ¹ / ₈ ” H	30333 4 Rows 12 Dwrs.	30433 5 Rows 15 Dwrs.	30533 7 Rows 21 Dwrs.	30633 8 Rows 24 Dwrs.	30733 10 Rows 30 Dwrs.
#8551 5 ⁵ / ₈ ” w x 4 ⁵ / ₈ ” H	30346 3 Rows 18 Dwrs.	30446 4 Rows 24 Dwrs.	30546 6 Rows 36 Dwrs.	30646 7 Rows 42 Dwrs.	30746 8 Rows 48 Dwrs.
#8554 8 ¹ / ₈ ” w x 4 ⁵ / ₈ ” H	30344 3 Rows 12 Dwrs.	30444 4 Rows 16 Dwrs.	30544 6 Rows 24 Dwrs.	30644 7 Rows 28 Dwrs.	30744 8 Rows 32 Dwrs.
#8557 11 ¹ / ₄ ” w x 4 ⁵ / ₈ ” H	30343 3 Rows 9 Dwrs.	30443 4 Rows 12 Dwrs.	30543 6 Rows 18 Dwrs.	30643 7 Rows 21 Dwrs.	30743 8 Rows 24 Dwrs.
#8552 5 ⁵ / ₈ ” w x 6 ¹ / ₈ ” H	30366 3 Rows 18 Dwrs.	30466 3 Rows 18 Dwrs.	30566 5 Rows 30 Dwrs.	30666 6 Rows 36 Dwrs.	30766 7 Rows 42 Dwrs.
#8555 8 ³ / ₈ ” w x 6 ¹ / ₈ ” H	30364 3 Rows 12 Dwrs.	30464 3 Rows 12 Dwrs.	30564 5 Rows 20 Dwrs.	30664 6 Rows 24 Dwrs.	30764 7 Rows 28 Dwrs.
#8558 11 ¹ / ₄ ” w x 6 ¹ / ₈ ” H	30363 3 Rows 9 Dwrs.	30463 3 Rows 9 Dwrs.	30563 5 Rows 15 Dwrs.	30663 6 Rows 18 Dwrs.	30763 7 Rows 21 Dwrs.



Standard color - Office gray. For other colors refer to the Equipto color chart on Page 123.



Modular Drawer Cabinets

Design Benefits & Features

- One-piece welded construction.
- Drawer capacity of up to 400 lbs.
- Highly-durable, attractive finishes.
- Tempered steel drawer bearings.
- High strength to weight ratio.

Space Utilization Advantages

- High-density storage maximizes cubic space.
- Stocking/retrieval of parts and tools is quick and efficient.
- Work areas are clean and neatly organized.
- Theft and slippage potential is reduced.

Market Applications

- Automotive - small parts and service tool storage.
- Maintenance - tool cribs and parts inventory.
- Military - mobile cabinet applications, service/maintenance divisions.
- Museum - small artifact storage and security